



RESEARCH

Home Structure Fires

September 2016

Marty Ahrens

Abstract

Most structure fires, fire deaths and fire injuries occur in the home. Using data from the U.S. Fire Administration's National Fire Incident Reporting System (NFIRS) and the National Fire Protection Association's fire department experience survey, this analysis of frequency, causes and circumstances of home fires and losses can inform prevention efforts.

NFPA estimates that U.S. fire departments responded to an average of 358,300 home structure fires per year during 2010-2014. These fires caused an estimated average of 2,520 civilian deaths, 12,720 civilian injuries, and \$6.7 billion in direct property damage per year. Seventy percent of reported home fires and 84% of the home fire deaths occurred in one- or two-family homes, including manufactured homes. The remainder occurred in apartments or other multi-family housing.

Cooking equipment was the leading cause of home structure fires and fire injuries. Smoking materials were the leading cause of home fire deaths. One-quarter of home fire deaths were caused by fires that started in the living room, family room, or den; another quarter by fires originating in the bedroom; 17% were caused by fires starting in the kitchen. Three out of five home deaths resulted from fires with no smoke alarms or no working smoke alarms. Only 7% of home fires occurred in properties with fire sprinklers. Compared to other age groups, older adults were more likely to be killed by a home fire.

While considerable progress has been made, there is still much work to be done.

Keywords: fire statistics, home fires, residential fires, apartment fires, dwelling fires, multi-family housing

Acknowledgements

The National Fire Protection Association thanks all the fire departments and state fire authorities who participate in the National Fire Incident Reporting System (NFIRS) and the annual NFPA fire experience survey. These firefighters are the original sources of the detailed data that make this analysis possible. Their contributions allow us to estimate the size of the fire problem.

We are also grateful to the U.S. Fire Administration for its work in developing, coordinating, and maintaining NFIRS.

For more information about the National Fire Protection Association, visit www.nfpa.org or call 617-770-3000. To learn more about the One-Stop Data Shop go to www.nfpa.org/osds or call 617-984-7451.

Copies of this analysis are available from:

National Fire Protection Association
One-Stop Data Shop
1 Batterymarch Park
Quincy, MA 02169-7471
www.nfpa.org
e-mail: osds@nfpa.org
phone: 617-984-7451

NFPA No. USS12G

Copyright © 2016, National Fire Protection Association, Quincy, MA

Executive Summary

An average of 358,300 reported home structure fires caused 2,520 civilian deaths per year. During the five-year period of 2010-2014, U.S. fire departments responded to an estimated average of 358,300 home structure fires per year. These fires caused an annual average of 2,520 civilian deaths, 12,720 civilian fire injuries, and \$6.7 billion in direct property damage. Home fires accounted for three-quarters (74%) of all reported structure fires, 93% of civilian structure fire deaths, 87% of the civilian structure fire injuries, and more than two-thirds (69%) of direct structure fire property loss.

During 2010-2014, roughly one of every 338 households per year had a reported home fire. On average, seven people died in U.S. home fires per day.

These statistics are estimates derived from data provided by the fire service. The statistics about fires and associated losses in this analysis are national estimates of fires reported to U.S. municipal fire departments. These estimates are projections based on the detailed information collected by the U.S. Fire Administration's [National Fire Incident Reporting System \(NFIRS 5.0\)](#) and NFPA's annual Fire Experience Survey. Fires reported only to federal or state agencies or industrial fire brigades are not captured here. The term "home" includes one- and two-family homes, manufactured homes, and apartments or other multi-family housing, regardless of ownership. In general, any fire in or on a structure is considered a structure fire, including incidents in which only contents were damaged.

FIRE VICTIMS

Older adults were more likely to die in home fires than people in other age groups.

Understanding how home fires occur and the factors that contribute to injury or death is essential to finding better ways to prevent such incidents. Age is an important factor in the risk of fire death. In 2010-2014, people 65 and older were 2.3 times as likely to die from a home fire as the general population. The risk was 1.4 times as high for people age 50-64. Children under five now have a fire death risk that is the same as the overall population.

Non-fatal injuries have a different age profile. The difference between age groups was smaller for non-fatal fire injuries. The highest risk (1.3) for was seen among adults 85 or older. Adults age 20-49 were 1.2 times more likely than the overall population to be injured in a home fire.

For more information about home fire victims, see NFPA's report, [Characteristics of Home Fire Victims](#).

WHEN ARE HOME FIRES MOST COMMON?

Home fire deaths occur more often in cooler months and between 11:00 p.m. and 7:00 a.m.

In 2010-2014, 47% of home structure fires and (56%) of home structure fire deaths occurred in the five months of November through March. Reported home fires peaked around the dinner hours of 5:00 to 8:00 p.m. While just one-fifth (20%) of reported home fires occurred between

11:00 p.m. and 7:00 a.m., half (52%) of the home fire deaths resulted from fires reported during these hours.


LEADING CAUSES OF HOME FIRES IN 2010-2014

The ranking of fire causes can vary from year to year. The rankings here are based on the annual average percentage of fires and losses in 2010-2014. The likely severity of a reported fire can be measured in deaths or injuries per 1,000 fires and average loss per fire. Note that causes were pulled from several data elements in NFIRS, so double counting is possible.


Cooking equipment continues to be the leading cause of reported home structure fires and civilian fire injuries. In 2010-2014, cooking equipment was involved in 46% of home structure fires, 19% of home fire deaths, 44% of home fire injuries, and 17% of the direct property damage. It is also the leading cause of unreported fires. In a survey of unreported residential fires in 2004-2005, the Consumer Product Safety Commission (CPSC) found that U.S. households had 50 cooking equipment fires they did not report for every such incident reported to the fire department. While cooking was the leading cause of fires and fire injuries, it ranked lower on the casualties per 1,000 fires and last among the major causes in average loss per fire.

Leading Causes of Home Structure Fires: 2010-2014


Fires




Civilian Deaths



Civilian Injuries



Direct Property Damage



Smoking materials caused 22% of home fire deaths. Fires started by smoking materials have long been the leading cause of fire fatalities. This was still true for the 2010-2014 period. Only 5% of home fires were started by smoking materials, yet these fires caused more than one-fifth (22%) of the deaths, 10% of home fire injuries, and 8% of the direct property damage. The death rate of 30.6 deaths per 1,000 fires was 4.4 times the overall rate of 7.0 deaths per 1,000 reported home fires.

One out of five home fire deaths was caused by heating equipment. Heating equipment was the second leading cause of home fires (16%), home fire deaths (19%) (tied with cooking), and home fire injuries (12%) and 16% of the direct property damage during this period. Chimney fires were the most common type of heating fire. Space heaters, including portable heaters and those that are permanently installed, were involved in five of every six home heating fire deaths and in 16% of home fire deaths from all causes. Loss rates per 1,000 fires started by heating equipment overall were lower than many other major causes because of lower losses associated with chimney and central heating fires.

Electrical distribution or lighting equipment was involved in 9% of the home structure fires. These incidents caused 16% of the home fire deaths, 9% of the home fire injuries, and 18% of the direct property damage.

Intentional firesetting caused 8% of home structure fires. These fires caused 14% of home fire deaths, 7% of home fire injuries and 8% of direct property damage. Intentional fires heavily overlap with, but are not identical to, legally defined arson fires.

Playing with heat source and candles had the highest rates of injuries per 1,000 fires. Only 2% of home fires were started by someone, usually a child, playing with fire. These incidents caused 3% of home fire deaths, 5% of home fires injuries, 2% of direct property damage and an injury rate of 101.5 per 1,000 reported home fires. This is roughly three times the overall rate of 35.5 injuries per 1,000 fires.

Candles started 3% of home fires. These fires caused 4% of the deaths, 7% of the injuries and 5% of the direct property damage. Candle fires had an injury rate of 91.8 per 1,000 fires.

Fires started by exposures had the highest average property loss of the major causes. The 4% of home fires started by exposure to another fire caused less than 1% of the deaths, 1% of the injuries and 8% of the direct property damage. The average loss of \$42,900 per fire was more than twice the overall average of \$18,700 per fire.


AREA OF ORIGIN AND FIRE SPREAD

The kitchen was the leading area of origin for home fires and injuries. More than two of every five (43%) reported home fires in 2010-2014 started in the kitchen or cooking area. These fires caused 17% of the home fire deaths and two of every five (39%) home fire injuries. Apartment or multi-family housing fires were more likely to start in the kitchen (67%) than were fires in one- or two-family homes (33%).


Seven percent of home structure fires started in the bedroom. These incidents caused one-quarter (24%) of the home fire deaths and one-fifth (20%) of the civilian fire injuries.

Leading Areas of Origin in Home Structure Fires: 2010-2014


Fires



Civilian Deaths



Civilian Injuries



Six percent of home fires originated in and were confined to the chimney or flue. These fires resulted in less than 1% of civilian fire deaths, injuries or associated property damage.



Only 4% of home structure fires originated in the living room, family room, or den, but these incidents caused one-quarter (24%) of the deaths and 10% of the injuries.

Most reported home fires were small. Fifty-six percent were confined to the object of origin. While the fire spread beyond the room of origin in only one-quarter (25%) of the reported fires, four out of five (81%) home fire deaths and almost half (46%) of the fire injuries were caused by these incidents.


TRENDS

Estimates of reported home fires and home fire deaths in 2015 were half as high as in 1980. Results from NFPA's annual survey of fire department experience are provided annually in NFPA's [Fire Loss in the United States](#) series of reports. Estimates of home fires and losses for 2015 show that substantial progress has been made since 1980, the first year in which national estimates of specific fire problems were available. Reported home fires fell from 50% from 734,000 in 1980 to 365,500 in 2015. The decline was sharpest during the 1980s and continued more slowly in the 1990s. From 2009 to 2015, home fires have hovered between 362,500 and 370,000.

Deaths resulting from these fires fell 51% from 5,200 in 1980 to 2,560 in 2015.



Home fire and fire death rates fell 65% from 1980 to 2015. The rate of reported home fires per million population fell from 3.2 in 1980 to 1.1 in 2015, while the home fire death rate per million population fell from 22.9 in 1980 to 8.0 in 2015.



Deaths per 1,000 reported fires were almost the same in 2015 as in 1980. Considerable progress has been made in reducing the number of fires and deaths, such progress has not extended to the death rate per 1,000 home fires. In 2015, the death rate per 1,000 fires was 7.0, only 1% lower than the 7.1 rate in 1980.

REDUCTIONS IN HOME FIRE DEATHS BY MAJOR CAUSAL FACTORS

Deaths from fires originating in living rooms, family rooms, or dens fell more sharply than deaths from fires starting in bedrooms and kitchens. Historically, the largest number of fire deaths resulted from fires starting in living rooms, family rooms, or dens. The difference between the three leading areas of origin for home fire deaths has shrunk over time, with deaths from fires starting in bedrooms now sometimes exceeding the number resulting from fires starting in living rooms, family rooms or dens. Compared to home fire deaths in 1980-1984, the average number of deaths in 2010-2014 resulting from fires starting in the living room, family room, or den fell 68%; deaths from fires beginning in the bedroom fell 51%; and deaths from kitchen fires dropped 34%.

Fire deaths from upholstered furniture and mattress or bedding fires fell 64% and 56%, respectively, since the early 1980s. The two leading items in home fire deaths remain upholstered furniture, first ignited in 17% of home fire deaths in 2010-2014, and mattresses or bedding, first ignited in 14% of the deaths. The average number of deaths from home fires beginning with upholstered furniture was 64% lower than the 1980-1984 average while deaths from fires starting with mattresses or bedding were down 56% from the earlier period.

Smoking material fire deaths have fallen more than deaths from fires started by small open flames or operating equipment. The annual average death toll from fires started by smoking materials was 67% lower in 2010-2014 than it was in 1980-1984, while deaths from fires started by small open flames (lighters, candles, or matches) were down 61% compared to the earlier years. The death toll from fires started by some type of operating equipment was 46% lower in the more recent period than in 1980-1984.

PREVENTING FIRES AND FIRE LOSSES

Estimates in this report can be used to define scenarios or develop further research.

Statistics by themselves do not solve problems. They need to be used. The engineering community can use these estimates to develop likely scenarios for product testing. Public educators may use it to set priorities. Often, the statistics indicate areas where further research is needed. More specifics may be needed about a general class of product involved in fires. How effective are changes that have already been made? What could be done to increase safety?

Safer products can prevent many fires from starting. Considerable progress has been made but more is left to be done. Equipment and other product redesign, such as the “fire-safe” cigarette which was designed to stop burning if not actively smoked, or automatic shut-offs on heating equipment, cooking equipment, or irons can mitigate human error and improve safety. Such changes may be the most effective and inexpensive approach to fire prevention. The [CPSC](#) issues product safety standards and recalls of unsafe consumer products and collects reports about such products from the public.

Three of every five home fire deaths resulted from fires with no working smoke alarms. A smoke alarm was present in almost three-quarters of reported home fires, substantially less than the 96% of homes with smoke alarms that were reported in telephone surveys done for NFPA in the past few years. However, three out of five home fire deaths resulted from fires in which either no smoke alarm was present (39%) or at least one alarm was present but did not operate (19%). Forty-one percent of home fire deaths resulted from fires with operating smoke alarms. Only a minority of homes have interconnected smoke alarms. When smoke alarms are interconnected, all alarms will sound when one is activated, enabling the warning to sound throughout the home.

People who are in the room of fire origin may be intimately involved with ignition. Their clothing or the furniture they are sitting in or lying on may catch fire. Traditional means of fire protection may not save them. Even if they are not intimately involved, being in the room where the fire starts dramatically reduces escape time.

Home fire sprinklers can control a fire until help arrives even when the occupants are unable to act. Fire sprinklers were present in only 7% of reported home fires in 2010-2014. The death rate per 1,000 reported home fires was 79% lower when wet pipe sprinkler systems were present compared to reported home fires without any automatic extinguishing systems. For more information on how sprinklers can help, see [firesprinklerinitiative.org](#).

Additional safety information on the topics discussed can be found at NFPA’s website, [nfpa.org](#).

Table of Contents

	Page
Executive Summary	i
Table of Contents	vii
List of Tables	viii
List of Figures	x
U.S. Home Structure Fires Fact Sheet	xi
Home Structure Fires: Overview	1
<i>Data Sources, Definitions and Conventions Used in this Report</i>	2
When Do Home Fires Occur?	5
Age of Victims	6
<i>Relative Risk</i>	
Leading Causes of Reported Home Structure Fires	8
<i>How Leading Cause Categories Were Chosen and Calculated</i>	
<i>Caution - Estimates for 2012 and 2013 were influenced by a change in NFIRS rules.</i>	
More Detailed Information about Fire Circumstances	20
Fire Protection	24
Changes in Fire Death Patterns over Time	27
Unreported Home Fires	28
Additional Information Sources	29
Supporting Tables	31
Appendix A. How National Estimates are Calculated	87
Appendix B. Methodology and Definitions Used in “Leading Cause” Tables	97

Note: Italicized items provide definitions, background, and general information about the estimates.

List of Tables

	In Body of Report	Page
Table A.	Reported Home Structure Fires by Property Use	1
Table B.	U.S. Civilian Fire Deaths and Injuries, by Age Group	7
Table C.	Sprinkler Systems in Reported Home Structure Fires Excluding Fires in Properties in Construction and Fires in Which Automatic Extinguishing Equipment was Present, but Not in Fire Area	26
 <i>Supporting Tables Found after Text</i>		
Home Structure Fires:		
Table 1.	By Year	32
Table 2.	By Month	34
Table 3.	By Day of Week	34
Table 4.	By Alarm Time	35
Table 5.	By Leading Causes	36
Table 6.	By Cause of Ignition	37
Table 7.	By Equipment Involved in Ignition	38
Table 8.	By Heat Source	40
Table 9.	By Factors Contributing to Ignition	42
Table 10.	By Area of Origin	44
Table 11.	By Item First Ignited	46
Table 12.	By Extent of Fire Spread	48
 Reported Home Fire Deaths		
Table 13.	In Selected Areas of Origin, by Year	49
Table 14.	Starting with Upholstered Furniture or Mattresses and Bedding, by Year	51
Table 15.	Started by Selected Heat Sources and Year	52

List of Tables (Continued)

	Page
One- or Two-Family Home Structure Fires:	
Table 1A. By Year	54
Table 2A. By Month	55
Table 3A. By Day of Week	55
Table 4A. By Alarm Time	56
Table 5A. By Leading Causes	57
Table 6A. By Cause of Ignition	58
Table 7A. By Equipment Involved in Ignition	59
Table 8A. By Heat Source	61
Table 9A. By Factor Contributing to Ignition	63
Table 10A. By Area of Origin	65
Table 11A. By Item First Ignited	67
Table 12A. By Extent of Fire Spread	70
Apartment or Multi-Family Housing Structure Fires	
Table 1B. By Year	71
Table 2B. By Month	72
Table 3B. By Day of Week	72
Table 4B. By Alarm Time	73
Table 5B. By Leading Cause	74
Table 6B. By Cause of Ignition	75
Table 7B. By Equipment Involved in Ignition	76
Table 8B. By Heat Source	78
Table 9B. By Factor Contributing to Ignition	80
Table 10B. By Area of Origin	82
Table 11B. By Item First Ignited	84
Table 12B. By Extent of Fire Spread	86

List of Figures

		Page
	Home Structure Fires: Overview	
Figure 1A.	Reported Home Structure Fires by Year	3
Figure 1B.	Home Fires per Million Population 1980-2011	3
Figure 2A.	Home Fire Deaths by Year	3
Figure 2B.	Home Fire Deaths per Million Population 1980-2011	3
Figure 2C.	Home Fire Deaths per Thousand Reported Fires 1980-2011	4
Figure 3.	One- or Two-Family Home Fires, by Year	4
Figure 4.	Apartments or Multi-Family Housing Fires, by Year	4
	When Do Home Fires Occur?	
Figure 5.	Home Fires by Month	5
Figure 6.	Home Fires by Alarm Time	5
	Age of Victims	
Figure 7.	Civilian Deaths and Injuries by Age Group	6
Figure 8.	Relative Risk of Civilian Death and Injury by Age Group	7
	Leading Causes of Reported Home Structure Fires	
Figure 9.	Leading Causes of Home Structure Fires	8
Figure 10.	Leading Causes in One- or Two-Family Homes and Apartments or Multi-Family Housing	10
Figure 11.	Population-Based Loss Rates, by Cause of Fire	11
Figure 12.	Home Cooking Fires and Deaths, by Year	13
Figure 13.	Home Heating Fires and Deaths, by Year	14
Figure 14.	Home Smoking Material Fires and Deaths, by Year	15
Figure 15.	Intentional Home Fires and Deaths, by Year	16
Figure 16.	Home Electrical Distribution or Lighting Fires and Deaths, by Year	17
	More Detailed Information about Fire Circumstances	
Figure 17.	Leading Areas of Origin	22
Figure 18.	Leading Items First Ignited	23
	Fire Protection	
Figure 19.	Fires and Deaths by Smoke Alarm Performance	25
	Changes in Fire Death Patterns over Time	
Figure 20.	By Leading Area of Origin and Year	27
Figure 21.	from Fires Starting with Upholstered Furniture and Mattresses and Bedding, by Year	27
Figure 22.	Fire Deaths by Selected Heat Sources and Year	28



U.S. HOME STRUCTURE FIRES FACT SHEET


U.S. fire departments responded to an estimated average of 358,300 home structure¹ fires per year during 2010-2014. These fires caused an annual average of

- 2,520 civilian fire deaths,
 - 12,720 civilian fire injuries, and
 - \$6.7 billion in direct damage.
- 93% of all structure fire deaths resulted from home fires.
 - On average, seven people died in U.S. home fires per day.

Causes and Circumstances of Home Fires

Cooking equipment was the leading cause of home structure fires and home fire injuries.

Smoking materials were the leading cause of civilian home fire deaths. Heating equipment was the second most common cause of home fires, fire deaths and fire injuries.




Almost all homes have at least one smoke alarm, but three out of five home fire deaths in 2010-2014 resulted from fires in homes in which either no smoke alarm was present (39%) or at least one alarm was present but none operated (19%).

¹Homes include one- or two-family homes, manufactured homes, as well as apartments or other multi-family housing. In general, any fire that occurs in or in a structure is considered a structure fire, even if the fire was limited to contents and the building itself was not damaged. Estimates were derived from USFA's National Fire Incident Reporting System and NFPA's annual fire department experience survey.

Where do home fires start?

- More than two of every five (43%) reported home structure fires started in the kitchen. Two out of five (39%) home fire injuries were caused by these incidents. In addition, 17% of home fire deaths resulted from kitchen fires.
- Only 7% of reported home fires started in the bedroom, but these fires caused one-quarter (24%) of home fire deaths and one in five (20%) home fire injuries.
- Just 4% of home fires started in the living room, family room, or den, but these incidents caused one-quarter (24%) of home fire deaths and 10% of the home fire injuries.
- Fires confined to chimneys or flues accounted for 6% of all reported home fires. These fires caused very few casualties.

Leading Areas of Origin in Home Structure Fires: 2010-2014




Fact: 18% of home fire deaths resulted from fires beginning with upholstered furniture.

Home fires and home fire deaths peak in the cooler months. Patterns for time of day are different for fires than for deaths.

- Home structure fires peaked around the dinner hours between 5:00 and 8:00 p.m.
- Only one in five (20%) reported home structure fires occurred between 11:00 p.m. and 7:00 a.m. These fires caused half (52%) of all home fire deaths.

Home Structure Fires by Month: 2010-2014



Home Structure Fires: Overview

358,300 home structure fires were reported per year. During the five-year period of 2010-2014, U.S. fire departments responded to an estimated average of 358,300 home structure fires per year. These fires caused an annual average of 2,520 civilian (non-fire service) deaths, 12,720 civilian fire injuries, and \$6.7 billion in direct property damage. On average, seven people died in U.S. home fires per day.

Table A provides a more detailed breakdown of losses by occupancy. Seven of every ten (70%) reported home structure fires and five of every six (84%) of the fatal home fire injuries occurred in one- or two-family homes, including manufactured homes.

Table A.
Reported Home Structure Fires by Property Use
2010-2014 Annual Averages

Property Use	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
One- or two-family home, including manufactured home	250,500	(70%)	2,100	(84%)	8,440	(66%)	\$5,438	(81%)
Apartment or other multi-family housing	107,800	(30%)	410	(16%)	4,280	(34%)	\$1,271	(19%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)

On average, one of every 338 households reported a fire per year. According to the U.S. Census Bureau, in 2012 (the mid-point of 2010-2014), the U.S. had roughly 314 million residents living in roughly 121 million households.¹ Dividing the total number of households by the number of home fires yields a rate of roughly one reported fire for every 338 housing units per year.

93% of civilian structure fire deaths resulted from fires in the home. Based on annual averages for 2010-2014, the 358,300 reported home structure fires accounted for three-quarters (74%) of the 485,700 structure fires, 93% of the 2,720 civilian structure fire deaths, 87% of the 14,650 civilian structure fire injuries, and 69% of the \$9.7 billion in direct property loss per year.

The number of reported home structure fires has been cut in half since 1980. NFPA’s annual Fire Experience Survey (FES) provides the earliest estimates of reported home fires and associated losses although it lacks the detail about causes and circumstances found in the National Fire Incident Reporting System (NFIRS). [Tables 1, 1A and 1B](#) show the number of reported fires in homes, one- or two-family homes, and apartments or other multi-family from housing, respectively, based on data collected by NFPA’s FES and published in [Fire Loss in the United States](#) series of reports.² Losses associated with these fires are also shown.

¹ U.S. Census Bureau, “[Monthly Population Estimates for the United States: April 1, 2010 to December 1, 2014: 2013 Population Estimates](#),” and “[HH4. Households by Size: 1960 to Present](#).”

² The NFPA survey is separate from NFIRS. Although the definitions are the same, the survey does not include provisions for capturing unknown data. National estimates derived solely from NFPA’s survey will differ somewhat from estimates derived when NFIRS and NFPA survey are combined.

Data Sources, Definitions and Conventions Used in this Report

Unless otherwise specified, the statistics in this analysis are national estimates of fires reported to U.S. municipal fire departments and so exclude fires reported only to federal or state agencies or industrial fire brigades. The 2010-2014 estimates are projections based on the detailed information collected in Version 5.0 of the U.S. Fire Administration's National Fire Incident Reporting System (NFIRS 5.0) and the National Fire Protection Association's (NFPA's) annual fire department experience survey. Except for property use and incident type, fires with unknown or unreported data were allocated proportionally in calculations of national estimates.

What is included in NFPA's definition of "home?"

- detached dwellings, duplexes, and manufactured housing, and
- apartments, tenements, and flats, townhouses, row houses, and other multi-family housing, regardless of ownership.

In general, any fire that occurs in or on a structure is considered a structure fire, even if the fire was limited to contents and the building itself was not damaged.

A few key tables (Tables A-C) have been incorporated into the text. The remainder of the tables are found after the text. Tables 1-12 describe reported fires, causes and circumstances in homes overall. Tables 1A-12A provide comparable estimates for fires and causes in one- or two-family homes. Estimates for apartment fires are found in Tables 1B-12B. Tables 13-15 show home fire death trends for specific causal factors.

What are "confined" and "non-confined" fires?

NFIRS 5.0 includes a category of structure fires collectively referred to as "confined fires," identified by incident type. These include confined cooking fires, confined chimney or flue fires, confined trash fires, confined fuel burner or boiler fires, confined commercial compactor fires, and confined incinerator fires (incident type 113-118). Table A.1 in Appendix A shows that confined fires accounted for a larger share of fires in apartments or other multi-family housing than in one- and two-family homes. Losses are generally minimal in these fires, which by definition, are assumed to have been limited to the object of origin. Although causal data is not required for these fires, it is sometimes present.


Confined and non-confined fires were analyzed separately and then summed for Cause of Ignition, Heat Source, Factor Contributing to Ignition, Area of Origin, and Item First Ignited. Non-confined fires and confined cooking fires were analyzed for Equipment Involved in Ignition. Other types of confined fires were not broken out further and were listed by incident type.

Additional information

Casualty and loss projections can be heavily influenced by the inclusion or exclusion of one unusually serious fire. Except for trend tables, property damage has not been adjusted for inflation. Fires are rounded to the nearest hundred, civilian deaths and injuries are generally rounded to the nearest ten (except for estimates based solely on the NFPA's fire experience survey where deaths are rounded to the nearest five and injuries to the nearest 25), and direct property damage is rounded to the nearest million dollars. Additional details on the methodology may be found in Appendix A and B.


Figure 1A shows that the 365,500 home structure fires reported in 2015 was 50% less than the 734,000 fires reported in 1980. The decline was sharpest during the 1980s and continued more slowly in the 1990s. From 2009 to 2015, home fires have hovered between 362,500 and 370,000. Figure 1B shows that the drop in reported home structure fires was even greater when population growth was considered. The rate of reported home fires per million population fell 65% from 3.23 in 1980 to 1.14 in 2015.

Figure 1A.
Reported Home Structure Fires
by Year: 1980-2015



Source: NFPA's [Fire Loss in the United States](#).


Figure 1B.
Reported Home Structure Fires
per Million Population, by Year: 1980-2015



Source: NFPA's [Fire Loss in the United States](#) and U.S. Census Bureau.


Home fire deaths have also been cut in half. Figure 2A shows that the estimated home fire death toll of 2,560 in 2015 was 51% lower than the 5,200 reported in 1980. From 2006 on, home fire deaths have consistently been below 3,000, a mark that was reached only twice between 1980 and 2005. Deaths fell 5% from 2014 to 2015. Figure 2B shows the rate of home fire deaths per million population was also greater than the drop in actual fire deaths, falling 65% from 22.9 in 1980 to 8.0 in 2015.

Figure 2A.
Reported Home Structure Fire Deaths
by Year: 1980-2015




Source: NFPA's [Fire Loss in the United States](#).

Figure 2B.
Reported Home Structure Fire Deaths
per Million Population, by Year: 1980-2015



Source: NFPA's [Fire Loss in the United States](#) and U.S. Census Bureau.



Deaths per 1,000 reported fires were the same in 2015 as in 1980. While considerable progress has been made in reducing the frequency of home fires and fire deaths, Figure 2C shows that much less progress has been made in reducing the rate of home fire deaths per 1,000 reported fires. In 2015, the death rate per 1,000 fires was 7.0, only 1% lower than the 7.1 rate in 1980.



Source: NFPA's [Fire Loss in the United States](#).

The home fire problem is dominated by and resembles the fire experience of one- and two-family homes. Figure 3 shows that the trend in reported one- and two-family home fires (including fires in manufactured housing) closely resembles that of fires in all homes.

Figure 4 shows that the trend is rather different in apartments or multi-family homes. These fires fell sharply in the early 1980s, declined more gradually in the 1990s, and have been relatively stable since then. The smallest number of apartment or multi-family housing fires was reported in 2000. The details from NFIRS show that two-thirds (69%) of the apartment fires reported during 2010-2014 had one of the confined structure fire incident types as compared to 38% of the fires in one- and two-family homes. It is possible that minor apartment or multi-family housing fires are more likely to be reported to fire departments than are minor fires in one- or two-family homes.



Source: NFPA's [Fire Loss in the United States](#).

Unless otherwise specified, the estimates in the remainder of the report are derived from both NFIRS and NFPA's annual fire department experience survey.

When Do Home Fires Occur?

Home fire deaths peak in the cooler months.

Figure 5 and Table 2 show that more than half (56%) of home structure fire deaths occurred in November, December, January, February or March. Almost half (47%) of the fires were reported during these five months. This pattern reflects the influence of heating equipment fires and more time spent inside. If events were distributed evenly across the year, there would be 8.3% each month or 42% over the five-month period. Almost three-quarters of the home heating equipment fires (71%) and four of every five heating fire deaths (79%) in 2009-2013 were reported in these five months.³

Figure 5.
Home Structure Fires and Deaths by Month: 2010-2014





Table 3 shows that Sunday was the peak day for reported home fires; Saturday had the second largest number of fires. Home fire deaths peaked on Saturday, with Sunday second. Home fire injuries were also most common on Saturdays and Sundays.

Fires reported between 11 p.m. and 7 a.m. caused half of home fire deaths. Figure 6 and Table 4 show that reported home fires peaked around the dinner hours of 5:00 to 8:00 p.m. Only one in five (20%) of the reported home fires occurred between 11:00 p.m. and 7:00 a.m. but half (52%) of the home fire deaths resulted from incidents reported during these hours. The patterns are similar in one- or two-family homes and in apartments or other multi-family housing.

Figure 6. Home Structure Fires, by Alarm Time: 2010-2014



³ Richard Campbell. *Home Fires Involving Heating Equipment*. Quincy, MA: National Fire Protection Association, 2016, p. 22.

Ages of Victims

Older adults face a higher risk of dying in home fires than do young people.

To prevent fire deaths and injuries, it is necessary to know something about the victims and fire causes. Age data can be helpful when considering how to target intervention efforts. In 2012 (the midpoint of the five-year range of 2010-2014), people 65 and over made up only 14% of the U.S. population, but they accounted for one-third (32%) of the home fire deaths. (See Figure 7.) Children under 14 account for 19% of the population and 13% of the fire deaths.

Figure 7. Home Structure Fire Civilian Deaths and Injuries, by Age Group: 2010-2014




Figure 8 shows that people 85 and older were 3.3 times more likely than the overall population to be fatally injured in a home fire. For all people 65 or older, the relative risk was 2.3 times that of the overall population. Children under five have historically faced a higher risk of fire death than most other age groups. In 2010-2014, these young children had a home fire risk the same as the overall population.

Table B and Figure 8 show that the relative risk was higher (1.4) for people in the 50-64 age group than it was for young children.

The risk of home fire injury varies less by age than does the risk of home fire death. The highest risk (1.3) for was seen among adults 85 or older. Adults age 20-49 were 1.2 times more likely than the overall population to be injured in a home fire.


Relative Risk

Relative risk compares the risk of a specific group versus the population at large. The relative risk of fire death or injury for each age group was calculated by dividing the rate of death or injury per million population for each age group by the rate of the general population.

**Table B. U.S. Civilian Fire Deaths and Injuries Reported in Home Structure Fires, by Age Group
2010-2014 Annual Averages**

Age Group	2012 Population in Millions		Civilian Deaths		Deaths per Million	Relative Risk of Death	Civilian Injuries		Injuries per Million	Relative Risk of Injury
Under 5	20	(6%)	160	(6%)	8.0	1.0	550	(4%)	27.5	0.7
5-9	20	(7%)	100	(4%)	5.0	0.6	340	(3%)	16.8	0.4
10-14	21	(7%)	60	(2%)	2.9	0.4	380	(3%)	18.4	0.5
15-19	21	(7%)	60	(2%)	2.8	0.3	680	(5%)	31.7	0.8
20-34	65	(21%)	250	(10%)	3.9	0.5	3,160	(25%)	48.6	1.2
35-49	62	(20%)	370	(15%)	6.0	0.7	2,980	(23%)	47.8	1.2
50-64	61	(19%)	700	(28%)	11.5	1.4	2,800	(22%)	45.7	1.1
65-74	24	(8%)	360	(14%)	14.9	1.9	960	(8%)	40.0	1.0
75-84	13	(4%)	300	(12%)	22.3	2.8	570	(4%)	42.6	1.1
85+	6	(2%)	150	(6%)	26.1	3.3	310	(2%)	52.9	1.3
Total	314	(100%)	2,520	(100%)	8.0	1.0	12,720	(100%)	40.5	1.0
Selected age groups										
14 and under	61	(19%)	320	(13%)	5.3	0.7	1,270	(10%)	20.8	0.5
65 and over	43	(14%)	810	(32%)	18.7	2.3	1,840	(14%)	42.6	1.1


**Figure 8. Relative Risk of Civilian Death and Injury from Home Structure Fires, by Age Group
2010-2014**



Leading Causes of Reported Home Structure Fires

Table 5 and Figure 9 show the leading causes of home structure fires based on 2010-2014 annual averages with data summarized from several NFIRS data elements. Cooking equipment remained the leading cause of home structure fires and civilian fire injuries while smoking materials remained the leading cause of fire deaths overall during the five-year period. Note that the ranking of fire causes can vary from year to year.

Figure 9. Leading Causes of Reported Home Structure Fires: 2010-2014



Each of the causes shown in [Figure 9](#) will be discussed in more detail on the following pages. Also note that when some type of equipment is identified as a cause, it means the equipment was involved in the ignition and need not mean that the equipment was defective or malfunctioned. Improper use of equipment can also lead to fire.

The broad categories of cause of ignition, a field in NFIRS 5.0, are shown in [Table 6](#). More detailed information on equipment involved in ignition may be found in [Table 7](#). [Table 8](#) shows more information on heat sources. Factors contributing to ignition are shown in [Table 9](#).

How Leading Cause Categories Were Chosen and Calculated

In some cases, the equipment involved in ignition is most relevant; heat source, the field “cause,” and factor contributing to ignition also provide relevant information. The causes shown here are not mutually exclusive when they have been pulled from different fields. Note also that multiple entries are allowed for factors contributing to ignition. Causal factors that lack detail (such as “unintentional” or “failure of equipment or heat source” in the cause field, or “heat from operating or powered equipment” or “arcing” in the heat source field) were not included in this listing. The causes shown are those that are well defined, account for at least 2% of the fires, and have clear prevention strategies or have historically been of interest. Detailed information about the methodology and what is included may be found in Appendix B.

Leading fire causes differ for one- or two-family homes vs. apartments or multi-family housing. [Figure 10](#) and [Tables 5A](#) and [5B](#) show that the cause profile for apartment or multi-family housing fires differs markedly from the profile for one- or two-family home fires, despite the fact their two leading causes are the same.

Cooking equipment was involved in roughly one-third (36%) of the fires in one- or two-family homes and 70% of the fires in apartments or other multi-family housing. Heating equipment was involved in one of every five (19%) fires in one- or two-family homes but only 7% of the fires in apartments or other multi-family housing. Although heating equipment was the leading cause of fire deaths in one- or two-family homes (22%), heating ranked fifth among causes of fire death in apartments or other multi-family homes. Smoking materials were the leading cause of fire death (32%) in apartment or multi-family homes and the second leading cause of fire deaths (20%) in one- or two-family homes.

The systems that tend to be centrally installed, maintained and supervised in apartment buildings, such as heating, cause a smaller share of the fires in apartments than in one- or two-family homes. Those causes that are more likely to reflect the actions of the occupants, such as cooking, rank high in both kinds of properties. This is not surprising given the role human error plays in many fires.

It is also possible that more minor fires are reported when they occur in apartments or multi-family housing than in one- or two-family homes, resulting in a different cause distribution.

Because reported fires in one- or two-family homes outnumber apartment or multi-family housing fires by more than two to one, the fires in one- or two-family homes dominate the cause profile for home fires overall.

Figure 10. Leading Causes of Reported Structure Fires and Fire Deaths in One- or Two-Family Homes vs. Apartments or Multi-Family Housing: 2010-2014

Figure 10A. Fires in One- or Two-Family Homes




Figure 10B. Fires in Apartments or Multi-Family Housing




Figure 10C. Fire Deaths in One- or Two-Family Homes





Figure 10D. Fire Deaths in Apartments or Multi-Family Housing



Severity rates associated with different fire causes should also be considered.

The likely impact of reported fires of different causes can be estimated in deaths or injuries per 1,000 fires and average loss per fire. While cooking is the leading cause of fires and fire injuries,

Figure 11 shows that cooking ranked eighth among the major causes of death per 1,000 fires, sixth in injuries per 1,000 fires, and last among the major causes in average loss per fire.

Figure 11. Death and Injury Rates per 1,000 Reported Fires, by Cause of Fire: 2010-2014

Figure 11A. Deaths per 1,000 Fires




Figure 11B. Injuries per 1,000 Fires




Figure 11C. Average Loss per Reported Home Fire by Cause of Fire: 2010-2014




Figure 9C showed that playing with heat source ranked seventh in the number of injuries, but Figure 11B shows that the rate of 101.5 injuries per 1,000 fires was higher for playing than any of the other major causes.

Figure 9A and 9D show that exposure to other fire was tied for seventh among the major causes in fire frequency and ranked sixth in direct property damage, yet Figure 11C shows that these fires had highest average property loss(\$42,900) per fire.

While candles rank sixth through eighth on frequency of fires, casualties or property damage, fires started by candles had the second highest rate of injuries (91.8) per thousand fires and average loss (\$37,900) per fire.

Caution-

Estimates for 2012-2014 were influenced by a change in NFIRS rules.

In an effort to improve data quality while reducing inconsistent or missing data, the USFA introduced a new data entry rule for NFIRS in 2012. When the heat source or factor contributing to ignition is reported as being equipment-related, the specific type of equipment involved in ignition must be identified.

This had two effects on the reported data. First, the number of fires coded with undetermined causal factors other than equipment involved in ignition increased (i.e., some fires were no longer reported as being equipment-related). At the same time, more fires were reported as having some specific type of equipment involved in ignition, because now all the fires caused by heat from equipment have that added detail. This resulted in a marked increase in reported fires involving electrical distribution or lighting equipment. With the allocation of unknown data, the impact of these changes becomes even greater.

Due to these changes, caution should be used when interpreting recent trend data.

Almost half of all reported home structure fires were caused by cooking. During 2010-2014, cooking equipment was the leading cause of home fires and home fire injuries, tied for the second leading cause of fire deaths, and was the second leading cause of direct property damage. According to the definitions used here, cooking equipment is equipment used to heat or warm food (unlike other kitchen equipment such as refrigerators, food processors, or can openers). Human error was a factor in many cooking fires. For example, unattended equipment was a contributing factor in one-third (30%) of the cooking fires reported in 2009-2013 and abandoned material was a factor in 11%.⁴

During 2010-2014, cooking equipment was involved in an estimated annual average of 166,100 reported home structure fires, 480 civilian fire deaths, 5,540 civilian injuries, and \$1.1 billion in direct property damage. Three-quarters of these fires had incident types indicating a cooking fire confined to the vessel or object of origin.⁵

Cooking equipment was involved in almost half (46%) of the reported home structure fires, 19% of the home fire deaths, 44% of the home fire injuries, and 17% of the direct property damage. Cooking equipment was involved in 70% of the reported apartment fires, twice the 36% share in one- or two-family homes. Despite the difference, cooking was the leading cause of fires in both property types. Ranges or cooktops were involved in three of every five (62%) home fires involving cooking equipment and more than one-quarter (29%) of all reported home fires.

⁴ Marty Ahrens. [*Home Fires Involving Cooking Equipment*](#), Quincy, MA: NFPA, 2015, p. 34.

⁵ For purposes of this analysis, cooking equipment was assumed to be involved in all confined cooking fires (NFIRS incident type 113).

During this period, cooking equipment caused 2.9 deaths per thousand fires, 33.3 injuries per thousand fires, and an average loss of \$6,800 per fire.

Figure 12 shows trend data for cooking fires and associated civilian deaths for recent years. During 2014, the latest data available, U.S. fire departments responded to an estimated 173,300 home fires involving cooking equipment. These fires caused 580 civilian deaths, 5,330 civilian injuries, and \$1.2 billion in direct property damage. While the number of cooking fires has been fairly consistent prior to 2012, fire death estimates were more volatile.

Figure 12. Home Cooking Fires and Deaths, by Year

Figure 12A. Fires





Figure 12B. Civilian Deaths



The 2004-2005 CPSC’s Residential Fire Survey asked about all fires, including incidents that were not attended by the fire service.⁶ The authors estimated that U.S. households experienced a total of 7.4 million fires per year, including 7.2 million that were not attended by the fire service. Cooking appliances were involved in 4.8 million home fires, including 4.7 million incidents that the fire department did not attend. One of every 22 occupied households had a cooking fire. The survey found that cooking equipment was involved in roughly two-thirds of home fire incidents, including 64% of the total and 65% of fires that the fire department did not attend. The overwhelming majority of cooking equipment fires (50 to one) did not have the fire department in attendance.

Additional information about reported home cooking fires may be found in NFPA’s report, [Home Fires Involving Cooking Equipment](#), by Marty Ahrens. Working together, the U.S. Fire Administration and NFPA produced a 2006 study, [Behavioral Mitigation of Cooking Fires](#). This study includes a more comprehensive literature review about cooking fires, cooking fire safety, and non-fire cooking burns. NFPA also has [more resources on cooking safety](#), including tip sheets and several short videos.

Heating equipment was involved in 16% of home fires. Heating equipment is considered the cause of a fire when the equipment provided the heat to start the fire, even if the equipment itself was working properly. Home heating equipment includes central heating units, portable and

⁶ Michael A. Greene and Craig Andres. *2004-2005 National Sample Survey of Unreported Residential Fires*. U.S. Consumer Product Safety Commission, July 2009, pp. 102, 127-133. Online at <http://www.cpsc.gov/library/foia/foia09/os/UnreportedResidentialFires.pdf>.

stationary space heaters, fireplaces, chimneys, and heat transfer systems, as well as some devices not used to heat living spaces, most notably hot water heaters.

During 2010-2014, heating equipment was involved in the ignition of an estimated annual average of 55,600 reported home structure fires that resulted in an average of 490 civilian fire deaths, 1,520 civilian injuries, and \$1.1 billion in direct property damage per year.

Heating equipment was involved in one of every six (16%) reported home structure fires, one of every five (19%) home fire deaths, 12% of the home fire injuries, and 16% of the direct property damage. Overall, heating equipment ranked second in home fires, home fire deaths (tied with cooking) and home fire injuries, and third in direct property damage. Space heaters, including portable heaters and those that are permanently installed, were involved in five of every six home heating fire deaths and in 16% of overall home fire deaths.

Heating equipment was involved in 19% of the fires in one- or two-family homes but only 7% of the apartment fires. One of every five (22%) fire deaths in one- or two-family homes resulted from fires involving heating equipment compared to only 10% of the apartment or multi-family home fire deaths. For purposes of this analysis, all confined chimney or flue fires and confined fuel burner or boiler fires are considered heating equipment fires.

During this period, heating equipment caused 8.8 deaths per thousand fires, 27.3 injuries per thousand fires, and an average loss of \$18,400 per fire.

Figure 13A shows that home heating fires have fluctuated from 52,000 to 59,000 since 2009. More fluctuation is seen in the frequency of deaths, as shown in Figure 13B. Heating equipment was involved in an estimated 56,400 reported home fires in 2014, resulting in 560 civilian fire deaths, 1,600 civilian fire injuries, and \$1.3 billion in direct property damage.

Figure 13. Home Heating Fires and Deaths, by Year

Figure 13A. Fires





Figure 13B. Civilian Deaths



Additional information about specific types of home heating equipment may be found in NFPA's report, [Home Fires Involving Heating Equipment](#), by Richard Campbell. His analysis also provides more details on the equipment involved in the confined heating equipment fires. Additional safety information may be found at nfpa.org/heating.

Smoking materials caused 22% of home fire deaths in 2010-2014. Smoking materials have been the leading cause of home fire deaths for decades. The pattern held true in this analysis. During 2010-2014, smoking materials were the heat source in an estimated annual average of 18,300 reported home structure fires, 560 civilian fire deaths, 1,250 civilian fire injuries, and \$527 million in direct property damage.⁷ Only 5% of reported home structure fires were started by smoking materials, but these fires caused more than one-fifth (22%) of the home fire deaths. Smoking materials also caused 10% of all reported home fire injuries and 8% of the direct property damage. One-third (32%) of the apartment fire deaths resulted from fires started by smoking materials compared to 20% of the fire deaths in one- or two-family homes. Smoking material incidents ranked fifth in number of home fires, first in home fire deaths, third in home fire injuries and fifth in direct property damage. To help reduce these losses, all 50 states have passed legislation requiring cigarette manufacturers to produce only cigarettes that are less likely to continue burning if left unattended.

During this period, smoking materials caused 30.6 deaths per thousand fires, 68.2 injuries per thousand fires, and an average loss of \$28,400 per fire.

Figure 14A shows that since 2009, smoking materials started 17,000 to 21,000 home structure fires. In 2014, smoking materials started an estimated 17,200 reported home structure fires, resulting in 570 civilian deaths, 1,140 civilian fire injuries, and \$426 million in direct property damage. Figure 14B shows that deaths from these fires declined steadily from 2005 through 2011 before bouncing back from the record low seen in 2011.

Figure 14. Home Smoking Material Fires and Deaths, by Year

Figure 14A. Fires





Figure 14B. Civilian Deaths



Additional information about fires started by smoking materials may be found in NFPA’s report, [The Smoking Material Fire Problem](#). [Educational materials](#) are also available.

On average, electrical distribution or lighting equipment was involved in an average of 32,000 home structure fires per year. Electrical distribution or lighting equipment includes:

- fixed wiring, meters or meter boxes, and switches, receptacles or outlets;
- transformers or associated overcurrent or disconnect equipment;

⁷ A proportional share of fires with heat sources from unclassified open flame or smoking materials are included in the candle and smoking material estimates.

- power switch gear or overcurrent protection devices;
- cords and plugs, and
- lighting equipment.

During 2010-2014, electrical distribution or lighting equipment was involved in the ignition of 32,000 reported home structure fires, on average, per year. These fires caused an annual average of 400 deaths, 1,180 injuries, and \$1.2 billion in direct property damage. Electrical distribution or lighting equipment was involved in 9% of the home structure fires (12% in one- or two-family homes and 3% in apartments or other multi-family housing), 16% of the home fire deaths, 9% of the home fire injuries, and 18% of the direct property damage.

Overall, electrical distribution or lighting equipment ranked third among the major fire causes in number of home fires, fourth in home fire deaths and fire injuries, and first in direct property damage. During this period, electrical distribution or lighting equipment caused 12.6 deaths per thousand fires, 36.9 injuries per thousand fires, and an average loss of \$34,700 per fire.

Figure 15A shows that 19,000-25,000 fires involving electrical distribution or lighting equipment were reported annually from 2004-2011 before spiking in 2012-2014. The 2012 change in NFIRS data entry rules requiring a valid entry in equipment involved in ignition when an equipment-related heat source or factor contributing to ignition was entered has had the largest impact on estimates of electrical distribution or lighting fires. In the past, many fires in which arcing was a heat source or an electrical failure or malfunction contributed to the ignition had “none” recorded as the equipment involved in ignition. It is possible that many people did not think of wiring as equipment.

Figure 15. Home Electrical Distribution or Lighting Fires and Deaths, by Year

Figure 15A. Fires




Figure 15B. Civilian Deaths




Figure 15B shows that annual death tolls from these incidents were quite volatile, ranging from 240 to 600. In 2014, electrical distribution or lighting equipment was involved in an estimated 37,900 home structure fires reported to U.S. fire departments. These fires caused 530 civilian deaths, 1,290 civilian injuries, and \$1.4 billion in direct property damage.

Electrical failures or malfunctions can play a role in fires involving any type of equipment powered by electricity, such as cooking, heating, office and entertainment equipment, washers and dryers, etc. as well as electrical distribution or lighting equipment. Table 9 shows that electrical failures or malfunctions were factors in 13% of reported home fires and 17% of home

fire deaths.⁸ Electrical failures or malfunctions were factors in 16% of the fires in one-or two family homes but only 6% of the reported fires in apartments or other multi-family housing.

For more information on both fires involving electrical distribution or lighting equipment and on fires in which electrical failures or malfunctions were contributing factors, see NFPA’s report, [Home Electrical Fires](#). Information on NFPA 70, National Electrical Code®, is available at nfpa.org/70. NFPA 70 provides detailed directions to ensure that electrical distribution equipment is installed safely. NFPA also has [information for consumers about electrical safety](#) and safety devices such as electrical circuit interrupters and tamper-resistant electrical receptacles.

Eight percent of home structure fires were intentionally set. During 2010-2014, intentional firesetting caused an average of 28,700 reported home structure fires, 350 civilian fire deaths, 890 civilian injuries, and \$527 million in direct property damage. Eight percent of home structure fires were intentionally set. These fires caused 14% of the home fire deaths, 7% of the home fire injuries, and 8% of the direct property damage. Intentionally set fires ranked fourth in home fire frequency, fifth in home fire deaths and injuries (tied), and fourth in direct property damage. Intentional fires, defined in USFA’s [NFIRS 5.0 Complete Reference Guide](#) as including fires started by a deliberate misuse of a heat source and fires of an incendiary nature, heavily overlap with, but are not identical to, legally defined arson fires. Note that “suspicious” is no longer a choice in NFIRS.

During this period, intentional firesetting caused 12.2 deaths per thousand fires, 31.0 injuries per thousand fires, and an average loss of \$19,500 per fire.

Figure 16A shows that 27,000-31,000 home structure fires were intentionally set annually in recent years. In 2014, U.S. fire departments responded to an estimated 27,400 home structure fires that were intentionally set. These fires caused 310 civilian deaths, 760 civilian injuries, and \$4411 million in direct property damage. Figure 16B shows that in most recent years, between 300 and 400 deaths resulted from intentional home fires.

Figure 16. Intentional Home Fires and Deaths, by Year

Figure 16A. Home Fires





Figure 16B. Civilian Deaths



⁸ Electrical failures or malfunctions are identified by NFIRS factors contributing to ignition codes 30-39. These estimates are sums of fires and losses with any type of electrical failure or malfunction. Because multiple entries are allowed, some double counting occurs.

Additional information may be found in NFPA's report, [Intentional Fires and Arson](#), by Richard Campbell. Additional information and resources for prevention can be found at nfpa.org/arson.

Clothes dryers or washers were involved in 4% of home structure fires. During 2010-2014, clothes dryers or washers were involved in the ignition of an average of 13,400 non-confined home structure fires per year.⁹ These fires caused an annual average of 10 deaths, 410 injuries, and \$223 million in direct property damage. Overall, clothes dryers or washers were involved in 4% of the home structure fires, less than 1% of the home fire deaths, 3% of the home fire injuries, and 3% of the direct property damage.

During this period, clothes dryers or washers combined caused 0.6 deaths per thousand fires, 30.6 injuries per thousand fires, and an average loss of \$16,600 per fire.

In 2014, clothes dryers or washers were involved in an estimated 12,600 home structure fires, resulting in 410 civilian injuries, and \$195 million in direct property damage. No deaths were reported in these fires in 2014.

For more statistical information, see NFPA's report, [Home Fires Involving Clothes Dryers and Washing Machines](#). [Consumer safety information](#) is also available on NFPA's website.

Three percent of home fires were caused by exposure to other fires. The term "exposure" indicates that a fire was caused by another fire nearby. These fires may result from direct flame, radiant heat, or flying embers or brands. While exposures are technically fires that spread from outside to a building or vehicle, or from one building or vehicle to another building or vehicle, some fire departments use the term to indicate that the fire has spread from the property of one individual to a property belonging to, or occupied by, someone else.

During 2010-2014, exposures caused an average of 11,900 reported home structure fires, 10 civilian fire deaths, 70 civilian fire injuries, and \$508 million in direct property damage per year. Exposures caused 3% of the home structure fires, less than 1% of the home fire deaths, 1% of home fire injuries, and 8% of the direct property damage.

During this period, exposure to other fires caused 0.9 deaths per thousand fires, 6.1 injuries per thousand fires, and an average loss of \$42,900 per fire. The average loss per fire was higher for exposures than any other major fire cause.

In 2014, 11,600 home structure fires were caused by exposure to another fire. These exposure fires resulted in an estimated 40 civilian fire injuries and \$546 million in direct property damage. No deaths were reported in these fires in 2014.

⁹ These estimates exclude any dryer or washer fires with confined fire incident types, such as confined cooking fires, confined chimney or flue fires, and contained or confined trash or rubbish fires. For estimates that include confined fires, see NFPA's full report, [Home Fires Involving Clothes Dryers and Washing Machines](#).

Seven percent of home fire injuries resulted from fires started by candles. During 2010-2014, candles caused an estimated annual average of 9,000 reported home structure fires, 90 home fire deaths, 830 home fire injuries, and \$314 million in direct property damage.¹⁰

Candles caused 3% of the home fires, 4% of home fire deaths, 7% of the home fire injuries, and 5% of the direct property damage.

During this period, candles caused 10.0 deaths per thousand fires, 91.8 injuries per thousand fires, and an average loss of \$37,900 per fire. Candles had the second highest rate of injuries per 1,000 fires and average loss per fire among the major fire causes

Home candle fires have been falling in recent years. In 2014, candles started an estimated 8,200 home fires. These fires caused 80 civilian deaths, 790 civilian injuries, and \$281 million in direct property damage.

Additional statistical information on this subject may be found in NFPA's report, [Home Candle Fires](#) by Marty Ahrens. NFPA also offers information for consumers about [candle fire safety](#).

Fans or air conditioners were involved in an average 7,400 home fires per year. During 2010-2014, fans or air conditioners were involved in an estimated annual average of 7,400 reported home structure fires, 40 home fire deaths, 280 home fire injuries, and \$193 million in direct property damage.¹¹

Fans and air conditioners caused 2% of the home fires, 1% of home fire deaths, 2% of the home fire injuries, and 3% of the direct property damage.

During this period, fans and air conditioners caused 5.1 deaths per thousand fires, 37.8 injuries per thousand fires, and an average loss of \$26,200 per fire.

In 2014, fans or air conditioners were involved in an estimated 7,800 home fires. These fires caused 50 civilian deaths, 260 civilian injuries, and \$213 million in direct property damage.

Additional statistical information on this subject may be found in NFPA's report, [Home Fires Involving Air Conditioning or Related Equipment](#).

Playing with heat source had highest rate of injuries per 1,000 fires. During 2010-2014, people, typically children, playing with fire or other heat sources started an estimated annual average of 6,300 home structure fires. These fires caused an average of 70 civilian fire deaths, 640 civilian fire injuries, and \$155 million in direct property damage per year.

¹⁰ A proportional share of fires with heat sources from unclassified open flame or smoking materials are included in the candle and smoking material estimates.

¹¹ A proportional share of fires with heat sources from unclassified open flame or smoking materials are included in the candle and smoking material estimates.

Overall, the 2% of home structure fires started by someone playing with fire or some other heat source caused 3% of the home fire deaths, 5% of the home fire injuries, and 2% of the direct property damage.

During this period, fires started by play caused 11.3 deaths per thousand fires, 101.5 injuries per thousand fires, and an average loss of \$24,600 per fire.

In 2014, an estimated 5,100 reported home structure fires started by fire play caused 60 civilian deaths, 430 civilian injuries, and \$115 million in direct property damage.

Additional information on this topic may be found in NFPA's report, [*Playing with Fire*](#), by Richard Campbell. [*NFPA 1035, Standard for Professional Qualifications for Fire and Life Safety Educator, Public Information Officer, and Juvenile Firesetter Intervention Specialist*](#) identifies the job performance requirements for individuals to effectively intervene in this situation. NFPA also provides [consumer information](#) on young fire setters and safety tips about children and fire.

More Detailed Information about Fire Circumstances

The previous section focused on major cause scenarios. This analysis also includes more detailed information based on several NFIRS data elements including equipment involved in ignition, heat source, factor contributing to ignition, area of fire origin, item first ignited, extent of fire spread, smoke alarms and automatic suppression systems. The more detailed information in this section may be used in a variety of fire prevention strategies.

Oxygen administration equipment was involved in 3% of home fire deaths. While this equipment was involved in less than 1% of reported home fires, it was involved in an estimated average of 60, or 3%, of the home fire deaths per year. Although the equipment involved in ignition field in NFIRS is intended to document the equipment that provided the heat of ignition, fire departments sometimes use the field to document fires in which medical oxygen was a factor. More than one of every three reported home fires involving oxygen administration equipment resulted in a death. Most fires and burns involving home medical oxygen are not reported to the fire department. In 2003-2006, U.S. emergency rooms saw an average of 1,190 people who had been burned in incidents involving home medical oxygen.¹² The majority of these fires, fire deaths, and burn injuries involved smoking.

It appears that these fires or burns are becoming more common. In their review of burn patients included in the American Burn Association's National Burn Repository (NBR) who had been using home oxygen therapy (HOT), Assimacopoulos, et al., found that the number of patients treated at burn centers for injuries incurred while on HOT climbed from less than 50 in 2002 to

¹² Marty Ahrens. *Fires and Burns Involving Home Medical Oxygen*, Quincy, MA: NFPA, 2008.

more than 200 in 2011.¹³ The percentage of such patients in the NBR increased from 0.41% in 2002 to 0.94% in 2010. Smoking was a factor in 83% of these burns. Note that the NBR contains only cases treated at burn centers. Patients treated in emergency rooms or general hospitals only are not included.

Home fires started by some type of operating equipment caused 40% of home fire deaths.

A variety of flammability standards focus on preventing ignition by smoking materials or small open flames. Less attention has been paid to scenarios involving equipment. Table 8 shows that some type of operating equipment was the heat source in an average of 1,000, or 40%, of the home structure fire deaths per year. Heat from operating equipment started an average of 184,200, or half (51%), of all reported home fires annually. Operating equipment heat sources include:

- Radiated or conducted heat from operating equipment (68,400 fires and 350 deaths per year),
- Arcing (31,600 fires and 310 deaths per year);
- Sparks, embers or flames from operating equipment (24,900 fires and 120 deaths annually); and
- Unclassified heat from powered equipment (59,300 fires and 230 deaths per year).

Table 8 also shows that small open flames from candles, lighters or matches were the heat sources in an average of 27,300, or 8%, of the fires and 310, or 12%, of the deaths per year.

In one of every five fire deaths, the fire started when something that could catch fire was too close to a heat source. Factors contributing to ignition provide information on how the heat source and/or equipment involved actually started the fire. Multiple entries are allowed. Percentages were calculated based on the number of fires, not the entries, so sums will exceed 100%.

Table 9 shows that 530, or 21%, of the home fire deaths resulted from fires in which a heat source was too close to a combustible. Heat sources in this scenario include cooking and heating equipment, candles, lamps and bulbs, and a variety of other products that produce heat. An open flame is not necessary to start a fire. Combustible materials include food and cooking materials, trash, mattresses and bedding, upholstered furniture, or anything that can catch fire.

As noted earlier, some type of electrical failure or malfunction was a factor in incidents resulting in 13% of home fires and 17% of the home structure fire deaths. Electrical failures may occur in any type of electric-powered equipment, including heating, cooling, and cooking equipment, as well as in electrical distribution or lighting equipment.

Abandoned or discarded material was a factor in 12% of the home fires and 15% of the associated deaths, while unattended equipment contributed to 15% of the fires and 7% of the deaths.

¹³ Evangelia M. Assimakopoulos, et al., "[The National Incidence and Resource Utilization of Burn Injuries Sustained While Smoking on Home Oxygen Therapy](#)," *Journal of Burn Care & Research*, 2016, 37(1) pp.25-31, doi: 10.1097/BCR.0000000000000291.

Kitchens were the leading area of origin for home structure fires. Figure 17 and Table 10 show that more than two of every five (43%) home structure fires started in the kitchen or cooking area. Seventeen percent of the civilian deaths, 39% of the civilian injuries, and 15% of the direct property damage resulted from these fires. Two-thirds (67%) of the reported apartment or multi-family housing fires and one-third (33%) of the fires in one- or two-family homes originated in the kitchen.

Figure 17. Leading Areas of Origin in Home Structure Fires: 2010-2014

Figure 17A. Fires




Figure 17B. Civilian Deaths




Figure 17C. Civilian Injuries





Figure 17D. Direct Property Damage



The 7% of home structure fires originating in the bedroom caused one-quarter (24%) of the civilian deaths, one of every five (20%) civilian injuries, and 13% of the direct property damage. The 4% of home structure fires originating in the living room, family room, or den caused one-quarter (24%) of the civilian fire deaths, 10% of the civilian injuries, and 8% of the direct property damage

Six percent of home fires (8% in one- or two-family homes and less than 1% in apartments) were reported as confined chimney or flue fires. These fires caused less than 1% of home fire deaths, injuries, and property damage.

Only 2% of the home structure fires began with upholstered furniture but these fires caused 18% home fire deaths. Figure 18A and Table 11 show that cooking materials, including food, were the items first ignited in almost one-third (30%) of the reported home structure fires. Seven percent of the reported home fires began with an unclassified item, 5% started with the ignition of structural members or framing, and 5% started when electrical wire or cable insulation ignited.

Although mattresses or bedding were first ignited in only 3% of the fires, 14% of the home fire deaths and 10% of the home fire injuries resulted from these incidents. Only 2% of the home structure fires began with upholstered furniture. Figure 18B shows that these fires accounted for 18% of the home fire deaths. NFPA has detailed reports on fires that began specifically with [upholstered furniture](#) and with [mattresses and bedding](#).

Figure 18. Leading Items First Ignited in Home Structure Fires: 2010-2014

Figure 18A. Fires




Figure 18B. Civilian Deaths




Figure 18C shows that more than one-quarter (27%) of home structure fire injuries were caused by fires that started with cooking materials; 10% resulted from fires that began with mattresses or bedding; 8% were caused by fires that began when flammable or combustible liquids, gases or associated piping of filters ignited; and 6% resulted from fires that began with upholstered furniture.

Figure 18D shows that structural members or framing were first ignited in fires that caused 16% of the direct property damage, even though only 5% of the fires started with these items. Seven percent of the property damage resulted from fires that started with exterior wall covering or finish. An additional 7% was caused by fires that began when cooking materials or food ignited.

Figure 18C. Civilian Injuries





Figure 18D. Direct Property Damage



Fire spread beyond the room of origin in only one-quarter of the fires. Almost half (47%) of the reported home fires (more than one-third [38%] in one- or two-family homes and two-thirds [69%] in apartments) were confined or contained fires identified by NFIRS incident type. As discussed earlier, Version 5.0 of NFIRS requires less detail about fires confined to a cooking vessel, chimney or flues, incinerators or compactors, or fuel burners or boilers; and contained or confined trash or rubbish fires in or on structures with no flame damage to the structure or other contents.

In addition to the 47% of home fires with incident types indicating contained or confined fires, Table 12 shows that the fire did not spread beyond the object of origin in another 9% of reported home structure fires. Only one-quarter (25%) spread beyond the room of origin; these fires caused four out of five (81%) home fire deaths. This scenario was more common in one- and two-family homes, where 85% of the fire deaths resulted from fires extending beyond the room of origin compared to 59% of the fire deaths in apartments.

Fire Protection

The vast majority of all households have smoke alarms, but households with fires tend to have less smoke alarm protection. Results from a 2010 telephone survey indicate that 96% of all homes have at least one smoke alarm.¹⁴ In the 2004-2005 CPSC survey, Green and Andres compared smoke alarm coverage and performance in households that did not have fires with households that had fires that were handled without summoning the fire department (unreported

¹⁴ Harris Poll® National Quorum National Fire Protection Association – Smoke Alarms, 2010.

fires). In 93% of the unreported fires, at least one smoke alarm was present, slightly less than the 97% of households without fires that had smoke alarms. Compared to households that did not have fires, households with fires were less likely to have smoke alarms in every bedroom (31% vs. 22%) or to have interconnected smoke alarms (19% vs. 13%). Interconnected smoke alarms were more likely to alert occupants to a fire than were alarms that were not interconnected.¹⁵

Three of every five home fire deaths resulted from fires in properties without working smoke alarms. Smoke alarms were present in three-quarters (73%) of reported home fires, a substantial but considerably smaller majority than that found in CPSC’s study of unreported fires. Figure 19A shows that smoke alarms operated in slightly more than half (53%) of the reported home fires. The fire was too small to operate the smoke alarm in 13% of the fires. When smoke alarms were present in fires considered large enough to activate them, they operated 88% of the time.

Figure 19B shows that three of every five home fire deaths resulted from fires with no working smoke alarms, including almost two out of five (39%) deaths that resulted from fires with no smoke alarms at all and one-fifth (19%) from fires in which smoke alarms were present but failed to operate. For more information, see NFPA’s report, [Smoke Alarms in U.S. Home Fires. NFPA 72®](#), [National Fire Alarm and Signaling Code](#), contains detailed information about smoke alarm and smoke detector installation, testing and maintenance. NFPA also provides [information about smoke alarms for consumers](#).

Figure 19. Reported Home Structure Fires and Fire Deaths by Smoke Alarm Performance 2010-2014

Figure 19A. Fires





Figure 19B. Civilian Deaths



The fire death rate per 1,000 reported home fires was 7.5 when no automatic extinguishing equipment was present, roughly five times the rate of 1.6 in home fires with wet-pipe sprinklers. Table C shows that in 2010-2014, sprinklers were present in 7% of the reported home fires, excluding fires in properties under construction and fires with automatic extinguishing equipment that was not present in the fire area.

When the fire was large enough to activate sprinklers in fires with sprinklers present, sprinklers operated 94% of the time. When sprinklers operated, they were effective in controlling the fire in

¹⁵ Michael A. Greene and Craig Andres. [2004-2005 National Sample Survey of Unreported Residential Fires](#). U.S. Consumer Product Safety Commission, July 2009, pp. 73-91, 150-180.

97% of these incidents. In reported fires with sprinklers that were large enough to activate them, sprinklers operated and were effective 91% of the time.¹⁶

Table C.
Sprinkler Systems in Reported Home Structure Fires
Excluding Fires in Properties in Construction and
Fires in Which Automatic Extinguishing Equipment Was Present, but Not in Fire Area
2010-2014 Annual Averages

Share of reported home fires with sprinklers present	7%
When present, operating in fires large enough to activate*	94%
When operating, effective in controlling fire*	97%
When present and fire large enough, operated <i>and</i> effective*	91%
<hr/>	
Civilian deaths per 1,000 reported fires	
Without automatic extinguishing equipment	7.5
When wet-pipe sprinkler were present regardless of operation	1.6
Percent reduction	79%
<hr/>	
Average loss per fire	
Without automatic extinguishing equipment	\$19,300
When wet-pipe sprinklers were present regardless of operation	\$8,500
Percent reduction	56%

*Fires with NFIRS confined fire incident types 113-118 were excluded from these calculations because of the small number with usable data.

Eighty-nine percent of the sprinklers found in reported home fires were wet-pipe sprinklers. In 94% of the non-confined home fires in which wet pipe sprinklers operated, only one or two sprinklers operated. Regardless of operation, the death rate of 1.6 per 1,000 reported home fires in properties with wet pipe sprinklers was 79% lower than the 7.5 deaths per 1,000 reported fires with no automatic extinguishing equipment. The average loss per fire was 56% lower in reported fires in which wet pipe sprinklers were present, compared to fires in properties without automatic extinguishing equipment.

Fire Sprinkler Initiative is working to get sprinklers in more homes

Fire sprinklers are found in a small minority of homes despite their demonstrated ability to save lives. One- and two-family homes are much less likely to have this protection than apartments. The Fire Sprinkler Initiative is working to bring sprinklers into all new homes, including one- or two-family homes and apartments or multi-family homes. See www.firesprinklerinitiative.org.

[NFPA 13, Standard for the Installation of Sprinkler Systems](#), [NFPA 13D, Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes](#), and [NFPA 13R, Standard for the Installation of Sprinkler Systems in Residential Occupancies up to and Including Four Stories in Height](#), provide detailed information about these systems.

¹⁶ Because of the small amount of valid data for sprinkler operation in fires with the NFIRS confined structure fire incident types 113-118, estimates of operation and effectiveness are based on non-confined fires only.

Changes in Fire Death Patterns over Time

Over the years, a variety of strategies have been employed to reduce the number of fire deaths. Flammability standards for upholstered furniture, mattresses and bedding, and other products reduce the likelihood that these items will be ignited or sustain burning. Automatic shut-offs in portable heaters activate if the device is tipped over. Other types of equipment, such as irons and coffee makers, will automatically shut off after a period of time. Arc fault circuit interrupters can prevent an electrical fault from causing a fire. Smoke alarms provide early warning of fire, allowing more time for escape. Automatic sprinklers can control a fire and limit its spread before the fire department arrives.

This section compares trends in a few major fire death scenarios. Averages are shown for two five-year periods: 1980-1984, the earliest years of national data available, and 2010-2014, the latest data available. Due to the instability of estimates for 1999-2001, the transition years to NFIRS 5.0, estimates for these years are not shown in the graphs but are included in the tables.¹⁷

Deaths from fires originating in living rooms, family rooms, or dens fell more sharply than deaths from fires starting in bedrooms and kitchens. Table 13 and Figure 20 show that the differences between the three leading areas of origin for home fire deaths have shrunk over time. Deaths from fires starting in bedrooms now sometimes exceed the number resulting from fires starting in living rooms, families or dens.

Deaths from fires in living rooms, family rooms, or dens (combined) fell 68% from the 1980-1984 average of 1,930 per year to the 2010-2014 average of 610 per year. Over the same periods, deaths from bedroom fires fell 51% from 1,210 per year to 590 per year. While kitchens ranked third in fire deaths, the decline in kitchen deaths was the smallest seen in the three areas, falling 34% from an average of 640 per year in 1980-1984 to 420 per year in 2010-2014.

Fire deaths from upholstered furniture and mattress and bedding fires fell 64% and 56%, respectively, since the early 1980s. Figure 21 and Table 14 show trends for the two leading items first ignited in home fire deaths: 1) upholstered furniture, and 2) mattresses and

Figure 20. Home Fire Deaths Area of Origin and Year





Figure 21. Home Fire Deaths from Fires Starting with Upholstered Furniture and Mattresses or Bedding, by Year



¹⁷ The total death estimates shown in Tables 15-18 were derived from the NFIRS and the NFPA survey together and consequently differ slightly from the estimates shown in Table 1 that are derived solely from the NFPA survey.


bedding. Deaths from home fires that began with upholstered furniture fell 64% from an average of 1,220 per year in 1980-1984 to 440 per year in 2010-2014. Deaths from fires beginning with mattresses and bedding fell 56% from an average of 770 per year in 1980-1984 to 340 per year in 2010-2014.

Smoking material fire deaths have fallen more than deaths from fires started by small open flames or operating equipment. Some flammability standards are intended to prevent ignition by cigarettes. Others address small open flames. Operating equipment is a diverse category involving a wide variety of equipment types and scenarios. Few flammability standards address these fires. In 1980 and 1981, the number of deaths resulting from fires started by smoking materials was similar to the number from fires started by operating equipment.¹⁸

Table 15 and Figure 22 show that the average number of deaths from home fires started by operating equipment fell 46% from 1,860 per year in 1980-1984 to 1,000 per year in 2010-2014. This is slightly lower than the overall drop in fire deaths over the two periods. It is important to remember that many, if not most, fires started by operating equipment involve some type of human error, such as unattended cooking, or leaving something that can catch fire too close to a heat source.

Fires started by small open flames (lighters, candles and matches) fell 61%, dropping from an average of 790 such deaths per year in 1980-1984 to 310 deaths per year in 2010-2014. The decline in deaths from smoking materials was steeper, dropping 67% from an average of 1,690 per year in 1980-1984 to 560 per year in 2010-2014.

Figure 22. Home Fire Deaths, by Selected Heat Sources and Year



Unreported Home Fires

U.S. households handle more than 7 million fires a year without calling the fire department. Most of this analysis has focused on fires that were reported to the fire department. However, the vast majority of fires are handled without fire department assistance. In a telephone survey done for the CPSC in 2004-2005, respondents were asked about “any incident, large or small, that

¹⁸ In 1980-1998, operating equipment identified by form of heat of ignition codes for heat from fuel-fires, fuel-powered objects, heat from electrical equipment arcing or overloaded, electric lamps, and properly and improperly operating equipment (form of heat of ignition codes 10-29, 54, 56, and 57). From 1999 on, operating equipment was identified by heat source codes for operating equipment (heat source 10-13).

resulted in unwanted flames or smoke, and could have caused damage to life or property if left unchecked.¹⁹

Their findings revealed that in 2004-2005:

- * U.S. households experienced an average of 7.4 million fires per year.
- * In 7.2 million household fires per year, the fire department did not attend. These fires caused an estimated 130,000 injuries or illnesses. Serious injuries at unattended fires were very rare. Three-quarters of those injured received no medical attention and one-quarter received first aid at the scene. Three-quarters of the injuries or illnesses from unattended fires involved burns.
- * 18% of the fires self-extinguished; 78% of fires were put out by a household member using a variety of methods, tools or materials, including: water, shutting off power, smothering, removing the fuel from the heat source, and fire extinguishers.
- * The combined estimates of unreported and reported fires, one of every 15 households experienced a fire. This translates to 6.6 fires per 100 households. The rate for unattended fires only was 6.3 per 100 households.
- * Cooking equipment was involved in almost two-thirds (64%) of all fires with 50 unattended fires for every incident attended by the fire service.
- * Households that experienced any fire, including those without fire department attendance, were more likely to rent than own their home, to have more people in the household, to have occupants who smoke, and to have someone living in the household under 18 but no one over 65.
- * Three-quarters (76%) of all households had fire extinguishers. Extinguishers were used in 5% of the fires. When an extinguisher was used, it put out the fire completely in half of the cases and minimized the fire but did not completely put it out in almost one-quarter of the fires. In roughly one-fifth of the fires, an extinguisher was used to little or no effect.

Additional Information Sources

NFPA offers more information. Three chapters found in the 20th edition of the NFPA *Fire Protection Handbook*, “One- or Two-Family Dwellings” by James K. Lathrop, “Manufactured Housing” by Kirsten M. Paoletti, and “Apartment Buildings” by Kenneth Bush, describe some of the special fire safety concerns for these properties.

NFPA offers a wide variety of statistical information at <http://www.nfpa.org/news-and-research>. Members may download a number of related reports. *Manufactured Home Fires* focuses specifically on these homes and examines the impact of the 1976 federal standards and fire risks relative to other types of dwellings. *Characteristics of Home Fire Victims* examines factors such as relative risk, leading causes, and victim activities, conditions and characteristics by age and gender among civilians who were injured or killed in home fires. The report also

¹⁹ Michael A. Greene and Craig Andres. *2004-2005 National Sample Survey of Unreported Residential Fires*, U.S. Consumer Product Safety Commission, July 2009.

shows a breakdown of victim ages for the major fire causes. NFPA also offers reports on a wide variety of equipment involved in home fires.

The [Public Education](#) tab on NFPA's home page leads to information for consumers, children and life safety educators. NFPA's codes and standards may be viewed without charge at nfpa.org/freeaccess.

Report an unsafe product or find out about CPSC's product recalls. The Consumer Product Safety Commission (CPSC) is the federal body with primary regulatory authority for the safety of most household products. In some cases, the Commission issues mandatory standards products must meet. They can also order the recall of products that have been determined to be unsafe. The CPSC has established a publicly available database about consumer product safety information at <http://www.saferproducts.gov/>. This database includes recalls and reports that have been submitted about unsafe products.

Public safety officials, other government agencies, child service providers, and members of the public may report incidents involving unsafe products. Details are requested about the product involved, date of incident, the manufacturer or private labeler, any illness, injury or death and treatment received, any threat of injury or death, photographs and other detailed documentation. People who report are asked if they are willing to allow the report to be published in the database and whether they are willing to provide their name and contact information to the manufacturer or private labeler. Contact information must be provided with the initial report for a report to be included in the public database. Businesses are given an opportunity to review the report and submit a comment to the database about the incident. Recall information may also be accessed at this site.

CPSC staff review all reports although they cannot investigate every report received. Other organizations can also review information about products to assess needs for new standards or safety information.

Supporting Tables

The next section contains detailed tables that support the text. There are three sets of tables. The first set, [Tables 1-15](#), are based on fires (or deaths) in all home properties. [Tables 1-12](#) show estimates of reported fires, causes and circumstances in homes overall. [Tables 13-15](#) show home fire death trends for selected areas of origin, item first ignited, and selected heat sources.

Because fires in one- or two-family homes differ from fires in apartments or other multi-family housing, separate sets of tables are provided for these two occupancy groups, [Tables 1-12](#) are repeated for these two property groups. [Tables 1A-12A](#) shows estimates of fires in one- or two-family homes. [Tables 1B-12B](#) shows comparable data for apartments or other multi-family housing.

Table 1. Reported Home Structure Fires by Year: 1980-2015

Year	Fires	Civilian Deaths	Civilian Injuries	Direct Property Damage (in Millions)	
				As Reported	In 2015 Dollars
1980	734,000	5,200	19,700	\$2,848	\$8,200
1981	711,000	5,400	19,125	\$3,128	\$8,139
1982	654,500	4,820	20,450	\$3,147	\$7,718
1983	625,500	4,670	20,750	\$3,205	\$7,618
1984	605,500	4,075	18,750	\$3,362	\$7,656
1985	606,000	4,885	19,175	\$3,693	\$8,121
1986	565,500	4,655	18,575	\$3,464	\$7,494
1987	536,500	4,570	19,965	\$3,599	\$7,505
1988	538,500	4,955	22,075	\$3,897	\$7,812
1989	498,500	4,335	20,275	\$3,876	\$7,412
1990	454,500	4,050	20,225	\$4,157	\$7,546
1991	464,500	3,500	21,275	\$5,463[1]	\$9,502
1992	459,000	3,705	21,100	\$3,775	\$6,378
1993	458,000	3,720	22,000	\$4,764[2]	\$7,812
1994	438,000	3,425	19,475	\$4,215	\$6,742
1995	414,000	3,640	18,650	\$4,264	\$6,628
1996	417,000	4,035	18,875	\$4,869	\$7,361
1997	395,500	3,360	17,300	\$4,453	\$6,574
1998	369,500	3,220	16,800	\$4,273	\$6,217
1999	371,000	2,895	16,050	\$4,965	\$7,059
2000	368,000	3,420	16,975	\$5,525	\$7,607
2001	383,500	3,110	15,200	\$5,516	\$7,385
2002	389,000	2,670	13,650	\$5,931	\$7,814
2003	388,500	3,145	13,650	\$5,949[3]	\$7,669
2004	395,500	3,190	13,700	\$5,833	\$7,326
2005	381,000	3,030	13,300	\$6,729	\$8,164
2006	396,000	2,580	12,500	\$6,832	\$8,030
2007	399,000	2,865	13,600	\$7,389[4]	\$8,440
2008	386,500	2,755	13,560	\$8,243[5]	\$9,083
2009	362,500	2,565	12,650	\$7,616	\$8,410
2010	369,500	2,640	13,350	\$6,928	\$7,535
2011	370,000	2,520	13,910	\$6,914	\$7,291
2012	365,000	2,380	12,875	\$7,010	\$7,243
2013	369,500	2,755	12,200	\$6,792	\$6,905

Table 1. Reported Home Structure Fires by Year: 1980-2015 (Continued)

Year	Fires	Civilian Deaths	Civilian Injuries	Direct Property Damage (in Millions)	
				As Reported	In 2015 Dollars
2014	367,500	2,745	11,825	\$6,826	\$6,826
2015	365,500	2,560	11,075	\$6,960[6]	\$6,960

[1] Includes \$1.5 billion in damage caused by the Oakland Fire Storm, most of which entailed damage to homes but for which no detailed breakdown by property type was available.

[2] Includes \$809 million in damage caused by Southern California wildfires

[3] This does not include the Southern California wildfires that caused an estimated property damage of \$2 billion.

[4] This does not include the California Fire Storm 2007 that caused an estimated property damage of \$1.8 billion.

[5] Does not include the California wildfires 2008 with an estimated property damage of \$1.4 billion

[6] Does not include two California wildfires: the Valley fire with a loss of \$1.5 billion and the Butte fire with a loss of \$450 million

Source: NFPA series of annual reports Fire Loss in the United States by Michael J. Karter, Jr. and Hylton Haynes. Inflation adjustments were based on the Consumer Price Index Purchasing Power of the Dollar.

Table 2.
Reported Home Structure Fires, by Month
2010-2014 Annual Averages

Month	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
January	37,800	(11%)	370	(15%)	1,390	(11%)	\$728	(11%)
February	31,500	(9%)	290	(11%)	1,240	(10%)	\$597	(9%)
March	32,800	(9%)	250	(10%)	1,250	(10%)	\$636	(9%)
April	29,500	(8%)	220	(9%)	1,050	(8%)	\$547	(8%)
May	28,200	(8%)	150	(6%)	970	(8%)	\$534	(8%)
June	26,000	(7%)	150	(6%)	910	(7%)	\$518	(8%)
July	27,400	(8%)	150	(6%)	970	(8%)	\$588	(9%)
August	25,600	(7%)	140	(6%)	900	(7%)	\$487	(7%)
September	25,100	(7%)	130	(5%)	850	(7%)	\$436	(7%)
October	28,200	(8%)	170	(7%)	990	(8%)	\$479	(7%)
November	32,300	(9%)	230	(9%)	1,060	(8%)	\$570	(9%)
December	33,800	(9%)	270	(11%)	1,150	(9%)	\$589	(9%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Monthly average	29,900	(8%)	210	(8%)	1,060	(8%)	\$559	(8%)

Table 3.
Reported Home Structure Fires, by Day of Week
2010-2014 Annual Averages

Day of Week	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Sunday	55,300	(15%)	370	(15%)	1,930	(15%)	\$984	(15%)
Monday	50,700	(14%)	350	(14%)	1,800	(14%)	\$956	(14%)
Tuesday	49,600	(14%)	340	(14%)	1,790	(14%)	\$935	(14%)
Wednesday	49,600	(14%)	350	(14%)	1,750	(14%)	\$910	(14%)
Thursday	49,800	(14%)	350	(14%)	1,740	(14%)	\$965	(14%)
Friday	49,500	(14%)	350	(14%)	1,800	(14%)	\$956	(14%)
Saturday	53,800	(15%)	400	(16%)	1,910	(15%)	\$1,004	(15%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Daily average	51,200	(14%)	360	(14%)	1,820	(14%)	\$959	(14%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 4.
Reported Home Structure Fires, by Alarm Time
2010-2014 Annual Averages

Alarm Time	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Midnight-12:59 a.m.	11,200	(3%)	150	(6%)	530	(4%)	\$301	(4%)
1:00-1:59 a.m.	9,900	(3%)	190	(7%)	570	(4%)	\$319	(5%)
2:00-2:59 a.m.	9,000	(3%)	160	(6%)	510	(4%)	\$309	(5%)
3:00-3:59 a.m.	8,300	(2%)	200	(8%)	510	(4%)	\$307	(5%)
4:00-4:59 a.m.	7,400	(2%)	190	(7%)	450	(4%)	\$277	(4%)
5:00-5:59 a.m.	6,900	(2%)	150	(6%)	410	(3%)	\$229	(3%)
6:00-6:59 a.m.	7,400	(2%)	140	(5%)	390	(3%)	\$193	(3%)
7:00-7:59 a.m.	8,700	(2%)	90	(4%)	330	(3%)	\$170	(3%)
8:00-8:59 a.m.	10,400	(3%)	90	(3%)	420	(3%)	\$195	(3%)
9:00-9:59 a.m.	12,200	(3%)	90	(3%)	460	(4%)	\$204	(3%)
10:00-10:59 a.m.	14,000	(4%)	80	(3%)	480	(4%)	\$231	(3%)
11:00-11:59 a.m.	15,800	(4%)	70	(3%)	530	(4%)	\$281	(4%)
Noon-12:59 p.m.	17,600	(5%)	70	(3%)	550	(4%)	\$319	(5%)
1:00-1:59 p.m.	18,100	(5%)	60	(2%)	560	(4%)	\$314	(5%)
2:00-2:59 p.m.	18,500	(5%)	70	(3%)	530	(4%)	\$303	(5%)
3:00-3:59 p.m.	19,900	(6%)	60	(3%)	600	(5%)	\$325	(5%)
4:00-4:59 p.m.	21,800	(6%)	60	(2%)	620	(5%)	\$346	(5%)
5:00-5:59 p.m.	24,800	(7%)	70	(3%)	680	(5%)	\$322	(5%)
6:00-6:59 p.m.	25,900	(7%)	70	(3%)	680	(5%)	\$327	(5%)
7:00-7:59 p.m.	24,200	(7%)	80	(3%)	670	(5%)	\$312	(5%)
8:00-8:59 p.m.	21,200	(6%)	70	(3%)	640	(5%)	\$279	(4%)
9:00-9:59 p.m.	17,900	(5%)	90	(4%)	560	(4%)	\$278	(4%)
10:00-10:59 p.m.	14,900	(4%)	90	(4%)	520	(4%)	\$274	(4%)
11:00-11:59 p.m.	12,400	(3%)	130	(5%)	530	(4%)	\$295	(4%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Average by hour	14,900	(4%)	100	(4%)	530	(4%)	\$280	(4%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 5.
Leading Causes of Reported Home Structure Fires
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Cooking equipment	166,100	(46%)	480	(19%)	5,540	(44%)	\$1,131	(17%)
Heating equipment	55,600	(16%)	490	(19%)	1,520	(12%)	\$1,087	(16%)
Electrical distribution or lighting equipment	32,000	(9%)	400	(16%)	1,180	(9%)	\$1,210	(18%)
Intentional	28,700	(8%)	350	(14%)	890	(7%)	\$527	(8%)
Smoking materials	18,300	(5%)	560	(22%)	1,250	(10%)	\$521	(8%)
Clothes dryer or washer	13,400	(4%)	10	(0%)	410	(3%)	\$223	(3%)
Exposure	11,900	(3%)	10	(0%)	70	(1%)	\$508	(8%)
Candles	9,000	(3%)	90	(4%)	830	(7%)	\$314	(5%)
Fan or air conditioner	7,400	(2%)	40	(1%)	280	(2%)	\$193	(3%)
Playing with heat source	6,300	(2%)	70	(3%)	640	(5%)	\$155	(2%)

* These estimates exclude any dryer or washer fires with confined fire incident types, such as confined cooking fires, confined chimney or flue fires, and contained or confined trash or rubbish fires. For estimates that include confined fires, see NFPA's full report, [Home Fires Involving Clothes Dryers and Washing Machines](#).

Note: This table summarizes findings from multiple fields, meaning that the same fire may be listed under multiple causes. The methodology used is described in Appendix B.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 6.
Reported Home Structure Fires, by Cause of Ignition (from NFIRS Cause Field)
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause of Ignition	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Unintentional	260,700	(73%)	1,870	(74%)	10,470	(82%)	\$4,490	(67%)
Non-confined	124,400	(35%)	1,870	(74%)	8,930	(70%)	\$4,459	(66%)
Confined	136,300	(38%)	0	(0%)	1,540	(12%)	\$32	(0%)
Failure of equipment or heat source	45,900	(13%)	250	(10%)	1,150	(9%)	\$915	(14%)
Non-confined	31,600	(9%)	250	(10%)	1,100	(9%)	\$911	(14%)
Confined	14,200	(4%)	0	(0%)	50	(0%)	\$4	(0%)
Intentional	28,700	(8%)	350	(14%)	890	(7%)	\$527	(8%)
Non-confined	17,500	(5%)	350	(14%)	850	(7%)	\$527	(8%)
Confined	11,300	(3%)	0	(0%)	40	(0%)	\$1	(0%)
Unclassified cause	17,400	(5%)	40	(1%)	160	(1%)	\$422	(6%)
Non-confined	9,900	(3%)	40	(1%)	130	(1%)	\$422	(6%)
Confined	7,500	(2%)	0	(0%)	30	(0%)	\$0	(0%)
Act of nature	5,600	(2%)	10	(0%)	50	(0%)	\$354	(5%)
Non-confined	5,100	(1%)	10	(0%)	50	(0%)	\$354	(5%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Non-confined	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Confined	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 7.
Reported Home Structure Fires, by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns in non-confined fires and confined cooking fires were allocated proportionally)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking equipment	166,100	(46%)	480	(19%)	5,540	(44%)	\$1,131	(17%)
Range or cooktop	103,000	(29%)	420	(17%)	4,370	(34%)	\$828	(12%)
<i>Non-confined fire</i>	33,500	(9%)	420	(17%)	3,420	(27%)	\$811	(12%)
<i>Confined fire</i>	69,500	(56%)	0	(0%)	950	(62%)	\$17	(0%)
Oven or rotisserie	21,300	(6%)	20	(1%)	290	(2%)	\$47	(1%)
<i>Non-confined fire</i>	2,900	(1%)	20	(1%)	160	(1%)	\$44	(1%)
<i>Confined fire</i>	18,400	(15%)	0	(0%)	120	(8%)	\$3	(0%)
Portable cooking or warming device	7,700	(2%)	30	(1%)	230	(2%)	\$80	(1%)
<i>Non-confined fire</i>	2,100	(1%)	30	(1%)	170	(1%)	\$79	(1%)
<i>Confined fire</i>	5,600	(5%)	0	(0%)	60	(4%)	\$1	(0%)
Microwave oven	6,600	(2%)	10	(0%)	120	(1%)	\$32	(0%)
<i>Non-confined fire</i>	1,500	(0%)	10	(0%)	90	(1%)	\$31	(0%)
<i>Confined fire</i>	5,200	(4%)	0	(0%)	40	(2%)	\$1	(0%)
Grill, barbecue or hibachi	3,800	(1%)	10	(0%)	110	(1%)	\$114	(2%)
<i>Non-confined fire</i>	1,700	(0%)	10	(0%)	90	(1%)	\$114	(2%)
<i>Confined fire</i>	2,200	(2%)	0	(0%)	20	(1%)	\$0	(0%)
Other known cooking equipment or confined cooking fire	23,700	(7%)	0	(0%)	410	(3%)	\$31	(0%)
<i>Other known cooking equipment in non-confined fire</i>	800	(0%)	0	(0%)	60	(0%)	\$26	(0%)
<i>Confined cooking fire with other or unknown equipment</i>	22,900	(18%)	0	(100%)	350	(23%)	\$5	(0%)
Heating equipment	55,600	(16%)	490	(19%)	1,520	(12%)	\$1,087	(16%)
Fireplace or chimney fire*	23,600	(7%)	30	(1%)	110	(1%)	\$287	(4%)
<i>Fireplace or chimney with non-confined incident type</i>	3,800	(1%)	30	(1%)	80	(1%)	\$281	(4%)
<i>Confined chimney or flue fire*</i>	19,900	(6%)	0	(0%)	30	(0%)	\$6	(0%)
<i>Fixed or portable space heater</i>	15,300	(4%)	420	(16%)	1,130	(9%)	\$568	(8%)
Furnace, central heat, or boiler*	11,600	(3%)	20	(1%)	100	(1%)	\$78	(1%)
<i>Furnace or boiler with non-confined incident type</i>	2,000	(1%)	20	(1%)	70	(1%)	\$76	(1%)
<i>Confined fuel burner or boiler fire*</i>	9,500	(3%)	0	(0%)	30	(0%)	\$2	(0%)
Water heater	4,100	(1%)	20	(1%)	150	(1%)	\$105	(2%)

* The estimates of fires involving fireplaces or chimneys include all fires with the confined chimney or flue incident type regardless of what may have been coded as equipment involved. Likewise, the estimates of fires involving furnaces, central heat or boilers include all fires with confined fuel burner or boiler incident type. The estimates shown should be considered upper bounds. Except for confined cooking fires, the estimates for equipment involved in ignition did not break out the confined fires further. John Hall's report, *Home Fires Involving Heating Equipment*, shows a detailed breakdown of the equipment involved in the confined heating fires.

Table 7. (Continued)
Reported Home Structure Fires, by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns in non-confined fires and confined cooking fires were allocated proportionally)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Other known heating equipment in non-confined fire	1,000	(0%)	10	(0%)	30	(0%)	\$50	(1%)
No equipment involved in ignition	50,700	(14%)	840	(33%)	2,850	(22%)	\$2,188	(33%)
Electrical distribution or lighting equipment	32,000	(9%)	400	(16%)	1,180	(9%)	\$1,210	(18%)
Wiring and related equipment	22,200	(6%)	230	(9%)	630	(5%)	\$804	(12%)
Lamp, bulb or lighting	4,900	(1%)	50	(2%)	220	(2%)	\$166	(2%)
Cord or plug	3,100	(1%)	110	(4%)	230	(2%)	\$141	(2%)
Other known electrical equipment	1,800	(0%)	10	(0%)	100	(1%)	\$99	(1%)
Contained trash or rubbish fire	15,200	(4%)	0	(0%)	60	(0%)	\$2	(0%)
Clothes dryer	13,400	(4%)	10	(0%)	410	(3%)	\$221	(3%)
Fan	4,600	(1%)	20	(1%)	140	(1%)	\$112	(2%)
Unclassified equipment involved in ignition	2,800	(1%)	40	(2%)	120	(1%)	\$135	(2%)
Air conditioner	2,800	(1%)	20	(1%)	140	(1%)	\$82	(1%)
Other known equipment involved in ignition	15,100	(5%)	210	(8%)	770	(6%)	\$542	(8%)
Total	358,300	(100%)	2,520	(100%)	12,720	(110%)	\$6,710	(100%)

The following types of equipment were involved in fewer than 1% of the fires but at least 2% of the fire deaths

Oxygen administration equipment	60	(3%)
Portable appliance designed to produce heat	40	(2%)

* These estimates exclude any dryer or washer fires with confined fire incident types, such as confined cooking fires, confined chimney or flue fires, and contained or confined trash or rubbish fires. For estimates that include confined fires, see NFPA's full report, [Home Fires Involving Clothes Dryers and Washing Machines](#).

Note: Non-confined fires in which the equipment involved in ignition was unknown or not reported have been allocated proportionally among fires with known equipment involved. The same approach was used with confined cooking fires. Fires in which the equipment involved in ignition was entered as none but the heat source indicated equipment involvement or the heat source was unknown were also treated as unknown and allocated proportionally among fires with known equipment involved. Non-confined fires in which the equipment was partially unclassified (i.e., unclassified kitchen or cooking equipment, unclassified heating, cooling or air condition equipment, etc.) were allocated proportionally among fires in that grouping (kitchen or cooking equipment; heating, cooling or air conditioning equipment, etc.). The same approach was used with confined cooking fires. The estimates of fires involving fireplace or chimney include all fires with the confined chimney or flue incident type regardless of what may have been coded as equipment involved. Likewise, the estimates of fires involving furnaces, central heat or boilers include all fires with confined fuel burner or boiler incident type. The estimates shown should be considered upper bounds. Non-cooking confined fires were not analyzed separately. Estimates of other types of equipment exclude confined fires. Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 8.
Reported Home Structure Fires, by Heat Source
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Heat Source	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Radiated or conducted heat from operating equipment	68,400	(19%)	350	(14%)	2,770	(22%)	\$782	(12%)
Non-confined	26,500	(7%)	350	(14%)	2,180	(17%)	\$772	(12%)
Confined	41,900	(12%)	0	(0%)	600	(5%)	\$9	(0%)
Unclassified heat from powered equipment	59,300	(17%)	230	(9%)	2,080	(16%)	\$722	(11%)
Non-confined	25,000	(7%)	230	(9%)	1,670	(13%)	\$713	(11%)
Confined	34,300	(10%)	0	(0%)	410	(3%)	\$8	(0%)
Arcing	31,600	(9%)	310	(12%)	1,010	(8%)	\$941	(14%)
Non-confined	28,400	(8%)	310	(12%)	1,000	(8%)	\$940	(14%)
Confined	3,200	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Unclassified heat source	30,700	(9%)	180	(7%)	740	(6%)	\$476	(7%)
Non-confined	12,000	(3%)	180	(7%)	570	(4%)	\$473	(7%)
Confined	18,700	(5%)	0	(0%)	170	(1%)	\$3	(0%)
Unclassified hot or smoldering object	25,300	(7%)	120	(5%)	650	(5%)	\$456	(7%)
Non-confined	13,700	(4%)	120	(5%)	540	(4%)	\$453	(7%)
Confined	11,700	(3%)	0	(0%)	110	(1%)	\$3	(0%)
Spark, ember or flame from operating equipment	24,900	(7%)	120	(5%)	730	(6%)	\$332	(5%)
Non-confined	8,800	(2%)	120	(5%)	610	(5%)	\$330	(5%)
Confined	16,100	(4%)	0	(0%)	110	(1%)	\$2	(0%)
Hot ember or ash	24,300	(7%)	120	(5%)	450	(4%)	\$447	(7%)
Non-confined	12,300	(3%)	120	(5%)	420	(3%)	\$444	(7%)
Confined	12,000	(3%)	0	(0%)	20	(0%)	\$2	(0%)
Smoking materials	18,300	(5%)	560	(22%)	1,250	(10%)	\$521	(8%)
Non-confined	13,800	(4%)	560	(22%)	1,230	(10%)	\$519	(8%)
Confined	4,500	(1%)	0	(0%)	20	(0%)	\$2	(0%)
Heat from direct flame or convection currents	15,900	(4%)	40	(2%)	410	(3%)	\$267	(4%)
Non-confined	6,300	(2%)	40	(2%)	320	(3%)	\$265	(4%)
Confined	9,600	(3%)	0	(0%)	90	(1%)	\$2	(0%)
Lighter	9,800	(3%)	160	(7%)	820	(6%)	\$273	(4%)
Non-confined	6,800	(2%)	160	(7%)	800	(6%)	\$273	(4%)
Confined	3,100	(1%)	0	(0%)	20	(0%)	\$0	(0%)
Candle	9,000	(3%)	90	(4%)	830	(7%)	\$314	(5%)
Non-confined	8,300	(2%)	90	(4%)	820	(6%)	\$313	(5%)
Confined	700	(0%)	0	(0%)	10	(0%)	\$0	(0%)

Table 8. (Continued)
Reported Home Structure Fires, by Heat Source
2010-2014 Annual Averages

Heat Source	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Match	8,500	(2%)	50	(2%)	200	(2%)	\$88	(1%)
Non-confined	2,800	(1%)	50	(2%)	180	(1%)	\$88	(1%)
Confined	5,700	(2%)	0	(0%)	20	(0%)	\$0	(0%)
Other known heat source	32,300	(9%)	190	(8%)	790	(6%)	\$1,090	(16%)
Non-confined	23,900	(7%)	190	(8%)	720	(6%)	\$1,087	(16%)
Confined	8,300	(2%)	0	(0%)	70	(1%)	\$3	(0%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Non-confined	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Confined	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)
The following heat sources started fewer than 2% of the fires but caused at least 2% of the fire deaths.								
Multiple heat sources, including multiple ignitions.			40	(2%)				
Flame or torch used for lighting			40	(2%)				

Note: Sums may not equal totals due to rounding errors. The statistics on matches, lighters, smoking materials and candles include a proportional share of fires in which the heat source was heat from an unclassified open flame or smoking material. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 9.
Reported Home Structure Fires, by Factors Contributing to Ignition
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Equipment unattended	52,100	(15%)	180	(7%)	2,180	(17%)	\$407	(6%)
Non-confined	14,700	(4%)	180	(7%)	1,610	(13%)	\$398	(6%)
Confined	37,500	(10%)	0	(0%)	580	(5%)	\$9	(0%)
Electrical failure or malfunction	46,300	(13%)	440	(17%)	1,430	(11%)	\$1,425	(21%)
Non-confined	40,700	(11%)	440	(17%)	1,420	(11%)	\$1,423	(21%)
Confined	5,600	(2%)	0	(0%)	10	(0%)	\$2	(0%)
Abandoned or discarded material or product	42,500	(12%)	380	(15%)	1,560	(12%)	\$717	(11%)
Non-confined	21,200	(6%)	380	(15%)	1,360	(11%)	\$713	(11%)
Confined	21,300	(6%)	0	(0%)	200	(2%)	\$4	(0%)
Heat source too close to combustibles	39,400	(11%)	530	(21%)	2,210	(17%)	\$939	(14%)
Non-confined	24,900	(7%)	530	(21%)	2,080	(16%)	\$936	(14%)
Confined	14,500	(4%)	0	(0%)	130	(1%)	\$3	(0%)
Failure to clean	27,900	(8%)	20	(1%)	190	(1%)	\$82	(1%)
Non-confined	4,300	(1%)	20	(1%)	130	(1%)	\$79	(1%)
Confined	23,600	(7%)	0	(0%)	60	(0%)	\$3	(0%)
Unclassified misuse of material or product	27,000	(8%)	310	(12%)	1,490	(12%)	\$371	(6%)
Non-confined	12,600	(4%)	310	(12%)	1,290	(10%)	\$368	(5%)
Confined	14,400	(4%)	0	(0%)	200	(2%)	\$3	(0%)
Unclassified factor contributed to ignition	24,400	(7%)	280	(11%)	950	(7%)	\$474	(7%)
Non-confined	11,800	(3%)	280	(11%)	780	(6%)	\$471	(7%)
Confined	12,600	(4%)	0	(0%)	170	(1%)	\$3	(0%)
Mechanical failure or malfunction	24,400	(7%)	90	(4%)	590	(5%)	\$455	(7%)
Non-confined	13,200	(4%)	90	(4%)	540	(4%)	\$452	(7%)
Confined	11,100	(3%)	0	(0%)	50	(0%)	\$3	(0%)
Accidentally turned on, not turned off	12,200	(3%)	30	(1%)	420	(3%)	\$130	(2%)
Non-confined	4,000	(1%)	30	(1%)	310	(2%)	\$128	(2%)
Confined	8,300	(2%)	0	(0%)	100	(1%)	\$2	(0%)

* Electrical failures or malfunctions and mechanical failures or malfunctions were summed from NFIRS factors contributing to ignition codes 30-37 and 20-27, respectively.

Table 9. (Continued)
Reported Home Structure Fires, by Factors Contributing to Ignition
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Exposure fire	11,900	(3%)	10	(0%)	70	(1%)	\$508	(8%)
Non-confined	11,700	(3%)	10	(0%)	70	(1%)	\$508	(8%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Playing with heat source	6,300	(2%)	70	(3%)	640	(5%)	\$155	(2%)
Non-confined	5,200	(1%)	70	(3%)	630	(5%)	\$155	(2%)
Confined	1,100	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Improper container or storage	5,800	(2%)	20	(1%)	150	(1%)	\$96	(1%)
Non-confined	2,400	(1%)	20	(1%)	140	(1%)	\$95	(1%)
Confined	3,400	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Unclassified operational deficiency	5,600	(2%)	20	(1%)	190	(1%)	\$63	(1%)
Non-confined	1,800	(1%)	20	(1%)	150	(1%)	\$62	(1%)
Confined	3,800	(1%)	0	(0%)	40	(0%)	\$1	(0%)
Rekindle	5,400	(2%)	0	(0%)	0	(0%)	\$103	(2%)
Non-confined	5,100	(1%)	0	(0%)	0	(0%)	\$102	(2%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Other known factor contributing to ignition	41,000	(11%)	340	(14%)	1,500	(12%)	\$1,286	(19%)
Non-confined	24,400	(7%)	340	(14%)	1,340	(11%)	\$1,282	(19%)
Confined	16,700	(5%)	0	(0%)	150	(1%)	\$4	(0%)
Total fires	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Non-confined	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Confined	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)
Total factors	372,200	(104%)	2,710	(108%)	13,570	(107%)	\$7,210	(107%)
Non-confined	198,000	(55%)	2,710	(108%)	11,850	(93%)	\$7,171	(107%)
Confined	174,300	(49%)	0	(0%)	1,710	(13%)	\$39	(1%)
The following factors were involved in less than 2% of the fires but were factors in at least 2% of the deaths.								
Flammable liquid used to kindle fire			70	(3%)				
Flammable liquid or gas spilled			70	(3%)				
Unclassified fire spread or control			40	(2%)				

Note: Multiple entries are allowed which can result in sums higher than totals. Fires in which the factor contributing to ignition was coded as “none,” unknown, or not reported have been allocated proportionally among fires with known factor contributing to ignition. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA’s fire experience survey.

Table 10.
Reported Home Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Kitchen or cooking area	154,400	(43%)	420	(17%)	4,950	(39%)	\$997	(15%)
Non-confined	39,200	(11%)	420	(17%)	3,450	(27%)	\$972	(14%)
Confined	115,200	(32%)	0	(0%)	1,500	(12%)	\$25	(0%)
Bedroom	24,400	(7%)	590	(24%)	2,540	(20%)	\$892	(13%)
Non-confined	23,500	(7%)	590	(24%)	2,520	(20%)	\$892	(13%)
Confined	900	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Confined chimney or flue fire	19,900	(6%)	0	(0%)	30	(0%)	\$6	(0%)
Non-confined	0	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Confined	19,900	(6%)	0	(0%)	30	(0%)	\$6	(0%)
Living room, family room or den	13,000	(4%)	610	(24%)	1,290	(10%)	\$536	(8%)
Non-confined	12,100	(3%)	610	(24%)	1,290	(10%)	\$536	(8%)
Confined	1,000	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Laundry room or area	10,600	(3%)	30	(1%)	320	(3%)	\$202	(3%)
Non-confined	9,400	(3%)	30	(1%)	310	(2%)	\$202	(3%)
Confined	1,200	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Unclassified outside area	10,000	(3%)	10	(0%)	70	(1%)	\$114	(2%)
Non-confined	3,900	(1%)	10	(0%)	60	(0%)	\$114	(2%)
Confined	6,100	(2%)	0	(0%)	10	(0%)	\$0	(0%)
Attic or ceiling/roof assembly or concealed space	9,400	(3%)	20	(1%)	130	(1%)	\$523	(8%)
Non-confined	9,300	(3%)	20	(1%)	130	(1%)	\$523	(8%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Exterior wall surface	9,200	(3%)	10	(0%)	130	(1%)	\$217	(3%)
Non-confined	9,000	(3%)	10	(0%)	130	(1%)	\$216	(3%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Garage or vehicle storage area	8,900	(2%)	50	(2%)	400	(3%)	\$550	(8%)
Non-confined	7,900	(2%)	50	(2%)	400	(3%)	\$550	(8%)
Confined	1,000	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified function area	8,000	(2%)	250	(10%)	500	(4%)	\$301	(4%)
Non-confined	6,900	(2%)	250	(10%)	490	(4%)	\$301	(4%)
Confined	1,100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Exterior balcony or unenclosed porch	7,900	(2%)	60	(2%)	230	(2%)	\$335	(5%)
Non-confined	6,900	(2%)	60	(2%)	230	(2%)	\$334	(5%)
Confined	1,100	(0%)	0	(0%)	0	(0%)	\$0	(0%)

* NFIRS 5.0 does not have a separate area of origin code for fires starting in chimneys. Any home fire with NFIRS incident type 114 - "Chimney of fire originating in and confined to a chimney or flue" is captured here.

** Does not include fires with property use coded as residential garage.

Table 10. (Continued)
Reported Home Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Unclassified area of origin	7,400	(2%)	40	(2%)	120	(1%)	\$109	(2%)
Non-confined	3,900	(1%)	40	(2%)	110	(1%)	\$109	(2%)
Confined	3,500	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Bathroom or lavatory	6,800	(2%)	30	(1%)	260	(2%)	\$119	(2%)
Non-confined	5,900	(2%)	30	(1%)	250	(2%)	\$118	(2%)
Confined	900	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Wall assembly or concealed space	6,300	(2%)	20	(1%)	110	(1%)	\$210	(3%)
Non-confined	6,200	(2%)	20	(1%)	110	(1%)	\$210	(3%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Heating equipment room	5,600	(2%)	20	(1%)	120	(1%)	\$93	(1%)
Non-confined	2,700	(1%)	20	(1%)	100	(1%)	\$92	(1%)
Confined	2,900	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Other known area of origin	56,600	(16%)	370	(15%)	1,530	(12%)	\$1,506	(22%)
Non-confined	41,800	(12%)	370	(15%)	1,480	(12%)	\$1,503	(22%)
Confined	14,800	(4%)	0	(0%)	50	(0%)	\$3	(0%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Non-confined	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Confined	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)

Although fewer than 2% of the fires began in the following areas of origin, these fires caused at least 2% of the deaths.

Unclassified structural area	70	(3%)
Multiple areas of origin	40	(2%)
Dining room	50	(2%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires other than chimney or flue fires (NFIRS incident type 113, and 115-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 11.
Reported Home Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Cooking materials, including food	106,600	(30%)	140	(5%)	3,450	(27%)	\$468	(7%)
Non-confined	21,000	(6%)	140	(5%)	2,340	(18%)	\$451	(7%)
Confined	85,600	(24%)	0	(0%)	1,110	(9%)	\$17	(0%)
Unclassified item first ignited	25,400	(7%)	130	(5%)	560	(4%)	\$305	(5%)
Non-confined	9,400	(3%)	130	(5%)	460	(4%)	\$302	(4%)
Confined	16,000	(4%)	0	(0%)	100	(1%)	\$4	(0%)
Structural member or framing	19,300	(5%)	130	(5%)	380	(3%)	\$1,072	(16%)
Non-confined	19,000	(5%)	130	(5%)	380	(3%)	\$1,071	(16%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Electrical wire or cable insulation	17,000	(5%)	110	(5%)	430	(3%)	\$401	(6%)
Non-confined	14,900	(4%)	110	(5%)	430	(3%)	\$400	(6%)
Confined	2,100	(1%)	0	(0%)	0	(0%)	\$1	(0%)
Rubbish, trash, or waste	15,100	(4%)	40	(1%)	250	(2%)	\$166	(2%)
Non-confined	5,400	(1%)	40	(1%)	230	(2%)	\$165	(2%)
Confined	9,800	(3%)	0	(0%)	30	(0%)	\$1	(0%)
Flammable or combustible liquid or gas, piping or filter	14,600	(4%)	190	(7%)	1,060	(8%)	\$281	(4%)
Non-confined	6,900	(2%)	190	(7%)	960	(8%)	\$279	(4%)
Confined	7,600	(2%)	0	(0%)	110	(1%)	\$2	(0%)
Exterior wall covering or finish	13,900	(4%)	30	(1%)	230	(2%)	\$494	(7%)
Non-confined	13,700	(4%)	30	(1%)	230	(2%)	\$494	(7%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Appliance housing or casing	13,100	(4%)	20	(1%)	310	(2%)	\$133	(2%)
Non-confined	5,900	(2%)	20	(1%)	260	(2%)	\$130	(2%)
Confined	7,200	(2%)	0	(0%)	50	(0%)	\$3	(0%)
Household utensil	9,900	(3%)	20	(1%)	240	(2%)	\$39	(1%)
Non-confined	2,000	(1%)	20	(1%)	150	(1%)	\$37	(1%)
Confined	8,000	(2%)	0	(0%)	90	(1%)	\$2	(0%)
Mattress or bedding	9,300	(3%)	340	(14%)	1,270	(10%)	\$317	(5%)
Non-confined	8,800	(2%)	340	(14%)	1,270	(10%)	\$317	(5%)
Confined	500	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Unclassified organic materials	9,200	(3%)	10	(0%)	70	(1%)	\$57	(1%)
Non-confined	2,000	(1%)	10	(0%)	50	(0%)	\$56	(1%)
Confined	7,200	(2%)	0	(0%)	10	(0%)	\$1	(0%)
Unclassified structural component or finish	7,500	(2%)	50	(2%)	200	(2%)	\$347	(5%)
Non-confined	7,100	(2%)	50	(2%)	200	(2%)	\$347	(5%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)

Table 11. (Continued)
Reported Home Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Clothing	7,400	(2%)	140	(6%)	490	(4%)	\$189	(3%)
Non-confined	6,400	(2%)	140	(6%)	470	(4%)	\$188	(3%)
Confined	1,000	(0%)	0	(0%)	20	(0%)	\$0	(0%)
Multiple items first ignited	6,900	(2%)	140	(5%)	410	(3%)	\$277	(4%)
Non-confined	5,000	(1%)	140	(5%)	390	(3%)	\$277	(4%)
Confined	1,900	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Interior wall covering, excluding drapes	6,600	(2%)	100	(4%)	250	(2%)	\$280	(4%)
Non-confined	6,400	(2%)	100	(4%)	250	(2%)	\$280	(4%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified furniture or utensil	5,900	(2%)	140	(6%)	390	(3%)	\$174	(3%)
Non-confined	4,300	(1%)	140	(6%)	370	(3%)	\$174	(3%)
Confined	1,500	(0%)	0	(0%)	20	(0%)	\$0	(0%)
Cabinetry	5,600	(2%)	40	(2%)	310	(2%)	\$165	(2%)
Non-confined	4,400	(1%)	40	(2%)	290	(2%)	\$164	(2%)
Confined	1,200	(0%)	0	(0%)	20	(0%)	\$1	(0%)
Upholstered furniture	5,600	(2%)	440	(18%)	700	(6%)	\$269	(4%)
Non-confined	5,400	(2%)	440	(18%)	700	(5%)	\$269	(4%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Insulation within structural area	5,500	(2%)	0	(0%)	80	(1%)	\$149	(2%)
Non-confined	5,400	(2%)	0	(0%)	80	(1%)	\$149	(2%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Magazine, newspaper, or writing paper	5,500	(2%)	50	(2%)	180	(1%)	\$76	(1%)
Non-confined	2,600	(1%)	50	(2%)	170	(1%)	\$76	(1%)
Confined	2,900	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Other known item first ignited	48,400	(13%)	260	(10%)	1,460	(11%)	\$1,049	(16%)
Non-confined	32,500	(9%)	260	(10%)	1,390	(11%)	\$1,046	(16%)
Confined	15,900	(4%)	0	(0%)	70	(1%)	\$3	(0%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Non-confined	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Confined	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)

The following items were first ignited in fewer than 2% of the fires but at least 2% of the deaths.

Floor covering, rug, carpet or mat	80	(3%)
Unclassified soft goods or wearing apparel	50	(2%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 12.
Reported Home Structure Fires, by Extent of Fire Spread
2010-2014 Annual Averages
(Unknowns Non-confined Fires Were Allocated Proportionally)

Extent of Fire Spread	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Confined fire identified by incident type	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)
Confined to object of origin	30,700	(9%)	90	(3%)	810	(6%)	\$248	(4%)
Confined to room of origin	66,700	(19%)	390	(15%)	4,400	(35%)	\$822	(12%)
Confined to floor of origin	17,600	(5%)	260	(11%)	1,490	(12%)	\$645	(10%)
Confined to building of origin	62,600	(17%)	1,420	(56%)	3,610	(28%)	\$4,072	(61%)
Extended beyond building of origin	10,800	(3%)	360	(14%)	750	(6%)	\$886	(13%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)
Fire spread extended beyond room of origin	91,100	(25%)	2,040	(81%)	5,840	(46%)	\$5,602	(83%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 13.
Reported Home Fire Deaths in Selected Areas of Origin
by Year 1980-2014
(Unknowns were allocated proportionally)

Year	Living Room, Family Room or Den		Bedroom		Kitchen		Other Area of Origin		Total Deaths	
1980	2,220	(42%)	1,210	(23%)	660	(13%)	1,160	(22%)	5,240	(100%)
1981	2,160	(41%)	1,260	(24%)	710	(13%)	1,180	(22%)	5,320	(100%)
1982	1,870	(39%)	1,260	(26%)	580	(12%)	1,130	(23%)	4,840	(100%)
1983	1,810	(39%)	1,240	(27%)	680	(15%)	950	(20%)	4,680	(100%)
1984	1,580	(39%)	1,060	(26%)	550	(13%)	910	(22%)	4,100	(100%)
1985	1,670	(34%)	1,440	(30%)	690	(14%)	1,060	(22%)	4,860	(100%)
1986	1,680	(36%)	1,310	(28%)	610	(13%)	1,040	(22%)	4,640	(100%)
1987	1,730	(38%)	1,200	(27%)	640	(14%)	950	(21%)	4,520	(100%)
1988	1,800	(36%)	1,410	(28%)	650	(13%)	1,130	(23%)	4,990	(100%)
1989	1,570	(36%)	1,140	(26%)	720	(17%)	910	(21%)	4,350	(100%)
1990	1,400	(35%)	1,090	(27%)	650	(16%)	860	(22%)	4,010	(100%)
1991	1,230	(35%)	990	(28%)	550	(15%)	760	(22%)	3,520	(100%)
1992	1,210	(33%)	1,060	(29%)	490	(13%)	910	(25%)	3,670	(100%)
1993	1,280	(34%)	1,010	(27%)	570	(15%)	880	(23%)	3,730	(100%)
1994	1,070	(31%)	960	(28%)	490	(14%)	880	(26%)	3,410	(100%)
1995	1,220	(34%)	990	(27%)	490	(14%)	910	(25%)	3,600	(100%)
1996	1,230	(31%)	1,060	(27%)	630	(16%)	1,060	(27%)	3,980	(100%)
1997	1,050	(32%)	900	(27%)	520	(16%)	850	(26%)	3,330	(100%)
1998	840	(27%)	790	(25%)	540	(17%)	1,000	(31%)	3,170	(100%)
1999	660	(23%)	630	(22%)	540	(19%)	1,030	(36%)	2,870	(100%)
2000	860	(27%)	790	(24%)	530	(16%)	1,060	(33%)	3,250	(100%)
2001	790	(26%)	700	(23%)	460	(15%)	1,070	(36%)	3,010	(100%)
2002	660	(26%)	700	(28%)	350	(14%)	810	(32%)	2,520	(100%)
2003	690	(23%)	630	(21%)	460	(15%)	1,220	(41%)	3,010	(100%)
2004	690	(23%)	700	(23%)	470	(15%)	1,200	(39%)	3,070	(100%)
2005	720	(25%)	740	(26%)	450	(16%)	960	(33%)	2,870	(100%)
2006	560	(23%)	620	(25%)	360	(14%)	950	(38%)	2,480	(100%)
2007	650	(23%)	720	(26%)	450	(16%)	990	(35%)	2,800	(100%)
2008	630	(24%)	700	(26%)	400	(15%)	950	(35%)	2,670	(100%)
2009	630	(26%)	590	(24%)	330	(14%)	880	(36%)	2,440	(100%)
2010	610	(24%)	610	(24%)	400	(16%)	930	(36%)	2,545	(100%)
2011	500	(21%)	600	(25%)	450	(18%)	880	(36%)	2,430	(100%)
2012	570	(25%)	560	(24%)	350	(15%)	830	(36%)	2,300	(100%)
2013	650	(25%)	590	(22%)	480	(18%)	940	(35%)	2,660	(100%)
2014	700	(26%)	620	(23%)	400	(15%)	940	(35%)	2,660	(100%)
1980-1984 annual average	1,930	(40%)	1,210	(25%)	640	(13%)	1,070	(22%)	4,830	(100%)
2010-2014 annual average	610	(24%)	590	(24%)	420	(17%)	900	(36%)	2,520	(100%)
Change from 1980-1984 to 2010-2014	-1,320	(-68%)	-620	(-51%)	-220	(-34%)	-170	(-16%)	-2,310	(-48%)

Table 13.
Reported Home Fire Deaths in Selected Areas of Origin
by Year 1980-2014
(Unknowns were allocated proportionally) (Continued)

Note: Estimates from 1999 on are based on NFIRS 5.0 data and include deaths from confined fires. Because of low participation in NFIRS 5.0 during 1999-2001, estimates for these years are highly uncertain and must be used with caution. Estimates of total deaths vary slightly from those in [Table 1](#). Estimates in Table 1 were based solely on NFPA's fire experience survey data.

Source: NFIRS and NFPA's fire experience survey.

Table 14
Reported Home Fire Deaths from Fires
Starting with Upholstered Furniture or Mattresses and Bedding
by Year: 1980-2014
(Unknowns were allocated proportionally)

Year	Upholstered Furniture		Mattress or Bedding		Other Item		Total Deaths	
1980	1,360	(26%)	940	(18%)	2,940	(56%)	5,240	(100%)
1981	1,360	(26%)	820	(15%)	3,140	(59%)	5,320	(100%)
1982	1,190	(25%)	700	(14%)	2,950	(61%)	4,840	(100%)
1983	1,100	(24%)	700	(15%)	2,880	(62%)	4,680	(100%)
1984	1,090	(27%)	670	(16%)	2,340	(57%)	4,100	(100%)
1985	930	(19%)	860	(18%)	3,070	(63%)	4,860	(100%)
1986	1,070	(23%)	730	(16%)	2,840	(61%)	4,640	(100%)
1987	1,030	(23%)	720	(16%)	2,770	(61%)	4,520	(100%)
1988	1,100	(22%)	920	(18%)	2,970	(60%)	4,990	(100%)
1989	880	(20%)	650	(15%)	2,820	(65%)	4,350	(100%)
1990	870	(22%)	620	(15%)	2,520	(63%)	4,010	(100%)
1991	680	(19%)	620	(18%)	2,220	(63%)	3,520	(100%)
1992	630	(17%)	620	(17%)	2,420	(66%)	3,670	(100%)
1993	650	(17%)	620	(17%)	2,460	(66%)	3,730	(100%)
1994	670	(20%)	470	(14%)	2,270	(67%)	3,410	(100%)
1995	660	(18%)	530	(15%)	2,410	(67%)	3,600	(100%)
1996	650	(16%)	660	(17%)	2,670	(67%)	3,980	(100%)
1997	660	(20%)	490	(15%)	2,180	(65%)	3,330	(100%)
1998	540	(17%)	400	(13%)	2,230	(70%)	3,170	(100%)
1999	480	(17%)	210	(7%)	2,180	(76%)	2,870	(100%)
2000	580	(18%)	460	(14%)	2,210	(68%)	3,250	(100%)
2001	620	(21%)	460	(15%)	1,930	(64%)	3,010	(100%)
2002	540	(21%)	380	(15%)	1,610	(64%)	2,520	(100%)
2003	650	(22%)	370	(12%)	1,980	(66%)	3,010	(100%)
2004	690	(23%)	310	(10%)	2,070	(68%)	3,070	(100%)
2005	540	(19%)	460	(16%)	1,870	(65%)	2,870	(100%)
2006	490	(20%)	380	(15%)	1,610	(65%)	2,480	(100%)
2007	540	(19%)	360	(13%)	1,890	(68%)	2,800	(100%)
2008	500	(19%)	300	(11%)	1,870	(70%)	2,670	(100%)
2009	450	(19%)	330	(14%)	1,650	(68%)	2,440	(100%)
2010	400	(16%)	300	(12%)	1,840	(72%)	2,545	(100%)
2011	370	(15%)	360	(15%)	1,700	(70%)	2,430	(100%)
2012	400	(18%)	370	(16%)	1,530	(66%)	2,300	(100%)
2013	480	(18%)	350	(13%)	1,820	(69%)	2,660	(100%)
2014	570	(21%)	320	(12%)	1,770	(67%)	2,660	(100%)
1980-1984 annual average	1,220	(25%)	770	(16%)	2,850	(59%)	4,830	(100%)
2010-2014 annual average	440	(18%)	340	(14%)	1,740	(69%)	2,520	(100%)
Change from 1980-1984 to 2010-2014	-780	(-64%)	-430	(-56%)	-1,110	(-39%)	-2,310	(-48%)

Note: Estimates from 1999 on are based on NFIRS 5.0 data and exclude deaths from confined fires. Because of low participation in NFIRS 5.0 during 1999-2001, estimates for these years are highly uncertain and must be used with caution. Estimates of total deaths vary slightly from those in Table 1. Estimates in Table 1 were based solely on NFPA's fire experience survey data.

Source: NFIRS and NFPA's fire experience survey.

Table 15.
Reported Home Fire Deaths, by Selected Types of Heat Sources and Year
1980-2014
(Unknowns were allocated proportionally)

Year	Operating Equipment		Smoking Materials		Lighters, Candles and Matches		Other Heat Source		Total Deaths	
1980	1,950	(37%)	1,820	(35%)	970	(19%)	490	(9%)	5,240	(100%)
1981	1,970	(37%)	1,980	(37%)	820	(15%)	550	(10%)	5,320	(100%)
1982	1,870	(39%)	1,680	(35%)	700	(14%)	580	(12%)	4,840	(100%)
1983	1,910	(41%)	1,510	(32%)	830	(18%)	440	(9%)	4,680	(100%)
1984	1,620	(39%)	1,480	(36%)	640	(16%)	360	(9%)	4,100	(100%)
1985	1,930	(40%)	1,580	(33%)	860	(18%)	490	(10%)	4,860	(100%)
1986	1,960	(42%)	1,350	(29%)	810	(18%)	510	(11%)	4,640	(100%)
1987	1,850	(41%)	1,380	(31%)	850	(19%)	450	(10%)	4,520	(100%)
1988	1,940	(39%)	1,570	(31%)	950	(19%)	530	(11%)	4,990	(100%)
1989	1,840	(42%)	1,190	(27%)	880	(20%)	430	(10%)	4,350	(100%)
1990	1,660	(41%)	1,150	(29%)	710	(18%)	490	(12%)	4,010	(100%)
1991	1,410	(40%)	880	(25%)	820	(23%)	410	(12%)	3,520	(100%)
1992	1,440	(39%)	1,000	(27%)	800	(22%)	420	(11%)	3,670	(100%)
1993	1,510	(41%)	980	(26%)	870	(23%)	370	(10%)	3,730	(100%)
1994	1,510	(44%)	840	(25%)	710	(21%)	350	(10%)	3,410	(100%)
1995	1,540	(43%)	1,040	(29%)	660	(18%)	360	(10%)	3,600	(100%)
1996	1,810	(45%)	1,090	(27%)	610	(15%)	470	(12%)	3,980	(100%)
1997	1,360	(41%)	870	(26%)	710	(21%)	390	(12%)	3,330	(100%)
1998	1,360	(43%)	850	(27%)	560	(18%)	400	(13%)	3,170	(100%)
1999	940	(33%)	830	(29%)	370	(13%)	720	(25%)	2,870	(100%)
2000	1,140	(35%)	860	(26%)	650	(20%)	560	(17%)	3,250	(100%)
2001	1,110	(37%)	760	(25%)	560	(19%)	580	(19%)	3,010	(100%)
2002	800	(32%)	610	(24%)	510	(20%)	610	(24%)	2,520	(100%)
2003	1,200	(40%)	700	(23%)	440	(15%)	660	(22%)	3,000	(100%)
2004	1,200	(39%)	710	(23%)	480	(16%)	690	(22%)	3,070	(100%)
2005	1,100	(38%)	730	(26%)	480	(17%)	570	(20%)	2,870	(100%)
2006	910	(36%)	690	(28%)	390	(16%)	490	(20%)	2,480	(100%)
2007	950	(34%)	650	(23%)	550	(20%)	490	(20%)	2,800	(100%)
2008	1,180	(44%)	620	(23%)	310	(12%)	560	(21%)	2,670	(100%)
2009	970	(40%)	580	(24%)	270	(11%)	610	(25%)	2,440	(100%)
2010	1,040	(41%)	540	(21%)	330	(13%)	630	(25%)	2,545	(100%)
2011	1,000	(41%)	490	(20%)	240	(10%)	690	(28%)	2,430	(100%)
2012	730	(32%)	620	(27%)	360	(16%)	600	(26%)	2,300	(100%)
2013	1,040	(39%)	590	(22%)	350	(13%)	680	(26%)	2,660	(100%)
2014	1,170	(44%)	570	(21%)	240	(9%)	670	(25%)	2,660	(100%)
1980-1984 annual average	1,860	(39%)	1,690	(35%)	790	(16%)	490	(10%)	4,830	(100%)
2010-2014 annual average	1,000	(40%)	560	(22%)	310	(12%)	650	(26%)	2,520	(100%)
Change from 1980-1984 to 2010-2014	-860	(-46%)	-1,130	(-67%)	-480	(-61%)	160	(33%)	-2,310	(-48%)

Table 15. (Continued)
Reported Home Fire Deaths, by Selected Types of Heat Sources and Year
1980-2014

Note: Estimates from 1999 on are based on NFIRS 5.0 data and exclude deaths from confined fires. Because of low participation in NFIRS 5.0 during 1999-2001, estimates for these years must be used with caution. In 1980-1998, operating equipment identified by form of heat of ignition codes for heat from fuel-fires, fuel-powered objects, heat from electrical equipment arcing or overloaded, electric lamps, and properly and improperly operating equipment (form of heat of ignition codes 10-29, 54, 56, and 57). Beginning in 1999, operating equipment was identified by heat source codes for operating equipment (heat source 10-13). The 1980-1998 estimates of lighter, candles, and matches include proportional shares of deaths from fires in which the form of heat of ignition was an unknown-type of open flame. Estimates for open flame and smoking material beginning in 1999 include a proportional share of deaths in which the heat source was an unclassified open flame or smoking material. Estimates of total deaths vary slightly from those in [Table 1](#). Estimates in Table 1 were based solely on NFPA's fire experience survey data.

Source: NFIRS and NFPA's fire experience survey.

**Table 1A.
Reported One- or Two-Family Home Structure Fires
by Year: 1980-2015**

Year	Fires	Civilian Deaths	Civilian Injuries	Direct Property Damage (in Millions)	
				As Reported	In 2015 Dollars
1980	590,500	4,175	16,100	\$2,447	\$7,045
1981	574,000	4,430	14,875	\$2,713	\$7,059
1982	538,000	3,960	15,750	\$2,794	\$6,853
1983	523,500	3,825	16,450	\$2,792	\$6,636
1984	506,000	3,290	15,100	\$2,945	\$6,707
1985	501,500	4,020	15,250	\$3,217	\$7,074
1986	468,000	4,005	14,650	\$2,992	\$6,473
1987	433,000	3,780	15,200	\$3,078	\$6,419
1988	432,500	4,125	17,125	\$3,349	\$6,714
1989	402,500	3,545	15,225	\$3,335	\$6,378
1990	359,000	3,370	15,250	\$3,534	\$6,415
1991	363,000	2,905	15,600	\$3,354	\$5,834
1992	358,000	3,160	15,275	\$3,178	\$5,369
1993	358,000	3,035	15,700	\$4,111	\$6,741
1994	341,000	2,785	14,000	\$3,537	\$5,658
1995	320,000	3,035	13,450	\$3,615	\$5,620
1996	324,000	3,470	13,700	\$4,121	\$6,230
1997	302,500	2,700	12,300	\$3,735	\$5,514
1998	283,000	2,775	11,800	\$3,642	\$5,299
1999	282,500	2,375	11,550	\$4,123	\$5,862
2000	283,500	2,920	12,575	\$4,639	\$6,387
2001	295,500	2,650	11,400	\$4,652	\$6,228
2002	300,500	2,280	9,950	\$5,005	\$6,594
2003	297,000	2,735	10,000	\$5,052	\$6,513
2004	301,500	2,680	10,500	\$4,948	\$6,214
2005	287,000	2,570	10,300	\$5,781	\$7,014
2006	304,500	2,155	8,800	\$5,936	\$6,977
2007	300,500	2,350	9,650	\$6,225	\$7,110
2008	291,000	2,365	9,185	\$6,892	\$7,594
2009	272,500	2,100	9,300	\$6,391	\$7,057
2010	279,000	2,200	9,400	\$5,895	\$6,412
2011	274,500	2,105	9,485	\$5,746	\$6,059
2012	268,000	2,000	8,825	\$5,818	\$6,011
2013	271,500	2,430	8,300	\$5,626	\$5,719
2014	273,500	2,345	8,025	\$5,844	\$5,844
2015	270,500	2,155	8,050	\$5,799	\$5,799

Note: See [Table 1](#), Reported Home Structure Fires by Year, for notes about inclusion or exclusion of unusually large loss fires.

Source: *Fire Loss in the United States* series of NFPA annual reports by Michael J. Karter, Jr. and Hylton Haynes. Inflation adjustments were based on the Consumer Price Index Purchasing Power of the Dollar.

Table 2A.
Reported One- or Two-Family Home Structure Fires, by Month
2010-2014 Annual Averages

Month	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
January	27,600	(11%)	310	(15%)	970	(11%)	\$607	(11%)
February	22,500	(9%)	240	(11%)	820	(10%)	\$487	(9%)
March	23,000	(9%)	210	(10%)	820	(10%)	\$500	(9%)
April	20,500	(8%)	180	(8%)	680	(8%)	\$440	(8%)
May	19,200	(8%)	130	(6%)	630	(7%)	\$433	(8%)
June	18,100	(7%)	130	(6%)	570	(7%)	\$405	(7%)
July	19,300	(8%)	130	(6%)	650	(8%)	\$461	(8%)
August	17,600	(7%)	120	(6%)	570	(7%)	\$388	(7%)
September	16,900	(7%)	110	(5%)	560	(7%)	\$358	(7%)
October	19,100	(8%)	150	(7%)	660	(8%)	\$392	(7%)
November	22,800	(9%)	200	(10%)	730	(9%)	\$474	(9%)
December	24,100	(10%)	220	(10%)	780	(9%)	\$494	(9%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Average by month	20,880	(8%)	175	(8%)	704	(8%)	\$453	(8%)

Table 3A.
Reported One- or Two-Family Home Structure Fires, by Day of Week
2010-2014 Annual Averages

Day of Week	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Sunday	37,900	(15%)	300	(14%)	1,260	(15%)	\$800	(15%)
Monday	35,800	(14%)	300	(14%)	1,190	(14%)	\$780	(14%)
Tuesday	35,000	(14%)	280	(13%)	1,230	(15%)	\$757	(14%)
Wednesday	34,900	(14%)	290	(14%)	1,150	(14%)	\$750	(14%)
Thursday	35,100	(14%)	300	(14%)	1,140	(14%)	\$764	(14%)
Friday	34,800	(14%)	290	(14%)	1,200	(14%)	\$773	(14%)
Saturday	37,000	(15%)	340	(16%)	1,270	(15%)	\$814	(15%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Average by day	35,800	(14%)	300	(14%)	1,210	(14%)	\$777	(14%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 4A.
Reported One- or Two-Family Home Structure Fires, by Alarm Time
2010-2014 Annual Averages

Alarm Time	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Midnight- 12:59 a.m.	7,900	(3%)	130	(6%)	350	(4%)	\$247	(5%)
1:00-1:59 a.m.	7,100	(3%)	160	(8%)	380	(5%)	\$267	(5%)
2:00-2:59 a.m.	6,600	(3%)	140	(7%)	360	(4%)	\$260	(5%)
3:00-3:59 a.m.	6,100	(2%)	170	(8%)	330	(4%)	\$245	(5%)
4:00-4:59 a.m.	5,500	(2%)	160	(7%)	310	(4%)	\$225	(4%)
5:00-5:59 a.m.	5,200	(2%)	130	(6%)	270	(3%)	\$186	(3%)
6:00-6:59 a.m.	5,500	(2%)	110	(5%)	260	(3%)	\$156	(3%)
7:00-7:59 a.m.	6,500	(3%)	80	(4%)	240	(3%)	\$144	(3%)
8:00-8:59 a.m.	7,500	(3%)	70	(3%)	290	(3%)	\$160	(3%)
9:00-9:59 a.m.	8,800	(4%)	70	(3%)	320	(4%)	\$164	(3%)
10:00-10:59 a.m.	9,900	(4%)	70	(3%)	320	(4%)	\$186	(3%)
11:00-11:59 a.m.	11,100	(4%)	60	(3%)	360	(4%)	\$228	(4%)
12:00-12:59 p.m.	12,300	(5%)	60	(3%)	380	(4%)	\$246	(5%)
1:00-1:59 p.m.	12,600	(5%)	50	(2%)	360	(4%)	\$251	(5%)
2:00-2:59 p.m.	12,900	(5%)	50	(3%)	340	(4%)	\$245	(5%)
3:00-3:59 p.m.	13,900	(6%)	50	(2%)	410	(5%)	\$261	(5%)
4:00-4:59 p.m.	15,200	(6%)	50	(2%)	420	(5%)	\$279	(5%)
5:00-5:59 p.m.	17,100	(7%)	50	(3%)	430	(5%)	\$253	(5%)
6:00-6:59 p.m.	17,700	(7%)	50	(3%)	440	(5%)	\$261	(5%)
7:00-7:59 p.m.	16,200	(6%)	70	(3%)	430	(5%)	\$241	(4%)
8:00-8:59 p.m.	14,200	(6%)	60	(3%)	420	(5%)	\$231	(4%)
9:00-9:59 p.m.	12,100	(5%)	80	(4%)	350	(4%)	\$229	(4%)
10:00-10:59 p.m.	10,100	(4%)	80	(4%)	330	(4%)	\$231	(4%)
11:00-11:59 p.m.	8,500	(3%)	120	(5%)	350	(4%)	\$242	(4%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Average by alarm hour	10,400	(4%)	90	(4%)	350	(4%)	\$227	(4%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 5A.
Leading Causes of Reported One- or Two-Family Home Structure Fires
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking equipment	89,400	(36%)	380	(18%)	3,259	(39%)	\$800	(15%)
Heating equipment	47,900	(19%)	460	(22%)	1,178	(14%)	\$955	(18%)
Electrical distribution or lighting equipment	29,200	(12%)	350	(16%)	897	(11%)	\$1,055	(19%)
Intentional	22,600	(9%)	310	(15%)	575	(7%)	\$412	(8%)
Clothes dryer or washer	11,400	(5%)	10	(0%)	308	(4%)	\$196	(4%)
Smoking materials	11,400	(5%)	420	(20%)	781	(9%)	\$317	(6%)
Exposure	9,900	(4%)	10	(0%)	58	(1%)	\$314	(6%)
Candles	7,000	(3%)	70	(4%)	566	(7%)	\$253	(5%)
Fan or air conditioner	5,900	(2%)	30	(1%)	190	(2%)	\$149	(3%)
Playing with heat source	4,800	(2%)	60	(3%)	474	(6%)	\$118	(2%)

Note: This table summarizes findings from multiple fields, meaning that the same fire may be listed under multiple causes. Estimates of fires involving electrical distribution or lighting equipment or clothes dryers or washers exclude confined fires. The methodology used is described in Appendix B.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 6A.
Reported One- or Two-Family Home Structure Fires
by Cause of Ignition (from NFIRS Cause Field)
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Unintentional	173,200	(69%)	1,540	(73%)	6,820	(81%)	\$3,633	(67%)
Non-confined	100,400	(40%)	1,540	(73%)	6,050	(72%)	\$3,613	(66%)
Confined	72,800	(29%)	0	(0%)	770	(9%)	\$19	(0%)
Failure of equipment or heat source	37,800	(15%)	220	(10%)	890	(11%)	\$809	(15%)
Non-confined	27,400	(11%)	220	(10%)	860	(10%)	\$805	(15%)
Confined	10,400	(4%)	0	(0%)	30	(0%)	\$4	(0%)
Intentional	22,600	(9%)	310	(15%)	580	(7%)	\$412	(8%)
Non-confined	14,400	(6%)	310	(15%)	550	(7%)	\$411	(8%)
Confined	8,100	(3%)	0	(0%)	20	(0%)	\$0	(0%)
Unclassified cause	11,800	(5%)	30	(1%)	110	(1%)	\$265	(5%)
Non-confined	8,100	(3%)	30	(1%)	100	(1%)	\$265	(5%)
Confined	3,700	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Act of nature	5,200	(2%)	10	(1%)	40	(1%)	\$320	(6%)
Non-confined	4,800	(2%)	10	(1%)	40	(1%)	\$320	(6%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Non-confined	155,200	(62%)	2,100	(100%)	7,600	(90%)	\$5,415	(100%)
Confined	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 7A.
Reported One- or Two-Family Home Structure Fires
by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns in non-confined fires and confined cooking fires were allocated proportionally)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking equipment	89,400	(36%)	380	(18%)	3,260	(39%)	\$800	(15%)
Range or cooktop	54,900	(22%)	340	(16%)	2,560	(30%)	\$553	(10%)
<i>Non-confined fire</i>	23,100	(9%)	340	(16%)	2,110	(25%)	\$9	(10%)
<i>Confined fire</i>	31,800	(13%)	0	(0%)	460	(5%)	\$35	(0%)
Oven or rotisserie	12,800	(5%)	10	(0%)	170	(2%)	\$33	(1%)
<i>Non-confined fire</i>	2,100	(1%)	10	(0%)	90	(1%)	\$2	(1%)
<i>Confined fire</i>	10,700	(4%)	0	(0%)	80	(1%)	\$65	(0%)
Portable cooking or warming device	4,100	(2%)	20	(1%)	160	(2%)	\$64	(1%)
<i>Non-confined fire</i>	1,600	(1%)	20	(1%)	120	(1%)	\$0	(1%)
<i>Confined fire</i>	2,600	(1%)	0	(0%)	30	(0%)	\$25	(0%)
Microwave oven	3,900	(2%)	0	(0%)	70	(1%)	\$24	(0%)
<i>Non-confined fire</i>	1,200	(0%)	0	(0%)	50	(1%)	\$1	(0%)
<i>Confined fire</i>	2,800	(1%)	0	(0%)	20	(0%)	\$89	(0%)
Grill, barbecue or hibachi	3,000	(1%)	10	(0%)	90	(1%)	\$88	(2%)
<i>Non-confined fire</i>	1,500	(1%)	10	(0%)	80	(1%)	\$0	(2%)
<i>Confined fire</i>	1,500	(1%)	0	(0%)	20	(0%)	\$26	(0%)
Other known cooking equipment or confined cooking fire	10,700	(4%)	0	(0%)	200	(2%)	\$23	(0%)
<i>Other known cooking equipment in non-confined fire</i>	700	(0%)	0	(0%)	50	(1%)	\$3	(0%)
<i>Confined cooking fire with other or unknown equipment</i>	10,000	(4%)	0	(0%)	160	(2%)	\$0	(0%)
Heating equipment	47,900	(19%)	460	(22%)	1,180	(14%)	\$955	(18%)
Fireplace or chimney fire*	23,100	(9%)	30	(1%)	100	(1%)	\$272	(5%)
<i>Fireplace or chimney with non-confined incident type</i>	3,800	(1%)	30	(1%)	80	(1%)	\$266	(5%)
<i>Confined chimney or flue fire*</i>	19,400	(8%)	0	(0%)	20	(0%)	\$6	(0%)
Fixed or portable space heater	12,400	(5%)	380	(18%)	840	(10%)	\$483	(9%)
<i>Furnace, central heat, or boiler*</i>	8,000	(3%)	20	(1%)	90	(1%)	\$66	(1%)
<i>Furnace or boiler with non-confined incident type</i>	1,800	(1%)	20	(1%)	60	(1%)	\$65	(1%)
<i>Confined fuel burner or boiler fire *</i>	6,200	(2%)	0	(0%)	30	(0%)	\$2	(0%)
Water heater	3,400	(1%)	20	(1%)	120	(1%)	\$88	(2%)
Other known heating equipment in non-confined fire	1,000	(0%)	10	(0%)	30	(0%)	\$46	(1%)
No equipment involved in ignition	42,100	(17%)	660	(31%)	1,930	(23%)	\$1,713	(31%)

* The estimates of fires involving fireplaces or chimneys include all fires with the confined chimney or flue incident type regardless of what may have been coded as equipment involved. Likewise, the estimates of fires involving furnaces, central heat or boilers include all fires with confined fuel burner or boiler incident type. The estimates shown should be considered upper bounds. Except for confined cooking fires, the estimates for equipment involved in ignition did not break out the confined fires further. John Hall's report, *Home Fires Involving Heating Equipment*, shows a detailed breakdown of the equipment involved in the confined heating fires.

Table 7A. (Continued)
Reported One- or Two-Family Home Structure Fires
by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns in non-confined fires and confined cooking fires were allocated proportionally)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Electrical distribution or lighting equipment	29,200	(12%)	350	(16%)	900	(11%)	\$1,055	(19%)
Wiring and related equipment	20,500	(8%)	190	(9%)	470	(6%)	\$696	(13%)
Lamp, bulb or lighting	4,200	(2%)	40	(2%)	150	(2%)	\$147	(3%)
Cord or plug	2,800	(1%)	110	(5%)	200	(2%)	\$122	(2%)
Transformer or power supply	1,600	(1%)	10	(1%)	80	(1%)	\$89	(2%)
Other known electrical equipment	0	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Clothes dryer	11,400	(5%)	10	(0%)	310	(4%)	\$194	(4%)
Contained trash or rubbish fire	10,100	(4%)	0	(0%)	30	(0%)	\$1	(0%)
Fan	3,500	(1%)	10	(1%)	90	(1%)	\$81	(1%)
Air conditioner	2,400	(1%)	20	(1%)	100	(1%)	\$68	(1%)
Unclassified equipment involved in ignition	2,400	(1%)	40	(2%)	100	(1%)	\$109	(2%)
Torch, burner or soldering iron	1,300	(1%)	0	(0%)	50	(1%)	\$46	(1%)
Other known equipment involved in ignition	11,000	(5%)	170	(8%)	520	(16%)	\$415	(8%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)

The following types of equipment were involved in less than 1% of the fires, but in at least 2% of the deaths.

Oxygen administration equipment	50	(2%)
Portable appliance designed to produce heat	40	(2%)

Note: Non-confined fires in which the equipment involved in ignition was unknown or not reported have been allocated proportionally among fires with known equipment involved. The same approach was used with confined cooking fires. Fires in which the equipment involved in ignition was entered as none but the heat source indicated equipment involvement or the heat source was unknown were also treated as unknown and allocated proportionally among fires with known equipment involved. Non-confined fires in which the equipment was partially unclassified (i.e., unclassified kitchen or cooking equipment, unclassified heating, cooling or air condition equipment, etc.) were allocated proportionally among fires in that grouping (kitchen or cooking equipment; heating, cooling or air conditioning equipment, etc.). The same approach was used with confined cooking fires. The estimates of fires involving fireplace or chimney include all fires with the confined chimney or flue incident type regardless of what may have been coded as equipment involved. Similarly, the estimates of fires involving furnaces, central heat or boilers include all fires with confined fuel burner or boiler incident type. The estimates shown should be considered upper bounds. Non-cooking confined fires were not analyzed separately. Estimates of other types of equipment exclude confined fires. Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 8A.
Reported One- or Two-Family Home Structure Fires by Heat Source
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Heat Source	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Radiated or conducted heat from operating equipment	40,600	(16%)	300	(14%)	1,740	(21%)	\$630	(12%)
Non-confined	20,300	(8%)	300	(14%)	1,450	(17%)	\$624	(11%)
Confined	20,300	(8%)	0	(0%)	290	(3%)	\$5	(0%)
Unclassified heat from powered equipment	36,300	(14%)	190	(9%)	1,320	(16%)	\$582	(11%)
Non-confined	19,400	(8%)	190	(9%)	1,100	(13%)	\$577	(11%)
Confined	16,900	(7%)	0	(0%)	220	(3%)	\$4	(0%)
Arcing	27,600	(11%)	270	(13%)	780	(9%)	\$819	(15%)
Non-confined	25,300	(10%)	270	(13%)	780	(9%)	\$818	(15%)
Confined	2,300	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Hot ember or ash	20,700	(8%)	90	(4%)	340	(4%)	\$393	(7%)
Non-confined	10,800	(4%)	90	(4%)	320	(4%)	\$390	(7%)
Confined	9,900	(4%)	0	(0%)	10	(0%)	\$2	(0%)
Unclassified heat source	20,200	(8%)	170	(8%)	460	(5%)	\$391	(7%)
Non-confined	10,000	(4%)	170	(8%)	380	(4%)	\$389	(7%)
Confined	10,100	(4%)	0	(0%)	80	(1%)	\$2	(0%)
Unclassified hot or smoldering object	17,700	(7%)	100	(5%)	390	(5%)	\$369	(7%)
Non-confined	11,300	(5%)	100	(5%)	340	(4%)	\$367	(7%)
Confined	6,400	(3%)	0	(0%)	50	(1%)	\$2	(0%)
Spark, ember or flame from operating equipment	16,500	(7%)	110	(5%)	530	(6%)	\$274	(5%)
Non-confined	7,300	(3%)	110	(5%)	460	(5%)	\$272	(5%)
Confined	9,200	(4%)	0	(0%)	70	(1%)	\$1	(0%)
Smoking Materials	11,400	(5%)	420	(20%)	780	(9%)	\$317	(6%)
Non-confined	9,500	(4%)	420	(20%)	770	(9%)	\$316	(6%)
Confined	1,900	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Heat from direct flame or convection currents	10,600	(4%)	30	(1%)	260	(3%)	\$224	(4%)
Non-confined	5,200	(2%)	30	(1%)	220	(3%)	\$223	(4%)
Confined	5,400	(2%)	0	(0%)	40	(0%)	\$1	(0%)
Lighter	7,500	(3%)	130	(6%)	560	(7%)	\$161	(3%)
Non-confined	5,300	(2%)	130	(6%)	550	(7%)	\$161	(3%)
Confined	2,200	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Candle	7,000	(3%)	70	(4%)	570	(7%)	\$253	(5%)
Non-confined	6,600	(3%)	70	(4%)	560	(7%)	\$253	(5%)
Confined	400	(0%)	0	(0%)	0	(0%)	\$0	(0%)

Table 8A. (Continued)
Reported One- or Two-Family Home Structure Fires by Heat Source
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Heat Source	Fires		Civilian		Civilian		Direct	
			Deaths	Injuries	Property Damage	(in Millions)		
Match	6,700	(3%)	40	(2%)	150	(2%)	\$72	(1%)
Non-confined	2,400	(1%)	40	(2%)	140	(2%)	\$71	(1%)
Confined	4,300	(2%)	0	(0%)	20	(0%)	\$0	(0%)
Radiated heat from another fire	4,900	(2%)	10	(0%)	40	(0%)	\$102	(2%)
Non-confined	4,200	(2%)	10	(0%)	40	(0%)	\$101	(2%)
Confined	700	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Lightning	4,200	(2%)	10	(1%)	30	(0%)	\$331	(6%)
Non-confined	4,100	(2%)	10	(1%)	30	(0%)	\$331	(6%)
Confined	0	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Other known heat source	18,700	(7%)	160	(7%)	500	(6%)	\$522	(10%)
Non-confined	13,500	(5%)	160	(7%)	460	(5%)	\$520	(10%)
Confined	5,200	(2%)	0	(0%)	40	(0%)	\$2	(0%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Non-confined	155,200	(62%)	2,100	(100%)	7,600	(90%)	\$5,415	(100%)
Confined	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)
The following heat sources started fewer than 2% of the fire fires but were the heat source in at least 2% of the fire deaths								
Multiple heat sources			40	(2%)				

Note: Sums may not equal totals due to rounding errors. The statistics on matches, lighters, smoking materials and candles include a proportional share of fires in which the heat source was heat from an unclassified open flame or smoking material. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 9A.
Reported One- or Two-Family Home Structure Fires
by Factor Contributing to Ignition
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Electrical failure or malfunction	40,400	(16%)	390	(19%)	1,090	(13%)	\$1,268	(23%)
Non-confined	36,400	(15%)	390	(19%)	1,080	(13%)	\$1,267	(23%)
Confined	4,000	(2%)	0	(0%)	10	(0%)	\$1	(0%)
Heat source too close to combustibles	27,300	(11%)	440	(21%)	1,490	(18%)	\$758	(14%)
Non-confined	20,200	(8%)	440	(21%)	1,420	(17%)	\$756	(14%)
Confined	7,100	(3%)	0	(0%)	60	(1%)	\$2	(0%)
Equipment unattended	25,900	(10%)	140	(7%)	1,260	(15%)	\$302	(6%)
Non-confined	10,200	(4%)	140	(7%)	1,000	(12%)	\$297	(5%)
Confined	15,800	(6%)	0	(0%)	270	(3%)	\$5	(0%)
Abandoned or discarded material or product	24,300	(10%)	290	(14%)	960	(11%)	\$490	(9%)
Non-confined	15,100	(6%)	290	(14%)	870	(10%)	\$488	(9%)
Confined	9,100	(4%)	0	(0%)	90	(1%)	\$2	(0%)
Failure to clean	22,200	(9%)	10	(1%)	130	(2%)	\$73	(1%)
Non-confined	3,600	(1%)	10	(1%)	90	(1%)	\$70	(1%)
Confined	18,600	(7%)	0	(0%)	40	(1%)	\$3	(0%)
Mechanical failure or malfunction	19,700	(8%)	90	(4%)	480	(6%)	\$411	(8%)
Non-confined	11,400	(5%)	90	(4%)	440	(5%)	\$408	(8%)
Confined	8,200	(3%)	0	(0%)	50	(1%)	\$3	(0%)
Unclassified factor contributed to ignition	16,800	(7%)	220	(11%)	590	(7%)	\$374	(7%)
Non-confined	9,700	(4%)	220	(11%)	510	(6%)	\$372	(7%)
Confined	7,100	(3%)	0	(0%)	80	(1%)	\$2	(0%)
Unclassified misuse of material or product	16,600	(7%)	250	(12%)	900	(11%)	\$264	(5%)
Non-confined	9,300	(4%)	250	(12%)	790	(9%)	\$263	(5%)
Confined	7,300	(3%)	0	(0%)	110	(1%)	\$2	(0%)
Exposure fire	9,900	(4%)	10	(0%)	60	(1%)	\$314	(6%)
Non-confined	9,800	(4%)	10	(0%)	60	(1%)	\$314	(6%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Accidentally turned on, not turned off	6,700	(3%)	20	(1%)	250	(3%)	\$104	(2%)
Non-confined	2,800	(1%)	20	(1%)	190	(2%)	\$103	(2%)
Confined	3,900	(2%)	0	(0%)	50	(1%)	\$1	(0%)

Table 9A. (Continued)
Reported One- or Two-Family Home Structure Fires
by Factor Contributing to Ignition
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Rekindle	5,200	(2%)	0	(0%)	0	(0%)	\$96	(2%)
Non-confined	4,900	(2%)	0	(0%)	0	(0%)	\$96	(2%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Playing with heat source	4,800	(2%)	60	(3%)	470	(6%)	\$118	(2%)
Non-confined	4,200	(2%)	60	(3%)	470	(6%)	\$118	(2%)
Confined	600	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Storm	4,100	(2%)	20	(1%)	30	(0%)	\$323	(6%)
Non-confined	4,100	(2%)	20	(1%)	30	(0%)	\$323	(6%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Improper container or storage	3,800	(2%)	20	(1%)	120	(1%)	\$81	(1%)
Non-confined	1,900	(1%)	20	(1%)	110	(1%)	\$80	(1%)
Confined	1,900	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Other known factor contributing to ignition	33,200	(13%)	300	(14%)	1,210	(14%)	\$857	(16%)
Non-confined	19,300	(8%)	300	(14%)	1,100	(13%)	\$854	(16%)
Confined	13,900	(6%)	0	(0%)	110	(1%)	\$3	(0%)
Total fires	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Non-confined	155,200	(62%)	2,100	(100%)	7,600	(90%)	\$5,415	(100%)
Confined	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)
Total factors	261,000	(104%)	2,270	(108%)	9,040	(107%)	\$5,834	(107%)
Non-confined	162,900	(65%)	2,270	(108%)	8,160	(97%)	\$5,810	(107%)
Confined	98,000	(39%)	0	(0%)	880	(10%)	\$24	(0%)
The following factors were involved in less than 2% of the fires, but in at least 2% of the deaths.								
Flammable liquid or gas spilled			60	(3%)				
Flammable liquid used to kindle fire			60	(3%)				
Unclassified fire spread or control			60	(2%)				

* Multiple entries are allowed which can result in sums higher than totals.

Note: Sums may not equal totals due to rounding errors. Fires in which the factor contributing to ignition was coded as "none," unknown, or not reported have been allocated proportionally among fires with known factor contributing to ignition. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 10A.
Reported One- or Two-Family Home Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Kitchen or cooking area	83,100	(33%)	340	(16%)	2,860	(34%)	\$740	(14%)
Non-confined	28,100	(11%)	340	(16%)	2,120	(25%)	\$726	(13%)
Confined	55,000	(22%)	0	(0%)	740	(9%)	\$14	(0%)
Bedroom	19,700	(8%)	470	(23%)	1,700	(20%)	\$684	(13%)
Non-confined	19,100	(8%)	470	(23%)	1,690	(20%)	\$684	(13%)
Confined	500	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Confined chimney or flue fire	19,400	(8%)	0	(0%)	20	(0%)	\$6	(0%)
Non-confined	0	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Confined	19,400	(8%)	0	(0%)	20	(0%)	\$6	(0%)
Living room, family room or den	10,500	(4%)	500	(24%)	870	(10%)	\$437	(8%)
Non-confined	10,000	(4%)	500	(24%)	870	(10%)	\$437	(8%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Attic or ceiling/roof assembly or concealed space	8,800	(4%)	20	(1%)	110	(1%)	\$443	(8%)
Non-confined	8,700	(3%)	20	(1%)	110	(1%)	\$443	(8%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Laundry room or area	8,600	(3%)	30	(1%)	240	(3%)	\$181	(3%)
Non-confined	7,900	(3%)	30	(1%)	240	(3%)	\$180	(3%)
Confined	600	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Garage or vehicle storage area	8,500	(3%)	50	(2%)	390	(5%)	\$536	(10%)
Non-confined	7,700	(3%)	50	(2%)	390	(5%)	\$535	(10%)
Confined	800	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Exterior wall surface	8,400	(3%)	10	(1%)	110	(1%)	\$187	(3%)
Non-confined	8,300	(3%)	10	(1%)	110	(1%)	\$187	(3%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified outside area	8,200	(3%)	10	(0%)	60	(1%)	\$94	(2%)
Non-confined	3,500	(1%)	10	(0%)	50	(1%)	\$94	(2%)
Confined	4,800	(2%)	0	(0%)	10	(0%)	\$0	(0%)
Unclassified function area	6,700	(3%)	200	(10%)	380	(5%)	\$246	(5%)
Non-confined	5,900	(2%)	200	(10%)	380	(4%)	\$246	(5%)
Confined	700	(0%)	0	(0%)	0	(0%)	\$0	(0%)

* NFIRS 5.0 does not have a separate area of origin code for fires starting in chimneys. Any home fire with NFIRS incident type 114 - "Chimney of fire originating in and confined to a chimney or flue" is captured here.

** Does not include fires with property use coded as residential garage.

Table 10A. (Continued)
Reported One- or Two-Family Home Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Wall assembly or concealed space	5,600	(2%)	20	(1%)	90	(1%)	\$176	(3%)
Non-confined	5,500	(2%)	20	(1%)	90	(1%)	\$176	(3%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified area of origin	5,600	(2%)	40	(2%)	80	(1%)	\$95	(2%)
Non-confined	3,400	(1%)	40	(2%)	80	(1%)	\$95	(2%)
Confined	2,200	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Exterior balcony or unenclosed porch	5,400	(2%)	50	(2%)	160	(2%)	\$194	(4%)
Non-confined	4,900	(2%)	50	(2%)	160	(2%)	\$194	(4%)
Confined	600	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Bathroom or lavatory	4,900	(2%)	30	(1%)	170	(2%)	\$90	(2%)
Non-confined	4,500	(2%)	30	(1%)	160	(2%)	\$90	(2%)
Confined	400	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Heating equipment room	4,400	(2%)	20	(1%)	100	(1%)	\$78	(1%)
Non-confined	2,300	(1%)	20	(1%)	90	(1%)	\$77	(1%)
Confined	2,100	(1%)	0	(0%)	10	(0%)	\$1	(0%)
Unclassified structural area	4,400	(2%)	60	(3%)	110	(1%)	\$179	(3%)
Non-confined	4,100	(2%)	60	(3%)	110	(1%)	\$179	(3%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Crawl space or substructure space	4,400	(2%)	30	(2%)	140	(2%)	\$148	(3%)
Non-confined	4,000	(2%)	30	(2%)	140	(2%)	\$148	(3%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Other known area of origin	34,100	(14%)	230	(11%)	850	(10%)	\$925	(17%)
Non-confined	27,300	(11%)	230	(11%)	830	(10%)	\$923	(17%)
Confined	6,800	(3%)	0	(0%)	30	(0%)	\$1	(0%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Non-confined	155,200	(62%)	2,100	(100%)	7,600	(90%)	\$5,415	(100%)
Confined	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)

Fewer than 2% of the fires began in the following areas of origin, these fires caused at least 2% of the deaths.

Dining room	40	(2%)
Multiple areas or origin	30	(2%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 11A.
Reported One- or Two-Family Home Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking materials, including food	54,400	(22%)	100	(5%)	1,980	(23%)	\$318	(6%)
Non-confined	14,100	(6%)	100	(5%)	1,440	(17%)	\$310	(6%)
Confined	40,300	(16%)	0	(0%)	540	(6%)	\$9	(0%)
Unclassified item first ignited	18,700	(7%)	110	(5%)	360	(4%)	\$237	(4%)
Non-confined	7,700	(3%)	110	(5%)	310	(4%)	\$235	(4%)
Confined	11,000	(4%)	0	(0%)	50	(1%)	\$3	(0%)
Structural member or framing	17,300	(7%)	120	(6%)	300	(4%)	\$915	(17%)
Non-confined	17,000	(7%)	120	(6%)	300	(4%)	\$914	(17%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Electrical wire or cable insulation	14,700	(6%)	110	(5%)	330	(4%)	\$350	(6%)
Non-confined	13,200	(5%)	110	(5%)	330	(4%)	\$349	(6%)
Confined	1,600	(1%)	0	(0%)	0	(0%)	\$1	(0%)
Exterior wall covering or finish	12,700	(5%)	30	(1%)	200	(2%)	\$412	(8%)
Non-confined	12,600	(5%)	30	(1%)	200	(2%)	\$412	(8%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Flammable or combustible liquid or gas, piping or filter	11,400	(5%)	170	(8%)	820	(10%)	\$230	(4%)
Non-confined	5,800	(2%)	170	(8%)	750	(9%)	\$229	(4%)
Confined	5,500	(2%)	0	(0%)	60	(1%)	\$2	(0%)
Appliance housing or casing	9,600	(4%)	10	(1%)	200	(2%)	\$113	(2%)
Non-confined	4,800	(2%)	10	(1%)	180	(2%)	\$111	(2%)
Confined	4,800	(2%)	0	(0%)	30	(0%)	\$2	(0%)
Rubbish, trash, or waste	8,800	(4%)	30	(1%)	170	(2%)	\$127	(2%)
Non-confined	4,100	(2%)	30	(1%)	160	(2%)	\$127	(2%)
Confined	4,600	(2%)	0	(0%)	10	(0%)	\$1	(0%)
Unclassified organic materials	7,600	(3%)	10	(0%)	50	(1%)	\$45	(1%)
Non-confined	1,700	(1%)	10	(0%)	40	(0%)	\$44	(1%)
Confined	5,900	(2%)	0	(0%)	10	(0%)	\$1	(0%)
Mattress or bedding	7,000	(3%)	250	(12%)	830	(10%)	\$235	(4%)
Non-confined	6,700	(3%)	250	(12%)	830	(10%)	\$235	(4%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified structural component or finish	6,400	(3%)	40	(2%)	140	(2%)	\$297	(5%)
Non-confined	6,100	(2%)	40	(2%)	140	(2%)	\$297	(5%)
Confined	300	(0%)	0	(0%)	0	(0%)	\$0	(0%)

Table 11A. (Continued)
Reported One- or Two-Family Home Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Interior wall covering, excluding drapes	6,100	(2%)	90	(4%)	210	(2%)	\$251	(5%)
Non-confined	5,900	(2%)	90	(4%)	210	(2%)	\$251	(5%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Clothing	5,600	(2%)	110	(5%)	340	(4%)	\$124	(2%)
Non-confined	5,000	(2%)	110	(5%)	330	(4%)	\$124	(2%)
Confined	600	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Household utensil	5,400	(2%)	10	(1%)	130	(2%)	\$28	(1%)
Non-confined	1,400	(1%)	10	(1%)	90	(1%)	\$27	(0%)
Confined	4,000	(2%)	0	(0%)	40	(0%)	\$1	(0%)
Multiple items first ignited	5,300	(2%)	130	(6%)	280	(3%)	\$223	(4%)
Non-confined	4,300	(2%)	130	(6%)	260	(3%)	\$222	(4%)
Confined	1,100	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Insulation within structural area	5,100	(2%)	0	(0%)	60	(1%)	\$126	(2%)
Non-confined	5,000	(2%)	0	(0%)	60	(1%)	\$126	(2%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Upholstered furniture	4,400	(2%)	350	(16%)	470	(6%)	\$205	(4%)
Non-confined	4,300	(2%)	350	(16%)	470	(6%)	\$205	(4%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified furniture or utensil	4,200	(2%)	120	(6%)	240	(3%)	\$135	(2%)
Non-confined	3,400	(1%)	120	(6%)	230	(3%)	\$135	(2%)
Confined	800	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Cabinetry	4,200	(2%)	40	(2%)	200	(2%)	\$135	(2%)
Non-confined	3,500	(1%)	40	(2%)	180	(2%)	\$134	(2%)
Confined	700	(0%)	0	(0%)	10	(0%)	\$1	(0%)
Other known item first ignited	41,700	(17%)	280	(13%)	1,130	(13%)	\$932	(17%)
Non-confined	28,800	(11%)	280	(13%)	1,090	(13%)	\$929	(17%)
Confined	12,900	(5%)	0	(0%)	50	(1%)	\$3	(0%)

Table 11A. (Continued)
Reported One- or Two-Family Home Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Non-confined	155,200	(62%)	2,100	(100%)	7,600	(90%)	\$5,415	(100%)
Confined	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)
The following items were first ignited in less than 2% of the fires but at least 2% of the deaths.								
Floor covering, rug, carpet or mat			70	(3%)				
Magazine, newspaper or writing paper			50	(2%)				
Unclassified soft goods or wearing apparel			30	(2%)				
Interior ceiling cover or finish			30	(2%)				

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 12A.
Reported One- or Two-Family Home Structure Fires
by Extent of Fire Spread
2010-2014 Annual Averages
(Unknowns Non-confined Fires Were Allocated Proportionally)

Extent of Fire Spread	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Confined fire identified by incident type	95,400	(38%)	0	(0%)	840	(10%)	\$23	(0%)
Confined to object of origin	24,000	(10%)	70	(3%)	530	(6%)	\$205	(4%)
Confined to room of origin	50,500	(20%)	240	(11%)	2,790	(33%)	\$640	(12%)
Confined to floor of origin	14,100	(6%)	200	(9%)	910	(11%)	\$502	(9%)
Confined to building of origin	56,500	(23%)	1,270	(60%)	2,740	(32%)	\$3,348	(62%)
Extended beyond building of origin	10,100	(4%)	330	(16%)	630	(7%)	\$721	(13%)
Total	250,500	(100%)	2,100	(100%)	8,440	(100%)	\$5,438	(100%)
Fire spread extended beyond room of origin	80,600	(32%)	1,800	(85%)	4,280	(51%)	\$4,571	(84%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 1B.
Reported Apartment or Multi-Family Housing Structure Fires
by Year: 1980-2015

Year	Fires	Civilian Deaths	Civilian Injuries	Direct Property Damage (in Millions)	
				As Reported	In 2015 Dollars
1980	143,500	1,025	3,600	\$401	\$1,155
1981	137,000	970	4,250	\$415	\$1,080
1982	116,500	860	4,700	\$353	\$866
1983	102,000	845	4,300	\$413	\$982
1984	99,500	785	3,650	\$417	\$950
1985	104,500	865	3,925	\$476	\$1,047
1986	97,500	650	3,925	\$472	\$1,021
1987	103,500	790	4,765	\$521	\$1,086
1988	106,000	830	4,950	\$548	\$1,099
1989	96,000	790	5,050	\$541	\$1,035
1990	95,500	680	4,975	\$623	\$1,131
1991	101,500	595	5,675	\$609	\$1,059
1992	101,000	545	5,825	\$597	\$1,009
1993	100,000	685	6,300	\$653	\$1,071
1994	97,000	640	5,475	\$678	\$1,084
1995	94,000	605	5,200	\$649	\$1,009
1996	93,000	565	5,175	\$748	\$1,131
1997	93,000	660	5,000	\$718	\$1,060
1998	86,500	445	5,000	\$631	\$918
1999	88,500	520	4,500	\$842	\$1,197
2000	84,500	500	4,400	\$886	\$1,220
2001	88,000	460	3,800	\$864	\$1,157
2002	88,500	390	3,700	\$926	\$1,220
2003	91,500	410	3,650	\$897	\$1,156
2004	94,000	510	3,200	\$885	\$1,111
2005	94,000	460	3,000	\$948	\$1,150
2006	91,500	425	3,700	\$896	\$1,053
2007	98,500	515	3,950	\$1,164	\$1,329
2008	95,500	390	3,975	\$1,351	\$1,489
2009	90,000	465	3,350	\$1,225	\$1,353
2010	90,500	440	3,950	\$1,033	\$1,124
2011	95,500	415	4,425	\$1,168	\$1,232
2012	97,000	380	4,050	\$1,192	\$1,232
2013	98,000	325	3,900	\$1,166	\$1,185
2014	94,000	400	3,800	\$982	\$982
2015	95,000	405	3,025	\$1,161	\$1,161

Note: See Table 1, Reported Home Structure Fires by Year, for notes about inclusion or exclusion of unusually large loss fires.

Source: *Fire Loss in the United States* series of NFPA annual reports by Michael J. Karter, Jr. and Hylton Haynes. Inflation adjustments were based on the Consumer Price Index Purchasing Power of the Dollar.

Table 2B.
Reported Apartment or Multi-Family Housing Structure Fires, by Month
2010-2014 Annual Averages

Month	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
January	10,200	(9%)	60	(15%)	420	(10%)	\$121	(10%)
February	9,100	(8%)	50	(13%)	420	(10%)	\$110	(9%)
March	9,800	(9%)	40	(9%)	430	(10%)	\$136	(11%)
April	9,100	(8%)	40	(10%)	370	(9%)	\$107	(8%)
May	9,000	(8%)	20	(6%)	340	(8%)	\$102	(8%)
June	8,000	(7%)	20	(6%)	340	(8%)	\$114	(9%)
July	8,100	(8%)	20	(5%)	320	(7%)	\$127	(10%)
August	8,000	(7%)	20	(6%)	330	(8%)	\$98	(8%)
September	8,200	(8%)	20	(6%)	290	(7%)	\$78	(6%)
October	9,100	(8%)	30	(6%)	330	(8%)	\$87	(7%)
November	9,500	(9%)	30	(7%)	330	(8%)	\$97	(8%)
December	9,700	(9%)	40	(11%)	370	(9%)	\$95	(7%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Average by month	9,000	(8%)	30	(8%)	360	(8%)	\$106	(8%)

Table 3B.
Reported Apartment or Multi-Family Housing Structure Fires, by Day of Week
2010-2014 Annual Averages

Day of Week	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Sunday	17,400	(16%)	60	(15%)	670	(16%)	\$184	(14%)
Monday	14,900	(14%)	50	(11%)	610	(14%)	\$176	(14%)
Tuesday	14,600	(14%)	60	(14%)	570	(13%)	\$177	(14%)
Wednesday	14,800	(14%)	60	(14%)	590	(14%)	\$160	(13%)
Thursday	14,700	(14%)	60	(14%)	590	(14%)	\$201	(16%)
Friday	14,700	(14%)	60	(15%)	610	(14%)	\$184	(14%)
Saturday	16,700	(16%)	70	(16%)	640	(15%)	\$190	(15%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Average by day	15,400	(14%)	60	(14%)	610	(14%)	\$182	(14%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 4B.
Reported Apartment or Multi-Family Housing Structure Fires, by Alarm Time
2010-2014 Annual Averages

Alarm Time	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Midnight- 12:59 a.m.	3,300	(3%)	20	(5%)	180	(4%)	\$54	(4%)
1:00-1:59 a.m.	2,800	(3%)	20	(6%)	190	(4%)	\$51	(4%)
2:00-2:59 a.m.	2,400	(2%)	30	(6%)	150	(4%)	\$49	(4%)
3:00-3:59 a.m.	2,200	(2%)	30	(8%)	170	(4%)	\$62	(5%)
4:00-4:59 a.m.	1,900	(2%)	30	(8%)	150	(3%)	\$52	(4%)
5:00-5:59 a.m.	1,700	(2%)	30	(6%)	140	(3%)	\$43	(3%)
6:00-6:59 a.m.	1,800	(2%)	30	(6%)	130	(3%)	\$36	(3%)
7:00-7:59 a.m.	2,200	(2%)	10	(3%)	90	(2%)	\$26	(2%)
8:00-8:59 a.m.	2,800	(3%)	10	(4%)	130	(3%)	\$35	(3%)
9:00-9:59 a.m.	3,400	(3%)	20	(4%)	140	(3%)	\$40	(3%)
10:00-10:59 a.m.	4,100	(4%)	10	(3%)	160	(4%)	\$46	(4%)
11:00-11:59 a.m.	4,700	(4%)	10	(3%)	170	(4%)	\$53	(4%)
12:00-12:59 p.m.	5,300	(5%)	10	(3%)	180	(4%)	\$74	(6%)
1:00-1:59 p.m.	5,500	(5%)	10	(3%)	200	(5%)	\$63	(5%)
2:00-2:59 p.m.	5,600	(5%)	10	(3%)	190	(4%)	\$58	(5%)
3:00-3:59 p.m.	6,000	(6%)	10	(3%)	190	(4%)	\$64	(5%)
4:00-4:59 p.m.	6,600	(6%)	10	(2%)	210	(5%)	\$68	(5%)
5:00-5:59 p.m.	7,700	(7%)	10	(3%)	240	(6%)	\$69	(5%)
6:00-6:59 p.m.	8,100	(8%)	10	(3%)	240	(6%)	\$66	(5%)
7:00-7:59 p.m.	8,000	(7%)	10	(3%)	240	(6%)	\$71	(6%)
8:00-8:59 p.m.	7,000	(6%)	10	(3%)	220	(5%)	\$48	(4%)
9:00-9:59 p.m.	5,900	(5%)	10	(3%)	200	(5%)	\$48	(4%)
10:00-10:59 p.m.	4,700	(4%)	20	(4%)	190	(4%)	\$43	(3%)
11:00-11:59 p.m.	3,900	(4%)	20	(5%)	180	(4%)	\$53	(4%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Average by alarm hour	4,500	(4%)	20	(4%)	180	(4%)	\$53	(4%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 5B.
Leading Causes of Reported Apartment or Multi-Family Housing Structure Fires
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking equipment	75,700	(70%)	100	(24%)	2,263	(53%)	\$324	(25%)
Heating equipment	7,900	(7%)	40	(10%)	346	(8%)	\$136	(11%)
Smoking materials	6,800	(6%)	130	(32%)	470	(11%)	\$194	(15%)
Intentional	5,500	(5%)	50	(11%)	317	(7%)	\$115	(9%)
Electrical distribution or lighting equipment	3,400	(3%)	60	(14%)	287	(7%)	\$160	(13%)
Exposure	2,100	(2%)	0	(0%)	104	(2%)	\$28	(2%)
Candles	2,000	(2%)	20	(4%)	262	(6%)	\$63	(5%)
Clothes dryer or washer	2,000	(2%)	0	(0%)	13	(0%)	\$178	(14%)

Note: This table summarizes findings from multiple fields, meaning that the same fire may be listed under multiple causes. Estimates of fires involving electrical distribution or lighting equipment or clothes dryers or washers exclude confined fires. The methodology used is described in Appendix B.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 6B.
Cause of Ignition in Reported Apartment or Multi-Family Housing Structure Fires
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Cause of Ignition	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
	Count	Percentage	Count	Percentage	Count	Percentage	Count	Percentage
Unintentional	88,700	(82%)	330	(79%)	3,660	(85%)	\$858	(67%)
Non-confined	23,900	(22%)	330	(79%)	2,890	(67%)	\$845	(66%)
Confined	64,800	(60%)	0	(0%)	770	(18%)	\$13	(1%)
Failure of equipment or heat source	7,300	(7%)	30	(8%)	250	(6%)	\$108	(9%)
Non-confined	4,300	(4%)	30	(8%)	230	(5%)	\$108	(8%)
Confined	3,000	(3%)	0	(0%)	10	(0%)	\$1	(0%)
Intentional	5,700	(5%)	10	(2%)	50	(1%)	\$155	(12%)
Non-confined	1,700	(2%)	10	(2%)	30	(1%)	\$155	(12%)
Confined	4,000	(4%)	0	(0%)	20	(0%)	\$0	(0%)
Unclassified cause	5,500	(5%)	50	(11%)	320	(7%)	\$115	(9%)
Non-confined	3,000	(3%)	50	(11%)	300	(7%)	\$115	(9%)
Confined	2,500	(2%)	0	(0%)	20	(0%)	\$0	(0%)
Act of nature	500	(0%)	0	(0%)	10	(0%)	\$35	(3%)
Non-confined	300	(0%)	0	(0%)	10	(0%)	\$35	(3%)
Confined	200	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Non-confined	33,300	(31%)	410	(100%)	3,460	(81%)	\$1,257	(99%)
Confined	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 7B.
Reported Apartment or Multi-Family Housing Structure Fires
by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns Non-confined Fires and Confined Cooking Fires Were Allocated Proportionally)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking equipment	75,700	(70%)	100	(24%)	2,260	(53%)	\$324	(25%)
Range or cooktop	47,800	(44%)	80	(20%)	1,800	(42%)	\$261	(21%)
<i>Non-confined fire</i>	9,400	(9%)	80	(20%)	1,310	(31%)	\$252	(20%)
<i>Confined fire</i>	38,400	(60%)	0	(0%)	490	(64%)	\$9	(69%)
Oven or rotisserie	7,700	(7%)	10	(2%)	120	(3%)	\$11	(1%)
<i>Non-confined fire</i>	700	(1%)	10	(2%)	70	(2%)	\$10	(1%)
<i>Confined fire</i>	7,000	(11%)	0	(0%)	50	(6%)	\$1	(7%)
Portable cooking or warming device	3,600	(3%)	10	(1%)	80	(2%)	\$15	(1%)
<i>Non-confined fire</i>	500	(0%)	10	(1%)	50	(1%)	\$14	(1%)
<i>Confined fire</i>	3,200	(5%)	0	(0%)	20	(3%)	\$0	(4%)
Microwave oven	2,600	(2%)	0	(0%)	50	(1%)	\$7	(1%)
<i>Non-confined fire</i>	300	(0%)	0	(0%)	40	(1%)	\$6	(0%)
<i>Confined fire</i>	2,300	(4%)	0	(0%)	10	(2%)	\$0	(2%)
Grill, barbecue or hibachi	600	(1%)	0	(0%)	20	(0%)	\$25	(2%)
<i>Non-confined fire</i>	200	(0%)	0	(0%)	10	(0%)	\$25	(2%)
<i>Confined fire</i>	400	(1%)	0	(0%)	0	(1%)	\$0	(0%)
Other known cooking equipment or confined cooking fire	13,400	(12%)	0	(0%)	200	(5%)	\$5	(0%)
<i>Other known cooking equipment in Non-confined fire</i>	200	(0%)	0	(0%)	10	(0%)	\$3	(0%)
<i>Confined cooking fire with other or unknown equipment</i>	13,200	(21%)	0	(100%)	190	(25%)	\$2	(18%)
No equipment involved in ignition	8,700	(8%)	170	(41%)	920	(22%)	\$470	(37%)
Heating equipment	7,900	(7%)	40	(10%)	350	(8%)	\$136	(11%)
Furnace, central heat or boiler	3,600	(3%)	0	(0%)	20	(0%)	\$12	(1%)
Central heat	300	(0%)	0	(0%)	10	(0%)	\$11	(1%)
Confined fuel burner or boiler fire	3,400	(3%)	0	(0%)	10	(0%)	\$0	(0%)
Fixed or portable space heater	2,800	(3%)	40	(10%)	290	(7%)	\$86	(7%)
Fireplace or chimney	700	(1%)	0	(0%)	10	(0%)	\$17	(1%)
<i>Fireplace or chimney in Non-confined fire</i>	100	(0%)	0	(0%)	0	(0%)	\$17	(1%)
Confined chimney or flue fire	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Water heater	700	(1%)	0	(0%)	30	(1%)	\$17	(1%)
Other known heating equipment	100	(0%)	0	(0%)	10	(0%)	\$4	(0%)
Contained trash or rubbish fire	5,100	(5%)	0	(0%)	30	(1%)	\$1	(0%)

Table 7B.
Reported Apartment or Multi-Family Housing Structure Fires
by Equipment Involved in Ignition
2010-2014 Annual Averages
(Unknowns in Non-confined Fires and Confined Cooking Fires Were Allocated Proportionally)
(Continued)

Equipment Involved	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Electrical distribution or lighting equipment	3,400	(3%)	60	(14%)	290	(7%)	\$160	(13%)
Wiring and related equipment	2,200	(2%)	30	(8%)	160	(4%)	\$111	(9%)
Lamp, bulb or lighting	800	(1%)	20	(4%)	70	(2%)	\$20	(2%)
Other known electrical distribution or lighting equipment	500	(0%)	10	(2%)	60	(1%)	\$29	(2%)
Clothes dryer	2,100	(2%)	0	(0%)	100	(2%)	\$28	(2%)
Fan	1,100	(1%)	0	(1%)	50	(1%)	\$31	(2%)
Confined commercial compactor fire	800	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Other known equipment involved in ignition	3,000	(3%)	40	(9%)	270	(6%)	\$122	(10%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
The following equipment was involved in less than 1% of the fires, but in at least 2% of the deaths.								
Oxygen administration equipment			10	(3%)				

Note: Non-confined fires in which the equipment involved in ignition was unknown or not reported have been allocated proportionally among fires with known equipment involved. The same approach was used with confined cooking fires. Fires in which the equipment involved in ignition was entered as none but the heat source indicated equipment involvement or the heat source was unknown were also treated as unknown and allocated proportionally among fires with known equipment involved. Non-confined fires in which the equipment was partially unclassified (i.e., unclassified kitchen or cooking equipment, unclassified heating, cooling or air condition equipment, etc.) were allocated proportionally among fires in that grouping (kitchen or cooking equipment; heating, cooling or air conditioning equipment, etc.). The estimates of fires involving fireplace or chimney include all fires with the confined chimney or flue incident type regardless of what may have been coded as equipment involved. Similarly, the estimates of fires involving furnaces, central heat or boilers include all fires with confined fuel burner or boiler incident type. The estimates shown should be considered upper bounds. Non-cooking confined fires were not analyzed separately. Estimates of other types of equipment exclude confined fires. Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 8B.
Reported Apartment or Multi-Family Housing Structure Fires, by Heat Source
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Heat Source	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Radiated or conducted heat from operating equipment	28,500	(26%)	50	(11%)	1,040	(24%)	\$152	(12%)
Non-confined	6,000	(6%)	50	(11%)	730	(17%)	\$148	(12%)
Confined	22,500	(21%)	0	(0%)	310	(7%)	\$4	(0%)
Unclassified heat from powered equipment	23,500	(22%)	40	(9%)	760	(18%)	\$140	(11%)
Non-confined	5,400	(5%)	40	(9%)	580	(13%)	\$136	(11%)
Confined	18,100	(17%)	0	(0%)	190	(4%)	\$4	(0%)
Unclassified heat source	10,600	(10%)	20	(4%)	280	(7%)	\$86	(7%)
Non-confined	2,000	(2%)	20	(4%)	190	(4%)	\$84	(7%)
Confined	8,600	(8%)	0	(0%)	90	(2%)	\$1	(0%)
Spark, ember or flame from operating equipment	8,400	(8%)	10	(2%)	190	(5%)	\$58	(5%)
Non-confined	1,500	(1%)	10	(2%)	150	(3%)	\$58	(5%)
Confined	6,800	(6%)	0	(0%)	50	(1%)	\$1	(0%)
Unclassified hot or smoldering object	7,600	(7%)	20	(5%)	260	(6%)	\$87	(7%)
Non-confined	2,400	(2%)	20	(5%)	200	(5%)	\$85	(7%)
Confined	5,300	(5%)	0	(0%)	60	(1%)	\$1	(0%)
Smoking materials	6,800	(6%)	130	(32%)	470	(11%)	\$194	(15%)
Non-confined	4,000	(4%)	130	(32%)	450	(11%)	\$193	(15%)
Confined	2,800	(3%)	0	(0%)	20	(0%)	\$1	(0%)
Heat from direct flame or convection currents	5,300	(5%)	10	(2%)	160	(4%)	\$44	(3%)
Non-confined	1,100	(1%)	10	(2%)	100	(2%)	\$43	(3%)
Confined	4,200	(4%)	0	(0%)	60	(1%)	\$1	(0%)
Arcing	4,100	(4%)	40	(10%)	230	(5%)	\$126	(10%)
Non-confined	3,300	(3%)	40	(10%)	230	(5%)	\$126	(10%)
Confined	800	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Hot ember or ash	2,800	(3%)	20	(6%)	110	(3%)	\$56	(4%)
Non-confined	1,600	(1%)	20	(6%)	100	(2%)	\$56	(4%)
Confined	1,300	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Lighter	2,200	(2%)	30	(8%)	260	(6%)	\$106	(8%)
Non-confined	1,500	(1%)	30	(8%)	250	(6%)	\$106	(8%)
Confined	700	(1%)	0	(0%)	10	(0%)	\$0	(0%)

Table 8B. (Continued)
Reported Apartment or Multi-Family Housing Structure Fires, by Heat Source
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Heat Source	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Candle	2,000	(2%)	20	(4%)	260	(6%)	\$63	(5%)
Non-confined	1,700	(2%)	20	(4%)	250	(6%)	\$63	(5%)
Confined	300	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Other known heat source	5,900	(5%)	30	(7%)	250	(6%)	\$159	(13%)
Non-confined	2,900	(3%)	30	(7%)	230	(5%)	\$159	(12%)
Confined	3,000	(3%)	0	(0%)	30	(1%)	\$1	(0%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Non-confined	33,300	(31%)	410	(100%)	3,460	(81%)	\$1,257	(99%)
Confined	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)
The following heat sources were involved in less than 2% of the fires, but in at least 2% of the deaths								
Flame or torch used for lighting			10	(2%)				
Match			10	(2%)				

Note: Sums may not equal totals due to rounding errors. The statistics on matches, lighters, smoking materials and candles include a proportional share of fires in which the heat source was heat from an unclassified open flame or smoking material. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 9B.
Reported Apartment or Multi-Family Housing Structure Fires, by Factor Contributing to Ignition
2010-2014 Annual Averages
(Unknowns Fires Were Allocated Proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Equipment unattended	27,200	(25%)	30	(8%)	920	(22%)	\$101	(8%)
Non-confined	4,200	(4%)	30	(8%)	610	(14%)	\$97	(8%)
Confined	23,000	(21%)	0	(0%)	310	(7%)	\$4	(0%)
Abandoned or discarded material or product	18,500	(17%)	80	(19%)	610	(14%)	\$213	(17%)
Non-confined	5,700	(5%)	80	(19%)	490	(12%)	\$211	(17%)
Confined	12,800	(12%)	0	(0%)	110	(3%)	\$2	(0%)
Heat source too close to combustibles	12,300	(11%)	90	(23%)	720	(17%)	\$181	(14%)
Non-confined	4,700	(4%)	90	(23%)	660	(15%)	\$180	(14%)
Confined	7,600	(7%)	0	(0%)	60	(2%)	\$1	(0%)
Unclassified misuse of material or product	10,400	(10%)	60	(14%)	590	(14%)	\$101	(8%)
Non-confined	3,200	(3%)	60	(14%)	500	(12%)	\$100	(8%)
Confined	7,200	(7%)	0	(0%)	90	(2%)	\$2	(0%)
Unclassified factor contributed to ignition	7,600	(7%)	50	(13%)	360	(8%)	\$98	(8%)
Non-confined	2,100	(2%)	50	(13%)	280	(7%)	\$97	(8%)
Confined	5,400	(5%)	0	(0%)	80	(2%)	\$1	(0%)
Electrical failure or malfunction	6,100	(6%)	50	(11%)	340	(8%)	\$175	(14%)
Non-confined	4,800	(4%)	50	(11%)	330	(8%)	\$175	(14%)
Confined	1,400	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Accidentally turned on, not turned off	5,600	(5%)	10	(1%)	170	(4%)	\$26	(2%)
Non-confined	1,100	(1%)	10	(1%)	120	(3%)	\$25	(2%)
Confined	4,500	(4%)	0	(0%)	50	(1%)	\$1	(0%)
Failure to clean	4,500	(4%)	0	(0%)	50	(1%)	\$10	(1%)
Non-confined	700	(1%)	0	(0%)	40	(1%)	\$9	(1%)
Confined	3,800	(4%)	0	(0%)	20	(0%)	\$0	(0%)
Mechanical failure or malfunction	4,300	(4%)	10	(2%)	100	(2%)	\$51	(4%)
Non-confined	1,900	(2%)	10	(2%)	90	(2%)	\$50	(4%)
Confined	2,400	(2%)	0	(0%)	10	(0%)	\$1	(0%)
Equipment not being operated properly	2,000	(2%)	0	(1%)	70	(2%)	\$7	(1%)
Non-confined	300	(0%)	0	(1%)	50	(1%)	\$7	(1%)
Confined	1,700	(2%)	0	(0%)	20	(0%)	\$0	(0%)
Exposure fire	2,000	(2%)	0	(0%)	10	(0%)	\$178	(14%)
Non-confined	1,900	(2%)	0	(0%)	10	(0%)	\$178	(14%)
Confined	100	(0%)	0	(0%)	0	(0%)	\$0	(0%)

Table 9B. (Continued)
Reported Apartment or Multi-Family Housing Structure Fires, by Factor Contributing to Ignition
2010-2014 Annual Averages
(Unknowns Fires Were Allocated Proportionally)

Factor Contributing	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Improper container or storage	2,000	(2%)	0	(0%)	30	(1%)	\$15	(1%)
Non-confined	500	(0%)	0	(0%)	30	(1%)	\$15	(1%)
Confined	1,500	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified operational deficiency	1,800	(2%)	10	(2%)	70	(2%)	\$12	(1%)
Non-confined	400	(0%)	10	(2%)	50	(1%)	\$12	(1%)
Confined	1,500	(1%)	0	(0%)	20	(0%)	\$0	(0%)
Other known factor contributing to ignition	6,900	(6%)	50	(12%)	470	(11%)	\$206	(16%)
Non-confined	3,700	(3%)	50	(12%)	420	(10%)	\$206	(16%)
Confined	3,200	(3%)	0	(0%)	50	(1%)	\$1	(0%)
Total fires	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Non-confined	33,300	(31%)	410	(100%)	3,460	(81%)	\$1,257	(99%)
Confined	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)
Total factors	111,200	(103%)	440	(107%)	4,530	(106%)	\$1,374	(108%)
Non-confined	35,000	(32%)	440	(106%)	3,700	(86%)	\$1,360	(107%)
Confined	76,200	(71%)	0	(0%)	830	(19%)	\$14	(1%)
The following factors were involved in less than 2% of the fires, but in at least 2% of the deaths.								
Playing with heat source			10	(3%)				
Flammable liquid used to kindle fire			10	(3%)				
Flammable liquid or gas spilled			10	(2%)				
Unclassified fire spread or control			10	(2%)				

* Multiple entries are allowed which can result in sums higher than totals.

Note: Sums may not equal totals due to rounding errors. Non-confined structure fires in which the factor contributing to ignition was coded as "none," unknown, or not reported have been allocated proportionally among fires with known factor contributing to ignition. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 10B.
Reported Apartment or Multi-Family Housing Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns Fires Were Allocated Proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Kitchen or cooking area	71,700	(67%)	80	(18%)	2,090	(49%)	\$253	(20%)
Non-confined	10,700	(10%)	80	(18%)	1,320	(31%)	\$242	(19%)
Confined	61,000	(57%)	0	(0%)	770	(18%)	\$12	(1%)
Bedroom	4,700	(4%)	120	(28%)	840	(20%)	\$205	(16%)
Non-confined	4,300	(4%)	120	(28%)	840	(20%)	\$205	(16%)
Confined	400	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Living room, family room or den	2,500	(2%)	110	(26%)	420	(10%)	\$99	(8%)
Non-confined	2,100	(2%)	110	(26%)	420	(10%)	\$99	(8%)
Confined	400	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Exterior balcony or unenclosed porch	2,400	(2%)	10	(2%)	70	(2%)	\$135	(11%)
Non-confined	1,900	(2%)	10	(2%)	70	(2%)	\$135	(11%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Trash or rubbish chute, area or container	2,400	(2%)	0	(0%)	10	(0%)	\$2	(0%)
Non-confined	100	(0%)	0	(0%)	0	(0%)	\$2	(0%)
Confined	2,300	(2%)	0	(0%)	0	(0%)	\$0	(0%)
Laundry room or area	2,000	(2%)	0	(0%)	80	(2%)	\$22	(2%)
Non-confined	1,500	(1%)	0	(0%)	70	(2%)	\$22	(2%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Bathroom or lavatory	1,900	(2%)	10	(1%)	90	(2%)	\$28	(2%)
Non-confined	1,400	(1%)	10	(1%)	90	(2%)	\$28	(2%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Unclassified area of origin	1,700	(2%)	0	(1%)	40	(1%)	\$15	(1%)
Non-confined	500	(0%)	0	(1%)	30	(1%)	\$15	(1%)
Confined	1,200	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Other known area of origin	18,400	(17%)	90	(23%)	640	(15%)	\$511	(40%)
Non-confined	10,700	(10%)	90	(23%)	620	(14%)	\$510	(40%)
Confined	7,800	(7%)	0	(0%)	30	(1%)	\$1	(0%)

Table 10B. (Continued)
Reported Apartment or Multi-Family Housing Structure Fires, by Area of Origin
2010-2014 Annual Averages
(Unknowns Fires Were Allocated Proportionally)

Area of Origin	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Non-confined	33,300	(31%)	410	(100%)	3,460	(81%)	\$1,257	(99%)
Confined	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)

Note: Sums may not equal totals due to rounding errors. Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 11B.
Reported Apartment or Multi-Family Housing Structure Fires, by Item First Ignited
2010-2014 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Cooking materials, including food	52,800	(49%)	30	(8%)	1,460	(34%)	\$143	(11%)
Non-confined	6,300	(6%)	30	(8%)	900	(21%)	\$135	(11%)
Confined	46,500	(43%)	0	(0%)	560	(13%)	\$8	(1%)
Rubbish, trash, or waste	6,400	(6%)	10	(2%)	80	(2%)	\$38	(3%)
Non-confined	1,200	(1%)	10	(2%)	70	(2%)	\$37	(3%)
Confined	5,200	(5%)	0	(0%)	20	(0%)	\$1	(0%)
Unclassified item first ignited	6,400	(6%)	20	(5%)	200	(5%)	\$67	(5%)
Non-confined	1,700	(2%)	20	(5%)	150	(3%)	\$66	(5%)
Confined	4,700	(4%)	0	(0%)	50	(1%)	\$1	(0%)
Household utensil	4,600	(4%)	10	(2%)	110	(3%)	\$11	(1%)
Non-confined	600	(1%)	10	(2%)	60	(1%)	\$10	(1%)
Confined	4,000	(4%)	0	(0%)	50	(1%)	\$1	(0%)
Appliance housing or casing	3,300	(3%)	0	(1%)	100	(2%)	\$21	(2%)
Non-confined	1,100	(1%)	0	(1%)	80	(2%)	\$20	(2%)
Confined	2,200	(2%)	0	(0%)	20	(0%)	\$1	(0%)
Flammable or combustible liquid or gas, piping or filter	3,000	(3%)	20	(4%)	250	(6%)	\$51	(4%)
Non-confined	1,100	(1%)	20	(4%)	210	(5%)	\$51	(4%)
Confined	1,900	(2%)	0	(0%)	40	(1%)	\$1	(0%)
Electrical wire or cable insulation	2,400	(2%)	10	(2%)	100	(2%)	\$54	(4%)
Non-confined	1,900	(2%)	10	(2%)	100	(2%)	\$54	(4%)
Confined	500	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Structural member or framing	2,300	(2%)	20	(4%)	80	(2%)	\$162	(13%)
Non-confined	2,300	(2%)	20	(4%)	80	(2%)	\$162	(13%)
Confined	0	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Mattress or bedding	2,200	(2%)	80	(19%)	440	(10%)	\$80	(6%)
Non-confined	1,900	(2%)	80	(19%)	430	(10%)	\$80	(6%)
Confined	300	(0%)	0	(0%)	10	(0%)	\$0	(0%)
Magazine, newspaper, or writing paper	1,900	(2%)	0	(1%)	50	(1%)	\$18	(1%)
Non-confined	600	(1%)	0	(1%)	50	(1%)	\$18	(1%)
Confined	1,300	(1%)	0	(0%)	0	(0%)	\$0	(0%)
Clothing	1,800	(2%)	30	(8%)	150	(4%)	\$61	(5%)
Non-confined	1,300	(1%)	30	(8%)	140	(3%)	\$61	(5%)
Confined	500	(0%)	0	(0%)	10	(0%)	\$0	(0%)

Table 11B. (Continued)
Reported Apartment or Multi-Family Housing Structure Fires, by Item First Ignited
2007-2011 Annual Averages
(Unknowns were allocated proportionally)

Item First Ignited	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Box, carton, bag, basket, or barrel	1,700	(2%)	10	(1%)	50	(1%)	\$21	(2%)
Non-confined	600	(1%)	10	(1%)	40	(1%)	\$21	(2%)
Confined	1,100	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Unclassified furniture or utensil	1,600	(2%)	20	(6%)	150	(3%)	\$38	(3%)
Non-confined	900	(1%)	20	(6%)	140	(3%)	\$38	(3%)
Confined	700	(1%)	0	(0%)	10	(0%)	\$0	(0%)
Other known item first ignited	17,500	(16%)	160	(38%)	1,050	(25%)	\$505	(40%)
Non-confined	11,800	(11%)	160	(38%)	1,020	(24%)	\$504	(40%)
Confined	5,600	(5%)	0	(0%)	30	(1%)	\$1	(0%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Non-confined	33,300	(31%)	410	(100%)	3,460	(81%)	\$1,257	(99%)
Confined	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)
The following items were first ignited in less than 2% of the fires, but in at least 2% of the fires.								
Upholstered furniture			90	(22%)				
Unclassified soft goods or wearing apparel			10	(3%)				
Interior wall covering			10	(2%)				
Multiple items first ignites			10	(2%)				
Floor covering, rug, carpet or mat			10	(2%)				

Note: Sums may not equal totals due to rounding errors. Confined structure fires (NFIRS incident type 113-118) were analyzed separately from non-confined structure fires (incident type 110-129, except 113-118). See Appendix A for details.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Table 12B.
Reported Apartment or Multi-Family Housing Structure Fires, by Extent of Fire Spread
2010-2014 Annual Averages
(Unknowns Non-confined Fires Were Allocated Proportionally)

Extent of Fire Spread	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
Confined fire identified by incident type	74,500	(69%)	0	(0%)	820	(19%)	\$14	(1%)
Confined to object of origin	6,600	(6%)	20	(4%)	280	(7%)	\$44	(3%)
Confined to room of origin	16,100	(15%)	150	(36%)	1,620	(38%)	\$182	(14%)
Confined to floor of origin	3,500	(3%)	70	(16%)	580	(13%)	\$142	(11%)
Confined to building of origin	6,200	(6%)	150	(36%)	870	(20%)	\$725	(57%)
Extended beyond building of origin	800	(1%)	30	(8%)	120	(3%)	\$164	(13%)
Total	107,800	(100%)	410	(100%)	4,280	(100%)	\$1,271	(100%)
Fire spread beyond room of origin	10,500	(10%)	250	(59%)	1,560	(36%)	\$1,032	(81%)

Note: Sums may not equal totals due to rounding errors.

Source: NFIRS 5.0 and NFPA's fire experience survey.

Appendix A. How National Estimates Statistics Are Calculated

The statistics in this analysis are estimates derived from the U.S. Fire Administration's (USFA's) National Fire Incident Reporting System (NFIRS) and the National Fire Protection Association's (NFPA's) annual survey of U.S. fire departments. NFIRS is a voluntary system through which participating fire departments report detailed factors about the fires to which they respond. Roughly two-thirds of U.S. fire departments participate, although not all of these departments provide data every year. Fires reported to federal or state fire departments or industrial fire brigades are not included in these estimates.

NFIRS provides the most detailed incident information of any national database not limited to large fires. NFIRS is the only database capable of addressing national patterns for fires of all sizes by specific property use and specific fire cause. NFIRS also captures information on the extent of flame spread, and automatic detection and suppression equipment. For more information about NFIRS visit www.nfirs.fema.gov/. Copies of the paper forms may be downloaded from www.nfirs.fema.gov/documentation/design/NFIRS_Paper_Forms_2012.pdf.

NFIRS has a wide variety of data elements and codes. Many code choices describe several conditions. These cannot be broken down further. For example, area of origin code 83 captures fires starting in vehicle engine areas, running gear areas or wheel areas. It is not possible to tell the portion of each from the coded data.

Methodology may change slightly from year to year. NFPA is continually examining its methodology to provide the best possible answers to specific questions. From time to time, changes are made to methodologies or groupings. *Earlier editions of the same report may have used different methodologies to produce the same analysis, meaning that the estimates are not directly comparable from year to year.* Readers should use the latest report available and contact us if clarification is needed.

NFPA's fire department experience survey provides estimates of the big picture. Each year, NFPA conducts an annual survey of fire departments which enables us to capture a summary of fire department experience on a larger scale. Surveys are sent to all municipal departments protecting populations of 5,000 or more and a random sample, stratified by community size, of the smaller departments. Typically, a total of roughly 3,000 surveys are returned, representing about one of every ten U.S. municipal fire departments serving about one third of the U.S. population.

The survey is stratified by size of population protected to reduce the uncertainty of the final estimate. Small rural communities have fewer people protected per department and are less likely to respond to the survey. A larger number must be surveyed to obtain an adequate sample of those departments. (NFPA also makes follow-up calls to a sample of the smaller fire departments that do not respond, to confirm that those that did respond are truly representative of fire departments their size.) On the other hand, large city departments are so few in number and protect such a large proportion of the total U.S. population that it makes sense to survey all of them. Most respond, resulting in excellent precision for their part of the final estimate.

The survey includes the following information: (1) the total number of fire incidents, civilian deaths, and civilian injuries, and the total estimated property damage (in dollars), for each of the major property use classes defined in NFIRS; (2) the number of on-duty firefighter injuries, by type of duty and nature of

illness; 3) the number and nature of non-fire incidents; and (4) information on the type of community protected (e.g., county versus township versus city) and the size of the population protected, which is used in the statistical formula for projecting national totals from sample results. The results of the survey are published in the annual report *Fire Loss in the United States*. To download a free copy of the report, visit <http://www.nfpa.org/assets/files/PDF/OS.fireloss.pdf>.

PROJECTING NFIRS TO NATIONAL ESTIMATES

As noted, NFIRS is a voluntary reporting system. Different states and jurisdictions have different reporting requirements and practices. Participation rates in NFIRS are not necessarily uniform across regions and community sizes, both factors correlated with frequency and severity of fires. This means NFIRS may be susceptible to systematic biases. No one at present can quantify the size of these deviations from the ideal, representative sample. But there is enough reason for concern so that a second database -- the NFPA's fire experience survey -- is needed to project NFIRS to national estimates and to project different parts of NFIRS separately. This multiple calibration approach makes use of the annual NFPA's fire experience survey where its statistical design advantages are strongest.


Scaling ratios are obtained by comparing NFPA's projected totals of residential structure fires, non-residential structure fires, vehicle fires, and outside and other fires, and associated civilian deaths, civilian injuries, and direct property damage with comparable totals in NFIRS. Estimates of specific fire problems and circumstances are obtained by multiplying the NFIRS data by the scaling ratios. Reports for incidents in which mutual aid was given are excluded from NFPA's analyses.

Analysts at the NFPA, the USFA and the Consumer Product Safety Commission developed the analytical rules used in analyzing data from the two data sets. "[The National Estimates Approach to U.S. Fire Statistics](#)," by John R. Hall, Jr. and Beatrice Harwood, provides a more detailed explanation of national estimates.

Version 5.0 of NFIRS, first introduced in 1999, used a different coding structure for many data elements, added some property use codes, and dropped others. The essentials of the approach described by Hall and Harwood are still used, but some modifications have been necessary to accommodate the changes in NFIRS 5.0.

Figure A.1 shows the percentage of fires originally collected in the NFIRS 5.0 system. Each year's release version of NFIRS data also includes data collected in older versions of NFIRS that were converted to NFIRS 5.0 codes.

Figure A.1. Fires Originally Collected in NFIRS 5.0 by Year



For 2002 data on, analyses are based on scaling ratios using only data originally collected in NFIRS 5.0:

$$\frac{\text{NFPA's fire experience survey projections}}{\text{NFIRS totals (Version 5.0)}}$$

For 1999 to 2001, the same rules may be applied, but estimates for these years in this form will be less reliable due to the smaller amount of data originally collected in NFIRS 5.0; they should be viewed with extreme caution.

NFIRS 5.0 introduced six categories of confined structure fires, including:


- cooking fires confined to the cooking vessel,
- confined chimney or flue fires,
- confined incinerator fire,
- confined fuel burner or boiler fire or delayed ignition,
- confined commercial compactor fire, and
- trash or rubbish fires in a structure with no flame damage to the structure or its contents.

Although causal and other detailed information is typically not required for these incidents, it is provided in some cases. Some analyses, particularly those that examine cooking equipment, heating equipment, fires caused by smoking materials, and fires started by playing with fire, may examine the confined fires in greater detail. Because the confined fire incident types describe certain scenarios, the distribution of unknown data differs from that of all fires. Consequently, allocation of unknowns must be done separately. Table A1 shows the breakdown of these fires. Figure A.1 shows the percentage of the different confined fires and of non-confined fires for all homes, one- and two-family homes (including manufactured homes), and apartments in 2010-2014.

**Table A.1. Confined and Non-Confined Reported Home Structure Fires
2010-2014 Annual Averages**

Type of Fire	Fires		Civilian Deaths		Civilian Injuries		Direct Property Damage (in Millions)	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Confined fire	169,800	(47%)	0	(0%)	1,660	(13%)	\$37	(1%)
Confined cooking fire	123,800	(35%)	0	(0%)	1,540	(12%)	\$27	(0%)
Confined chimney or flue fire	19,900	(6%)	0	(0%)	30	(0%)	\$6	(0%)
Confined or contained trash or rubbish fire	15,200	(4%)	0	(0%)	60	(0%)	\$2	(0%)
Confined fuel burner or boiler fire	9,500	(3%)	0	(0%)	30	(0%)	\$2	(0%)
Confined commercial compactor fire	900	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Confined incinerator fire	600	(0%)	0	(0%)	0	(0%)	\$0	(0%)
Non-confined fire	188,500	(53%)	2,520	(100%)	11,060	(87%)	\$6,672	(99%)
Total	358,300	(100%)	2,520	(100%)	12,720	(100%)	\$6,710	(100%)

**Figure A.2. Home Structure Fires by Incident Type and Occupancy
2010-2014**



Some analyses of structure fires show only non-confined fires. In these tables, percentages shown are of non-confined structure fires rather than all structure fires. This approach has the advantage of showing the frequency of specific factors in fire causes, but the disadvantage of possibly overstating the percentage of factors that are seldom seen in the confined fire incident types and of understating the factors specifically associated with the confined fire incident types. Other analyses include entries for confined fire incident types in the causal tables and show percentages based on total structure fires. In these cases, the confined fire incident type is treated as a general causal factor.

For most fields other than Property Use and Incident Type, NFPA allocates unknown data proportionally among known data. This approach assumes that if the missing data were known, it would be distributed in the same manner as the known data. NFPA makes additional adjustments to several fields. *Casualty and loss projections can be heavily influenced by the inclusion or exclusion of unusually serious fire.*

A fire incident report is not the same as an investigation report. Percentages of known or unknown data are provided in the descriptions of data elements that follow. Causal factors associated with fire deaths were more likely to be unknown. In some fire departments, causal factors will be left undetermined when a fire is referred for further investigation. Unfortunately, the incident reports are often not updated after the investigation is completed. For more information on unknowns in NFIRS, see [NASFM Fire Research Education Foundation's 2014 report, *Conquering the "Unknowns:" Research and Recommendations on the Chronic Problem of Undetermined and Missing Data in the Causal Factors Sections of the National Fire Incident Reporting System.*](#)

Although the percentage of unknown data is high, the sheer size of the database allows for greater confidence. The database of total reported fires (excluding mutual aid given) for 2010-2014, includes 666,745 non-confined fires, 7,002 associated civilian deaths, 31,569 associated civilian injuries, and \$20.0 billion in direct property damage. It also included 600,026 fires with confined structure fire incident types (NFIRS incident type codes 113-118), 4,739 associated civilian injuries, and \$112 million in direct property damage. Roughly three-quarters of fires reported to local fire departments are captured in the NFIRS database.

In the formulas that follow, the term “all fires” refers to all fires in NFIRS on the dimension studied. The percentages of fires with known or unknown data are provided for non-confined fires and associated losses, and for confined fires only.

Cause of Ignition: This field is used chiefly to identify intentional fires. “Unintentional” in this field is a specific entry and does not include other fires that were not intentionally set: failure of equipment or heat source, act of nature, or “other” (unclassified).” The last should be used for exposures but has been used for other situations as well. Fires that were coded as under investigation and those that were coded as undetermined after investigation were treated as unknown. For non-confined home structure fires, the cause was known in 68% of the fires, 40% of the civilian deaths, 64% of the civilian injuries, and 54% of the direct property damage. For confined fires, the cause was known in 18% of the fires.

Factor Contributing to Ignition: In this field, the code “none” is treated as an unknown and allocated proportionally. For Human Factor Contributing to Ignition, NFPA enters a code for “not reported” when no factors are recorded. “Not reported” is treated as an unknown, but the code “none” is treated as a known code and not allocated. Multiple entries are allowed in both of these fields. Percentages are calculated on the total number of fires, not entries, resulting in sums greater than 100%. Although Factor Contributing to Ignition is only required when the cause of ignition was coded as: 2) unintentional, 3) failure of equipment or heat source; or 4) act of nature, data is often present when not required.

Consequently, any fire in which no factor contributing to ignition was entered was treated as unknown.

In some analyses, all entries in the category of mechanical failure, malfunction (factor contributing to ignition 20-29) are combined and shown as one entry, “mechanical failure or malfunction.” This category includes:

21. Automatic control failure;
22. Manual control failure;
23. Leak or break. Includes leaks or breaks from containers or pipes. Excludes operational deficiencies and spill mishaps;
25. Worn out;
26. Backfire. Excludes fires originating as a result of hot catalytic converters;
27. Improper fuel used; Includes the use of gasoline in a kerosene heater and the like; and
20. Mechanical failure or malfunction, other.

Entries in “electrical failure, malfunction” (factor contributing to ignition 30-39) may also be combined into one entry, “electrical failure or malfunction.” This category includes:

31. Water-caused short circuit arc;
32. Short-circuit arc from mechanical damage;
33. Short-circuit arc from defective or worn insulation;
34. Unspecified short circuit arc;
35. Arc from faulty contact or broken connector, including broken power lines and loose connections;
36. Arc or spark from operating equipment, switch, or electric fence;
37. Fluorescent light ballast; and
30. Electrical failure or malfunction, other.

The factor contributing to ignition was coded as none, undetermined or left blank in 50% of the non-confined home structure fires, 69% of the associated deaths, 49% of the associated injuries, 59% of the associated direct property damage and 89% of the confined fires.

Heat Source. In NFIRS 5.0, one grouping of codes encompasses various types of open flames and smoking materials. In the past, these had been two separate groupings. A new code was added to NFIRS 5.0, which is code 60: “Heat from open flame or smoking material, other.” NFPA treats this code as a partial unknown and allocates it proportionally across the codes in the 61-69 range, shown below.

61. Cigarette;
62. Pipe or cigar;
63. Heat from undetermined smoking material;
64. Match;
65. Lighter: cigarette lighter, cigar lighter;
66. Candle;
67. Warning or road flare, fuse;
68. Backfire from internal combustion engine. Excludes flames and sparks from an exhaust system, (11); and
69. Flame/torch used for lighting. Includes gas light and gas-/liquid-fueled lantern.

In addition to the conventional allocation of missing and undetermined fires, NFPA multiplies fires with codes in the 61-69 range by

$$\frac{\text{All fires in range 60-69}}{\text{All fires in range 61-69}}$$

The downside of this approach is that heat sources that are truly a different type of open flame or smoking material are erroneously assigned to other categories. The grouping “smoking materials” includes codes 61-63 (cigarettes, pipes or cigars, and heat from undetermined smoking material, with a proportional share of the code 60s and true unknown data.

In non-confined home structure fires, code 60: “heat from open flame or smoking material, other” was entered for 3% of the fires, as well as civilian deaths and injuries and 2% of the direct property damage. The heat source was undetermined in 37% of the non-confined home structure fires, 61% of the civilian deaths, 34% of the civilian injuries, and 51% of the direct property damage. The heat source was known in 17% of the confined fires, including 1% with heat source code 60.

Equipment Involved in Ignition (EII). NFIRS 5.0 originally defined EII as the piece of equipment that provided the principal heat source to cause ignition if the equipment malfunctioned or was used improperly. In 2006, the definition was modified to “the piece of equipment that provided the principal heat source to cause ignition.” However, much of the data predates the change. Individuals who have already been trained with the older definition may not change their practices. To compensate, NFPA treats fires in which EII = NNN and heat source is not in the range of 40-99 as an additional unknown.

To allocate unknown data for EII, the known data is multiplied by

$$\frac{\text{All fires}}{(\text{All fires} - \text{blank} - \text{undetermined} - [\text{fires in which EII = NNN and heat source } < > 40-99])}$$

In addition, the partially unclassified codes for broad equipment groupings (i.e., code 100 - heating, ventilation, and air conditioning, other; code 200 - electrical distribution, lighting and power transfer, other; etc.) were allocated proportionally across the individual code choices in their respective broad groupings (heating, ventilation, and air conditioning; electrical distribution, lighting and power transfer, other; etc.). Equipment that is totally unclassified is not allocated further. This approach has the same downside as the allocation of heat source 60 described above. Equipment that is truly different is erroneously assigned to other categories.

In some analyses, various types of equipment are grouped together.

Code Grouping	EII Code	NFIRS definitions
Central heat	132	Furnace or central heating unit
	133	Boiler (power, process or heating)
Fixed or portable space heater	131	Furnace, local heating unit, built-in
	123	Fireplace with insert or stove
	124	Heating stove
	141	Heater, excluding catalytic and oil-filled
	142	Catalytic heater
	143	Oil-filled heater

Code Grouping	EII Code	NFIRS definitions	
Fireplace or chimney	120	Fireplace or chimney	
	121	Fireplace, masonry	
	122	Fireplace, factory-built	
	125	Chimney connector or vent connector	
	126	Chimney – brick, stone or masonry	
	127	Chimney-metal, including stovepipe or flue	
	Fixed wiring and related equipment	210	Unclassified electrical wiring
		211	Electrical power or utility line
212		Electrical service supply wires from utility	
213		Electric meter or meter box	
214		Wiring from meter box to circuit breaker	
215		Panel board, switch board or circuit breaker board	
216		Electrical branch circuit	
217		Outlet or receptacle	
218		Wall switch	
219		Ground fault interrupter	
Transformers and power supplies	221	Distribution-type transformer	
	222	Overcurrent, disconnect equipment	
	223	Low-voltage transformer	
	224	Generator	
	225	Inverter	
	226	Uninterrupted power supply (UPS)	
	227	Surge protector	
	228	Battery charger or rectifier	
	229	Battery (all types)	
Lamp, bulb or lighting	230	Unclassified lamp or lighting	
	231	Lamp-tabletop, floor or desk	
	232	Lantern or flashlight	
	233	Incandescent lighting fixture	
	234	Fluorescent light fixture or ballast	
	235	Halogen light fixture or lamp	
	236	Sodium or mercury vapor light fixture or lamp	
	237	Work or trouble light	
	238	Light bulb	
	241	Nightlight	
	242	Decorative lights – line voltage	
	243	Decorative or landscape lighting – low voltage	
	244	Sign	

Code Grouping	EII Code	NFIRS definitions
Cord or plug	260	Unclassified cord or plug
	261	Power cord or plug, detachable from appliance
	262	Power cord or plug- permanently attached
	263	Extension cord
Torch, burner or soldering iron	331	Welding torch
	332	Cutting torch
	333	Burner, including Bunsen burners
	334	Soldering equipment
Portable cooking or warming equipment	631	Coffee maker or teapot
	632	Food warmer or hot plate
	633	Kettle
	634	Popcorn popper
	635	Pressure cooker or canner
	636	Slow cooker
	637	Toaster, toaster oven, counter-top broiler
	638	Waffle iron, griddle
	639	Wok, frying pan, skillet
641	Breadmaking machine	

The equipment involved in ignition was undetermined, not reported, or coded as no equipment with a heat source code outside the range of 40-99 (non-equipment related heat sources) in 66% of the non-confined fires, 79% of the associated deaths, 60% of the injuries, 75% of the direct property damage, and in 90% of confined cooking equipment fires.

Area of Origin. Two areas of origin: bedroom for more than five people (code 21) and bedroom for less than five people (code 22) are combined and shown as simply “bedroom.” Chimney is no longer a valid area of origin code for non-confined fires. The area of origin was unknown or not reported in 12% of non-confined home structure fires, 22% of associated deaths, 7% of associated injuries, and 19% of the direct property damage. It was also unknown in 82% of confined fires excluding those confined to the chimney or flue which were all assumed to have begun in the chimney or flue.

Item First Ignited. In most analyses, mattress and pillows (item first ignited 31) and bedding, blankets, sheets, and comforters (item first ignited 32) are combined and shown as “mattresses and bedding.” In many analyses, wearing apparel not on a person (code 34) and wearing apparel on a person (code 35) are combined and shown as “clothing.” In some analyses, flammable and combustible liquids and gases, piping and filters (item first ignited 60-69) are combined and shown together. The item first ignited was undetermined or unreported in 36% of the non-confined structure fires, 61% of the associated deaths, 33% of the associated injuries, 52% of the direct property damage, and in 84% of the confined home fires.

Extent of Fire Spread. All structure fires with incident types indicating a confined fire were shown separately and are assumed to be confined to the object of origin. Fires that spread beyond the room of origin were calculated by summing fires with damage:

- a) confined to the floor of origin (code 3),
- b) confined to the building of origin (code 4), and
- c) extending beyond building of origin (code 5).

The extent of fire spread was unknown or not reported in 3% of non-confined home structure fires, 1% of associated deaths, 1% of associated injuries, and 1% of the direct property damage.

Rounding and percentages. The data shown are estimates and generally rounded. An entry of zero may be a true zero or it may mean that the value rounds to zero. Percentages are calculated from unrounded values. It is quite possible to have a percentage entry of up to 100% even if the rounded number entry is zero. The same rounded value may account for a slightly different percentage share. Because percentages are expressed in integers and not carried out to several decimal places, percentages that appear identical may be associated with slightly different values.

In this analysis, when estimates were derived solely from the NFPA's fire experience survey, fires were rounded to the nearest 500, civilian deaths were rounded to the nearest five, civilian injuries were rounded to the nearest 25, and direct property damage was rounded to the nearest million dollars. For estimates derived from NFIRS and the NFPA's fire experience survey, fires were rounded to the nearest hundred, civilian deaths and injuries were rounded to the nearest ten, and direct property damage was rounded to the nearest million dollars.

Inflation. Property damage estimates are not adjusted for inflation unless so indicated. In this analysis, inflation adjusted damage estimates are provided in Table 1, 1A and 1B.

Appendix B.

Methodology and Definitions Used in “Leading Cause” Tables

The cause table reflects relevant causal factors that accounted for at least 2% of the fires in a given occupancy. Only those causes that seemed to describe a scenario are included. Because the causal factors are taken from different fields, some double counting is possible. Percentages are calculated against the total number of structure fires, including both confined and non-confined fires. Bear in mind that every fire has at least three “causes” in the sense that it could have been prevented by changing behavior, heat source, or ignitability of first fuel, the last an aspect not reflected in any of the major cause categories. For example, several of the cause categories in this system refer to types of equipment (cooking, heating, electrical distribution and lighting, clothes dryers and washers, torches). However, the problem may be not with the equipment but with the way it is used. The details in national estimates are derived from the U.S. Fire Administration’s National Fire Incident Reporting System (NFIRS). This methodology is based on the coding system used in Version 5.0 of NFIRS. The *NFIRS 5.0 Reference Guide*, containing all of the codes, can be downloaded from <http://www.nfirs.fema.gov/documentation/reference/>.

Cooking equipment and heating equipment are calculated by summing fires identified by equipment involved in ignition and relevant confined fires. Confined fires will be shown if they account for at least 2% of the incidents. **Confined cooking fires** (cooking fires involving the contents of a cooking vessel without fire extension beyond the vessel) are identified by NFIRS incident type 113.

Confined heating equipment fires include **confined chimney or flue fires** (incident type 114) and **confined fuel burner or boiler** fires (incident type 116). The latter includes delayed ignitions and incidents where flames caused no damage outside the fire box. The two types of confined heating fires may be combined or listed separately, depending on the numbers involved.

Intentional fires are identified by fires with a “1” (intentional) in the field “cause.” The estimate includes a proportional share of fires in which the cause was undetermined after investigation, under investigation, or not reported. All fires with intentional causes are included in this category regardless of the age of the person involved. Earlier versions of NFIRS included ignition factor codes for incendiary and suspicious. Intentional fires were deliberately set; they may or may not be incendiary in a legal sense. No age restriction is applied.

Fires caused by **playing with heat source** (typically matches or lighters) are identified by code 19 in the field “factor contributing to ignition.” Fires in which the factor contribution to ignition was undetermined (UU), entered as none (NN) or left blank are considered unknown and allocated proportionally. Because factor contributing to ignition is not required for intentional fires, the unknown share, by these definitions, is somewhat larger than it should be.

The heat source field is used to identify fires started by: **smoking materials** (cigarette, code 61; pipe or cigar, code 62; and heat from undetermined smoking material, code 63); **candles** (code 66), **lightning** (code 73); and **spontaneous combustion or chemical reaction** (code 72). Fires started by heat from unclassified open flame or smoking materials (code 60) are allocated proportionally among the “other open flame or smoking material” codes (codes 61-69) in an allocation of partial unknown data. This includes smoking materials and candles. This approach results in any true unclassified smoking or open flame heat sources such as incense being inappropriately allocated. However, in many fires, this code was used as an unknown.

The equipment involved in ignition field is used to find several cause categories. This category includes equipment that functioned properly and equipment that malfunctioned.

Cooking equipment Non-confined fire refers to equipment used to cook, heat or warm food (codes 620-649 and 654). Fire in which ranges, ovens or microwave ovens, food warming appliances, fixed or portable cooking appliances, deep fat fryers, open fired charcoal or gas grills, grease hoods or ducts, or other cooking appliances) were involved in the ignition are said to be caused by cooking equipment. Food preparation devices that do not involve heating, such as can openers or food processors, are not included here. As noted in Appendix A, a proportional share of unclassified kitchen and cooking equipment (code 600) is included here.

Heating equipment Non-confined fire (codes 120-199) includes central heat, portable and fixed heaters (including wood stoves), fireplaces, chimneys, hot water heaters, and heat transfer equipment such as hot air ducts or hot water pipes. Heat pumps are not included. As noted in Appendix A, a proportional share of unclassified heating, ventilation and air condition equipment (code 100) is included here.

Electrical distribution or lighting equipment (codes 200-299) include: fixed wiring; transformers; associated overcurrent or disconnect equipment such as fuses or circuit breakers; meters; meter boxes; power switch gear; switches, receptacles and outlets; light fixtures, lamps, bulbs or lighting; signs; cords and plugs; generators, transformers, inverters, batteries and battery charges.

Torch, burner or soldering iron (codes 331-334) includes welding torches, cutting torches, Bunsen burners, plumber furnaces, blowtorches, and soldering equipment. As noted in Appendix A, a proportional share of shop tools and industrial equipment (code 300) is included here.

Clothes dryer or washer (codes 811, 813 and 814) includes clothes dryers alone, washer and dryer combinations within one frame, and washing machines for clothes. As noted in Appendix A, a proportional share of unclassified personal and household equipment (code 800) is included here.

Electronic, office or entertainment equipment (codes 700-799) includes: computers and related equipment; calculators and adding machines; telephones or answering machines; copiers; fax machines; paper shredders; typewriters; postage meters; other office equipment; musical instruments; stereo systems and/or components; televisions and cable TV converter boxes, cameras, excluding professional television studio cameras, video equipment and other electronic equipment. Older versions of NFIRS had a code for electronic equipment that included radar, X-rays, computers, telephones, and transmitter equipment.

Shop tools and industrial equipment excluding torches, burners or soldering irons (codes 300-330, 335-399) includes power tools; painting equipment; compressors; atomizing equipment; pumps; wet/dry vacuums; hoists, lifts or cranes; powered jacking equipment; water or gas drilling equipment; unclassified hydraulic equipment; heat-treating equipment; incinerators, industrial furnaces, ovens or kilns; pumps; compressors; internal combustion engines; conveyors; printing presses; casting, molding; or forging equipment; heat treating equipment; tar kettles; working or shaping machines; coating machines; chemical process equipment; waste recovery equipment; power transfer equipment; power takeoff; powered valves; bearings or brakes; picking, carding or weaving machines; testing equipment; gas regulators; separate motors; non-vehicular internal combustion engines; and unclassified shop tools and industrial equipment. As noted in Appendix A, a proportional share of shop tools and industrial equipment (code 300) is included here.

Medical equipment (codes 410-419) includes: dental, medical or other powered bed, chair or wheelchair; dental equipment; dialysis equipment; medical monitoring and imaging equipment; oxygen administration equipment; radiological equipment; medical sterilizers, therapeutic equipment and unclassified medical equipment. As noted in Appendix A, a proportional share of commercial and medical equipment (code 400) is included here.

Mobile property (vehicle) describes fires in which some type of mobile property was involved in ignition, regardless of whether the mobile property itself burned (mobile property involved codes 2 and 3).

Exposures are fires that are caused by the spread of or from another fire. These were identified by factor contributing to ignition code 71. This code is automatically applied when the exposure number is greater than zero.